Letter of Notification for the Macy 138 kV Station and Extension Project



PUCO Case No. 24-0005-EL-BLN

Submitted to: The Ohio Power Siting Board Pursuant to Ohio Administrative Code Section 4906-6-05

Submitted by: Ohio Power Company

January 10, 2024

Letter of Notification

Ohio Power Company Macy 138 kV Station and Extension Project

4906-6-05

Ohio Power Company (the "Company") provides the following information in accordance with the requirements of Ohio Administrative Code Section 4906-6-05.

4906-6-5(B) General Information

B(1) Project Description

The name of the project and applicant's reference number, names and reference number(s) of resulting circuits, a brief description of the project, and why the project meets the requirements for a Letter of Notification.

The Company is proposing the Macy 138 kV Station and Extension Project (the "Project") located in Jersey Township, Licking County, Ohio. The Project involves the construction of the proposed Macy 138 kV Station and Macy 138 kV Extension. The 0.2-mile Macy 138 kV Extension (consisting of two parallel single circuit lines) will connect the Anguin – Brie 138 kV Transmission Line (approved Case No. 22-1029-EL-BLN) to the proposed Macy 138 kV Station. The Macy 138 kV Extension Transmission Line will require a 100-ft wide transmission Right-of-Way (ROW) for each circuit. The Project will support a customer's development in the area.

Figures 1 and Figures 2, included in **Appendix A**, show the location of the Project in relation to the surrounding vicinity.

The Project meets the requirements for a LON because the components are within the types of projects defined by item 1(d)(ii) and 3 of Ohio Administrative Code Section 4906-1-01 Appendix A of the Application Requirement Matrix For Electric Power Transmission Lines:

(1) New construction, extension, or relocation of single or multiple circuit electric power transmission line(s), or upgrading existing transmission or distribution line(s) for operation at a higher transmission voltage, as follows:

(d) Line(s) primarily needed to attract or meet the requirements of a specific customer or customers, as follows:

(ii) Any portion of the line is on property owned by someone other than the specific customer or applicant.

(3) Constructing a new electric power transmission substation.

The Project has been assigned PUCO Case No. 24-0005-EL-BLN.

B(2) Statement of Need

If the proposed project is an electric power transmission line or gas or natural gas transmission line, a statement explaining the need for the proposed facility.

A customer has requested a new 138 kV delivery to serve their facility requiring 125 MW of additional load in the New Albany, Ohio area. To meet the customer's request, the Company will construct the new Macy 138 kV Station, which will be fed by tapping the previously approved Anguin – Brie 138 kV Transmission Line, via the Macy Extension. The customer has requested an in-service date of Aug 1, 2024.

Failure to move forward with the proposed Project will result in the inability to serve the customer's projected 125 MW peak load and jeopardize the customer's plans in the New Albany, Ohio area.

The need for this supplemental Project was presented to stakeholders at the December 6, 2022, PJM SRRTEP meeting. The solution was presented and reviewed with stakeholders at the May 9, 2023, PJM TEAC meeting, see **Appendix B**. The Project has yet to be assigned a PJM identifier, but one is anticipated in early 2024. The Project was inadvertently omitted from the Company's 2023 Long Term Forecast Report (LTFR) but will be included in the Company's 2024 LTFR.

B(3) Project Location

The applicant shall provide the location of the project in relation to existing or proposed lines and substations shown on an area system map of sufficient scale and size to show existing and proposed transmission facilities in the Project area.

The location of the Project in relation to existing and proposed transmission lines and stations is shown on **Figure 1**.

B(4) Alternatives Considered

The applicant shall describe the alternatives considered and reasons why the proposed location or route is best suited for the proposed facility. The discussion shall include, but not be limited to, impacts associated with socioeconomic, ecological, construction, or engineering aspects of the project.

The Company conducted an analysis that included initial investigations of potential alternatives between the proposed Macy 138 kV Station and the Anguin – Brie 138 kV Transmission Line. The Macy 138 kV Station is proposed to be located adjacent to the customer's station on the parcel of the proposed development. Due to the location of the proposed Macy 138 kV Station and the Anguin – Brie 138 kV Transmission Line, surrounding wetland conservation easements established by the customer, and new developments of light industrial/commercial areas, no other alternatives were considered for the Project. Any other alternative would potentially result in additional forested clearing and wetland/stream disturbances due to the site being surrounded by wetland conservation easements located to the north and west of the proposed Macy 138 kV Station.

The proposed route for Macy 138 kV Extension is primarily located on the customer's parcel and will only impact one additional landowner, which the parcel undergone recent urbanized development. Furthermore, there are no known impacts to cultural resources areas, forested areas, streams, or wetlands. No residences are located within 1,000 feet of the proposed Project. Therefore, this Project represents the

most suitable location and is the most appropriate solution for meeting the Company and the customer's needs in the area.

B(5) Public Information Program

The applicant shall describe its public information program to inform affected property owners and tenants of the nature of the project and the proposed timeframe for project construction and restoration activities.

The Company will inform affected property owners and tenants about this Project through several different mediums. Within seven days of filing this LON, the Company will issue a public notice in a newspaper of general circulation in the Project area. The notice will comply with all requirements of Ohio Administrative Code ("OAC") Section 4906-6-08(A)(1-6). Further, the Company will mail a letter, via first class mail, to affected landowners, tenants, contiguous owners and any other landowner the Company may approach for an easement necessary for the construction, operation, or maintenance of the Project. The letter will comply with all requirements of OAC Section 4906-6-08(B). The Company maintains a website (http://aeptransmission.com/ohio/) on which an electronic copy of this LON and the public notice for this LON. An electronic copy of the LON will be served to the public library in each political subdivision affected by this proposed Project. The Company retains ROW land agents that discuss Project timelines, construction and restoration activities and convey information to affected owners and tenants throughout the Project.

B(6) Construction Schedule

The applicant shall provide an anticipated construction schedule and proposed in-service date of the project.

Construction of the Project is anticipated to begin in February 2024, and the anticipated in-service date is July 2024.

B(7) Area Map

The applicant shall provide a map of at least 1:24,000 scale clearly depicting the facility with clearly marked streets, roads, and highways, and an aerial image.

Figure 1 provides the proposed Project area and existing transmission facilities on a map of 1:24,000-scale (1-inch equals 2,000 feet), showing the Project on a topographic map of the New Albany quadrangle provided by the National Geographic Society. **Figure 2** shows the Project area on recent aerial photography, dated 2021, as provided by the Environmental Systems Research Institute (ESRI), at a scale of 1:6,000 (1-inch equals 500 feet).

To visit the Project site from Columbus, Ohio, take I-670 East for approximately six miles and then merge onto I-270 N toward Cleveland. Continue on I-270 for approximately two miles, then take Exit 30 New Albany/OH 161E. Continue on OH 161E for 11 miles and then take the Beech Road NW exit. Turn right onto Beech Road and continue for approximately 1.5 miles. The approximate address of the Project site is 1101 Beech Road SW, at latitude 40.0574555°, longitude -82.7547470°

B(8) Property Agreements

The applicant shall provide a list of properties for which the applicant has obtained easements, options, and/or land use agreements necessary to construct and operate the facility and a list of the additional properties for which such agreements have not been obtained.

A list of properties required for the Project is provided in the table below. The Company has entered into a right of entry agreement with the customer.

Property Parcel Number	Agreement Type	Easement or Option Obtained (Yes/No)
094-107502-00.003	New Easement	No
094-106686-00.000	Supplemental Easement	Yes
094-106914-00.000	N/A	N/A

B(9) Technical Features

The applicant shall describe the following information regarding the technical features of the project:

B(9)(a) Operating characteristics, estimated number and types of structures required, and right-of-way and/or land requirements.

The Macy 138 kV Station is estimated to include the following:

- 16'x 27'-Drop In Control Module
- 4-138 kV Circuit Breakers

The transmission line construction for the Macy 138kV Extension transmission line is anticipated to include the following:

Voltage: 138kV Conductors: 1033.5 kcmil 54/7 Strands CURLEW ACSS AW double bundled Static Wire: 96 count OPGW Insulators: Polymer ROW Width: 100-foot Structure Types: (3) single circuit, steel pole deadends

B(9)(b) Electric and Magnetic Fields

For electric power transmission lines that are within one hundred feet of an occupied residence or institution, the production of electric and magnetic fields during the operation of the proposed electric power transmission line.

No occupied residences or institutions are located within 100 feet of the Project.

B(9)(c) Project Cost

The estimated capital cost of the project.

The capital cost estimate for the proposed Project, which is comprised of applicable tangible and capital costs, is approximately \$12,500,000 based on a Class 4 estimate. Pursuant to the PJM Open Access Transmission Tariff ("OATT"), the costs for this Project will be recovered in the Company's Federal Energy Regulatory Commission ("FERC") formula rate (Attachment H-14 to the PJM OATT) and allocated to the AEP Zone.

B(10) Social and Economic Impacts

The applicant shall describe the social and ecological impacts of the project:

B(10)(a) Land Use Characteristics

Provide a brief, general description of land use within the vicinity of the proposed project, including a list of municipalities, townships, and counties affected.

An aerial photograph of the Project vicinity is provided as **Figure 2**. The Project location and vicinity have historically been agricultural land and scrub-shrub vegetation with scattered woodlots throughout the Project area. However, the Project area has recently undergone land use change to light commercial and industrial use, which is zoned currently as a business park according to the City of New Albany Zoning Map. The Project is located in the City of New Albany, Jersey Township, Licking County, Ohio. There are no parks, churches, cemeteries, wildlife management areas, or nature preserve lands within 1,000 feet of the Project.

B(10)(b) Agricultural Land Information

Provide the acreage and a general description of all agricultural land, and separately all agricultural district land, existing at least sixty days prior to submission of the application within the potential disturbance area of the project.

The Licking County Auditor provided a list of parcels registered as Agricultural District Land on October 30, 2023, and December 20, 2023, that confirmed no changes to the previously provided list. As a result, the Project is not located within lands identified as Agricultural District Land.

The majority of the Project site does occur either within the customer development or the existing ROW associated with the Anguin – Brie 138kV Transmission Line. The portion of the existing Anguin – Brie 138kV Transmission Line located east of Beech Road is situated on land currently utilized for agricultural purposes but is associated with an area posed for future commercial and/or industrial development. Therefore, significant disturbances to agricultural practices are not anticipated to occur as result of the Project.

B(10)(c) Archaeological and Cultural Resources

Provide a description of the applicant's investigation concerning the presence or absence of significant archaeological or cultural resources that may be located within the potential

disturbance area of the project, a statement of the findings of the investigation, and a copy of any document produced as a result of the investigation.

A Phase I Archaeological Investigation and a History/Architecture Investigation for the Macy 138 kV Station component of the Project occurred on September 12, 2023. Four previously identified archaeological sites and no architectural resources of 50 years of age or older were identified within the Area of Potential Effect (APE). The four archeological sites were not recommended as being eligible for listing in the National Register of Historic Places (NRHP).

A Phase I Archaeological Investigation and a History/Architecture Investigation for the Macy 138 kV Extension component of the Project occurred on October 17, 2023. One previously identified archaeological site and no architectural resources of 50 years of age or older were identified within the APE. The one previously identified archaeological site was not recommend as being eligible for listing in the NRHP.

On September 15, 2023, and October 30, 2023, the Ohio State Historic Preservation Office ("SHPO") concurred with the recommendations and stated that the Macy 138 kV Station and the Macy 138 kV Extension will have no effect on historic properties and no further investigations or consultation with SHPO is necessary. Coordination with SHPO is provided as **Appendix C**.

B(10)(d) Local, State, and Federal Agency Correspondence

Provide a list of the local, state, and federal governmental agencies known to have requirements that must be met in connection with the construction of the project, and a list of documents that have been or are being filed with those agencies in connection with siting and constructing the Project.

A Notice of Intent will be filed with the Ohio Environmental Protection Agency for authorization of construction stormwater discharges under General Permit OHC000006. The Company will also coordinate stormwater permitting needs with local government agencies, as necessary. The Company will implement and maintain best management practices as outlined in the Project-specific Stormwater Pollution Prevention Plan to minimize erosion and control sediment to protect surface water quality during storm events.

The Company's consultant conducted a stream and wetland delineation within the Project study area. Three wetlands were identified within the Project study area, additional details regarding the delineated features are provided in Section (10) (f) below. None of the identified wetlands will be disturbed by the Project and therefore, the Project will be compliant with non-reporting conditions of the Nationwide Permit 57 and 39 under Section 401/404 and further coordination with the United States Army Corps of Engineers (USACE) is not warranted as further clarified in **Section (10)(f)**.

No FEMA regulated floodplains or floodways will be disturbed by the Project as identified in FEMA Map ID# 39089C0267H provided as **Appendix E**.

There are no other known local, state, or federal requirements that must be met prior to commencement of the proposed Project. The City of New Albany will require a preconstruction meeting-AEP will facilitate this meeting with the City for compliance.

B(10)(e) Threatened, Endangered, and Rare Species

Provide a description of the applicant's investigation concerning the presence or absence of federal and state designated species (including endangered species, threatened species, rare species, species proposed for listing, species under review for listing, and species of special interest) that may be located within the potential disturbance area of the project, a statement of the findings of the investigation, and a copy of any document produced as a result of the investigation.

On June 14, 2023, coordination letters were sent to United States Fish and Wildlife Service (USFWS) and the Ohio Department of Natural Resources (ODNR) Ohio Natural Heritage Program (ONHP) and Division of Wildlife (DOW), seeking an environmental review for the Project for potential impacts to threatened and endangered species. Two separate consultation requests were sent for the Macy Station and Macy 138 kV Extension Transmission Line and identical responses from both agencies for these Projects were received.

According to the response letters received from the USFWS for each projects review request, two federally endangered species and one proposed federally listed bat species were identified. Regarding state threatened and endangered species that may occur within the Project vicinity, six species were listed by the ODNR. A combined species review for each of these species and potential impacts from the Project were evaluated and a summary provided below.

Of the six listed species, four bat species northern long-eared bat (*Myotis septentroinalis*), Indiana bat (*Myotis sodalist*), little brown bat (*Myotis lucifugus*), tricolored bat (*Perimyotis subflavus*) were identified as being within range of the Project area and ODNR/USFWS request adherence to seasonal tree clearing activities (October 1 to March 31). Based on general observations during the ecological survey, the existing land use is primarily urban or agricultural row crop. Forested clearing is not anticipated; any tree clearing needed for the 138kv will be completed between October 1 to March 31 unless agency (ODNR/USFWS) permission is obtained for the Project. Additionally, the Company's consultant completed a desktop review for potential hibernaculum within 0.25 miles of the Project area and no caves, mines, and/or karst features were identified. As per ODNR/USFWS current guidance, further coordination regarding potential hibernaculum is only necessary if the habitat assessment find potential habitat within 0.25 miles of the Project area. Therefore, no further coordination was necessary with either the ODNR and/or USFWS regarding these species. Results of the desktop habitat assessment has been included within **Appendix D**.

The ODNR also identified one aquatic fish species, Lake chubsucker (*Erimyzon sucetta*), within range of the Project area. Due to the absence of streams within the Project area, no impacts are anticipated to this species and further coordination with the ODNR is not warranted.

Lastly, the ODNR commented that the Project is within range of one bird species, Northern harrier (*Circus hudsonius*). Based on existing site conditions, potential nesting habitat for the Northern Harrier was not identified due to the existing land use being actively disturbed areas or associated with developed urban and landscape areas of the customer development. As per the ODNR initial guidance provided in **Appendix C**, this species is not likely to be impacted by the Project if their habitat will not be impacted. Therefore, no further coordination regarding northern harrier was warranted regarding this Project as no habitat was present.

A copy of the agency correspondence is provided in **Appendix C**. Additional information regarding habitat assessments within the Project area is provided within the Wetland Delineation and Stream Assessment Report found in **Appendix D**.

B(10)(f) Areas of Ecological Concern

Provide a description of the applicant's investigation concerning the presence or absence of areas of ecological concern (including national and state forests and parks, floodplains, wetlands, designated or proposed wilderness areas, national and state wild and scenic rivers, wildlife areas, wildlife refuges, wildlife management areas, and wildlife sanctuaries) that may be located within the potential disturbance area of the project, a statement of the findings of the investigation, and a copy of any document produced as a result of the investigation.

The Company's consultant prepared a two ecological survey reports for the Project: (1) Macy 138 kV Station Project and (2) Macy 138 kV Extension and Anguin-Brie Cut In Project, which are provided in **Appendix D**. A survey of the Project area identified three wetlands composed of three palustrine forested (PFO) wetlands, which will be avoided for the Project. These three wetlands are located outside of the customer's property and north of the station that will be avoided by both Projects. No other streams, ponds, and/or wetlands will be impacted by this Project.

Coordination letters were submitted to the USFWS and ODNR requesting a review the Project and identification of areas of ecological concern. The USFWS's response email was received on August 18, 2023, (**Appendix C**) and did not indicate any federal wilderness areas, wildlife refuges, or designated critical habitat within the vicinity of the Project. The ODNR's response received on September 8, 2023 (**Appendix C**) did not indicate any known unique ecological sites, geologic features, scenic rivers, state wildlife areas, state natural preserves, state or national parks, state or national forests, national wildlife refuges, or other protected natural areas within the Project area.

B(10)(g) Unusual Conditions

Provide any known additional information that will describe any unusual conditions resulting in significant environmental, social, health, or safety impacts.

To the best of the Company's knowledge, no unusual conditions exist that would result in significant environmental, social, health, or safety impacts.

Appendix A Project Figures





Appendix B PJM Solution



AEP Transmission Zone M-3 Process QTS South

Need Number: AEP-2022-OH075 Process Stage: Solutions Meeting 5/9/2023 **Previously Presented:** Needs Meeting 12/6/2022 Project Driver: Customer Service **Specific Assumption Reference:** 2 AEP Connection Requirements for the AEP Transmission System (AEP Assumptions Slide 12) **Problem Statement:** 68 6A **Customer Service:** A customer has requested transmission service at a • site Southeast of AEP's existing Anguin station in New Albany, OH.

- The customer has indicated a peak demand of 100
 125 MW at the site.
- The customer has requested an ISD of 8/1/2024





AEP Transmission Zone M-3 Process New Albany, OH

Need Number: AEP-2022-OH075

Process Stage: Solutions Meeting 5/9/2023

Proposed Solution:

The following work is all direct connect substations to physically connect demand to the grid.

- QTS South 138 kV: Cut into one of the circuits of Anguin Brie 138 kV line and extend ~0.1 miles of two single circuit lines, utilizing 2-bundled ACSS Curlew 1033.5 (54/7) conductor, SE rating 1123 MVA, to the greenfield Macy station with (4) 80 kA, 4000 A breakers laid out as 4-CB ring bus. Construct (2) 138 kV tie lines to the customers dead end structures ~0.04 miles utilizing ACSR Dove 556.5 (26/7) conductor SE 284 MVA. Cost: \$9.54 M
- Brie Innovation 138 kV Tie: Construct a greenfield ~1.75 mile of double circuit line, utilizing 2-bundled ACSS Curlew 1033.5 (54/7) conductor, connecting Brie and Innovation stations as well as re-establish the Babbitt Kirk 138 kV circuit. At Brie 138 kV station will install four 138 kV circuit breakers in two partial strings breaker and half configuration along with a 69.1 MVAR capacitor. Perform remote end work at Innovation, Babbitt, and Kirk 138 kV stations. This project addresses a consequential (for a N-1-1 contingency) load drop event of more than 300 MW for the loads served out of AEP's Anguin and Brie stations while also addressing an overload on the Babbitt Innovation 138 kV circuit in relation to new customer interconnections in the area. Cost: \$10.8 M

Appendix C Agency Correspondence



In reply, refer to 2023-LIC-59399

October 30, 2023

Ryan Weller Weller & Associates, Inc. 1395 W. Fifth Ave. Columbus, OH 43212 rweller@wellercrm.com

RE: Macy Extension Transmission Line, Jersey Township, Licking County, Ohio

Dear Mr. Weller:

This letter is in response to the correspondence received October 17, 2023 regarding the proposed Macy Extension Transmission Line, Jersey Township, Licking County, Ohio. We appreciate the opportunity to comment on this project. The comments of the Ohio State Historic Preservation Office (SHPO) are made pursuant to Section 149.53 of the Ohio Revised Code and the Ohio Power Siting Board rules for siting this project (OAC 4906-4 & 4906-5). The comments of the Ohio SHPO are also submitted in accordance with the provisions of Section 106 of the National Historic Preservation Act of 1966, as amended (54 U.S.C. 306108 [36 CFR 800]).

The following comments pertain to the letter report titled *Phase I Cultural Resource Management Investigations for the .32* km (0.2 mile) Macy Extension Transmission Line Project in Jersey Township, Licking County, Ohio by Ryan J. Weller (Weller & Associates, Inc. 2023).

A literature review was completed as part of the investigations. One (1) previously identified archaeological resource is located within the project are, Ohio Archaeological Inventory (OAI) #33LI2272. The site was previously determined not eligible for listing in the National Register of Historic Places (NRHP). Our office continues to agree with this recommendation. The entirety of the project area has been previously investigated. No architectural resources fifty years old or older are located within the Area of Potential Effects (APE).

Based on the information provided, we agree the project as proposed will have no effect on historic properties. No further coordination with this office is necessary, unless the project changes or unless new or additional historic properties are discovered during implementation of this project. In such a situation, this office should be contacted. If you have any questions, please contact me at (614) 298-2022, or by e-mail at <u>khorrocks@ohiohistory.org</u>. Thank you for your cooperation.

Sincerely,

Krista Horrocks, Project Reviews Manager Resource Protection and Review

RPR Serial No: 1100248



In reply, refer to 2023-LIC-59052

September 15, 2023

Ryan Weller Weller & Associates, Inc. 1395 W. Fifth Ave. Columbus, OH 43212 rweller@wellercrm.com

RE: Macy 138kV Station Project, Jersey Township, Licking County, Ohio

Dear Mr. Weller:

This letter is in response to the correspondence received September 12, 2023 regarding the proposed Macy 138kV Station Project, Jersey Township, Licking County, Ohio. We appreciate the opportunity to comment on this project. The comments of the Ohio State Historic Preservation Office (SHPO) are made pursuant to Section 149.53 of the Ohio Revised Code and the Ohio Power Siting Board rules for siting this project (OAC 4906-4 & 4906-5). The comments of the Ohio SHPO are also submitted in accordance with the provisions of Section 106 of the National Historic Preservation Act of 1966, as amended (54 U.S.C. 306108 [36 CFR 800]).

The following comments pertain to the *Phase I Cultural Resource Management Investigations for the 4 ha (10 ac) Macy* 138kV Station Project in Jersey Township, Licking County, Ohio by Ryan J. Weller (Weller & Associates, Inc. 2023).

A literature review was completed as part of the investigations. The project area has been previously surveyed and four (4) previously identified archaeological sites are located in the project area, Ohio Archaeological Inventory (OAI) #33LI2274, 33LI2377, 33LI2378, and 33LI2379. All of the sites were previously determined not eligible for listing in the National Register of Historic Places (NRHP). Our office agrees with the previous eligibility decisions and no additional archaeological survey is needed. No architectural resources 50 years of age or older were identified within the Area of Potential Effects (APE).

Based on the information provided, we agree the project as proposed will have no effect on historic properties. No further coordination with this office is necessary, unless the project changes or unless new or additional historic properties are discovered during implementation of this project. In such a situation, this office should be contacted. If you have any questions, please contact me at (614) 298-2022, or by e-mail at <u>khorrocks@ohiohistory.org</u>. Thank you for your cooperation.

Sincerely,

Krista Horrocks, Project Reviews Manager Resource Protection and Review

RPR Serial No: 1099767



United States Department of the Interior

FISH AND WILDLIFE SERVICE

Ecological Services 4625 Morse Road, Suite 104 Columbus, Ohio 43230 (614) 416-8993 / FAX (614) 416-8994



August 18, 2023

Project Code: 2023-0088649

Dear Mr. Joshua Holmes:

The U.S Fish and Wildlife Service (Service) has received your recent correspondence requesting information about the subject proposal. We offer the following comments and recommendations to assist you in minimizing and avoiding adverse impacts to threatened, endangered, and proposed species pursuant to the Endangered Species Act of 1973 (16 U.S.C. 1531 et seq), as amended (ESA).

Federally Threatened and Endangered Species: The endangered Indiana bat (Myotis sodalis) and northern long-eared bat (Myotis septentrionalis) occur throughout the State of Ohio. The Indiana bat and northern long-eared bat may be found wherever suitable habitat occurs unless a presence/absence survey has been performed to document absence. Suitable summer habitat for Indiana bats and northern long-eared bats consists of a wide variety of forested/wooded habitats where they roost, forage, and breed that may also include adjacent and interspersed non-forested habitats such as emergent wetlands and adjacent edges of agricultural fields, woodlots, fallow fields, and pastures. Roost trees for both species include live and standing dead trees ≥ 3 inches diameter at breast height (dbh) that have any exfoliating bark, cracks, crevices, hollows and/or cavities. These roost trees may be located in forested habitats as well as linear features such as fencerows, riparian forests, and other wooded corridors. Individual trees may be considered suitable habitat when they exhibit the characteristics of a potential roost tree and are located within 1,000 feet of other forested/wooded habitat. Northern long-eared bats have also been observed roosting in human-made structures, such as buildings, barns, bridges, and bat houses; therefore, these structures should also be considered potential summer habitat. In the winter, Indiana bats and northern longeared bats hibernate in caves, rock crevices and abandoned mines.

<u>Federally Proposed Species</u>: On September 14, 2022, the Service proposed to list the tricolored bat (*Perimyotis subflavus*) as endangered under the ESA. The bat faces extinction due to the impacts of white-nose syndrome, a deadly disease affecting cave-dwelling bats across the continent. During spring, summer, and fall, this species roosts primarily among leaf clusters of live or recently dead trees, emerging at dusk to hunt for insects over waterways and forest edges. While white-nose syndrome is by far the most serious threat to the tricolored bat, other threats now have an increased significance due to the dramatic decline in the species' population. These threats include disturbance to bats in roosting, foraging, commuting, and over-wintering habitats. Mortality due to collision with wind turbines, especially during migration, has also been documented across their range. Conservation measures for the Indiana bat and northern long-eared bat will also help to conserve the tricolored bat.

Seasonal Tree Clearing for Federally Listed Bat Species: Should the proposed project site contain trees ≥ 3 inches dbh, we recommend avoiding tree removal wherever possible. If any caves or abandoned mines may be disturbed, further coordination with this office is requested to determine if fall or spring portal surveys are warranted. If no caves or abandoned mines are present and trees ≥ 3 inches dbh cannot be avoided, we recommend removal of any trees ≥ 3 inches dbh only occur between October 1 and March 31. Seasonal clearing is recommended to avoid adverse effects to Indiana bats and northern long-eared bats.

If implementation of this seasonal tree cutting recommendation is not possible, a summer presence/absence survey may be conducted for Indiana bats and northern long-eared bats. If Indiana bats and northern long-eared bats are not detected during the survey, then tree clearing may occur at any time of the year. Surveys must be conducted by an approved surveyor and be designed and conducted in coordination with the Ohio Field Office. Surveyors must have a valid federal permit. Please note that in Ohio summer mist net surveys may only be conducted between June 1 and August 15.

<u>Section 7 Coordination</u>: If there is a federal nexus for the project (e.g., federal funding provided, federal permits required to construct), then no tree clearing should occur on any portion of the project area until consultation under section 7 of the ESA, between the Service and the federal action agency, is completed. We recommend the federal action agency submit a determination of effects to this office, relative to the Indiana bat and northern long-eared bat, for our review and concurrence. This letter provides technical assistance only and does not serve as a completed section 7 consultation document.

<u>Stream and Wetland Avoidance</u>: Over 90% of the wetlands in Ohio have been drained, filled, or modified by human activities, thus is it important to conserve the functions and values of the remaining wetlands in Ohio (<u>https://epa.ohio.gov/portals/47/facts/ohio_wetlands.pdf</u>). We recommend avoiding and minimizing project impacts to all wetland habitats (e.g., forests, streams, vernal pools) to the maximum extent possible in order to benefit water quality and fish and wildlife habitat. Additionally, natural buffers around streams and wetlands should be preserved to enhance beneficial functions. If streams or wetlands will be impacted, the U.S. Army Corps of Engineers should be contacted to determine whether a Clean Water Act section 404 permit is required. Best management practices should be used to minimize erosion, especially on slopes. Disturbed areas should be mulched and revegetated with native plant species. In addition, prevention of non-native, invasive plant establishment is critical in maintaining high quality habitats.

Due to the project type, size, and location, we do not anticipate adverse effects to any other federally endangered, threatened, or proposed species, or proposed or designated critical habitat. Should the project design change, or additional information on listed or proposed species or their critical habitat become available, or if new information reveals effects of the action that were not previously considered, coordination with the Service should be initiated to assess any potential impacts.

Thank you for your efforts to conserve listed species and sensitive habitats in Ohio. We recommend coordinating with the Ohio Department of Natural Resources due to the potential for the proposed project to affect state listed species and/or state lands. Contact Mike Pettegrew, Environmental Services Administrator, at (614) 265-6387 or at <u>mike.pettegrew@dnr.ohio.gov</u>.

If you have questions, or if we can be of further assistance in this matter, please contact our office at (614) 416-8993 or <u>ohio@fws.gov</u>.

Sincerely,

that 26

Keith Lott Acting Field Office Supervisor

cc: Nathan Reardon, ODNR-DOW Eileen Wyza, ODNR-DOW



MIKE DEWINE, GOVERNOR

MARY MERTZ, DIRECTOR

Office of Real Estate Tara Paciorek, Chief 2045 Morse Road – Bldg. E-2 Columbus, OH 43229 Phone: (614) 265-6661 Fax: (614) 267-4764

September 8, 2023

Joshua Holmes AECOM 707 Grant Street, 5th Floor Pittsburgh, Pennsylvania 15219

Re: 23-0923; Macy Substation and Macy-Justice Cust DP#1 T Line

Project: The proposed project involves the construction of a new greenfield substation and the installation of a new 0.15-mile greenfield 138kV transmission line extension from the QTS Justice Substation to the proposed Macy Substation.

Location: The proposed project is located in Jersey Township, Licking County, Ohio.

The Ohio Department of Natural Resources (ODNR) has completed a review of the above referenced project. These comments were generated by an inter-disciplinary review within the Department. These comments have been prepared under the authority of the Fish and Wildlife Coordination Act (48 Stat. 401, as amended; 16 U.S.C. 661 et seq.), the National Environmental Policy Act, the Coastal Zone Management Act, Ohio Revised Code and other applicable laws and regulations. These comments are also based on ODNR's experience as the state natural resource management agency and do not supersede or replace the regulatory authority of any local, state, or federal agency nor relieve the applicant of the obligation to comply with any local, state, or federal laws or regulations.

Natural Heritage Database: A review of the Ohio Natural Heritage Database indicates there are no records of state or federally listed plants or animals within one mile of the specified project area. Records searched date from 1980.

Please note that Ohio has not been completely surveyed and we rely on receiving information from many sources. Therefore, a lack of records for any particular area is not a statement that rare species or unique features are absent from that area.

Fish and Wildlife: The Division of Wildlife (DOW) has the following comments.

The DOW recommends that impacts to streams, wetlands and other water resources be avoided and minimized to the fullest extent possible, and that Best Management Practices be utilized to minimize erosion and sedimentation.

The project is within the vicinity of records for the northern long-eared bat (*Myotis septentrionalis*), a state endangered and federally endangered species. Because presence of state endangered bat species has been established in the area, summer tree cutting is not recommended, and additional summer surveys would not constitute presence/absence in the area. However,

limited summer tree cutting inside this buffer may be acceptable after further consultation with DOW (contact Eileen Wyza at <u>Eileen.Wyza@dnr.ohio.gov</u>).

In addition, the entire state of Ohio is within the range of the Indiana bat (*Myotis sodalis*), a state endangered and federally endangered species, the northern long-eared bat (*Myotis septentrionalis*), a state endangered and federally endangered species, the little brown bat (*Myotis lucifugus*), a state endangered species, and the tricolored bat (*Perimyotis subflavus*), a state endangered species. During the spring and summer (April 1 through September 30), these bat species predominately roost in trees behind loose, exfoliating bark, in crevices and cavities, or in the leaves. However, these species are also dependent on the forest structure surrounding roost trees. The DOW recommends tree cutting only occur from October 1 through March 31, conserving trees with loose, shaggy bark and/or crevices, holes, or cavities, as well as trees with DBH ≥ 20 if possible.

The DOW also recommends that a desktop habitat assessment is conducted, followed by a field assessment if needed, to determine if a potential hibernaculum is present within the project area. Direction on how to conduct habitat assessments can be found in the current USFWS "<u>RANGE-WIDE INDIANA BAT & NORTHERN LONG-EARED BAT SURVEY GUIDELINES</u>." If a habitat assessment finds that a potential hibernaculum is present within 0.25 miles of the project area, please send this information to Eileen Wyza for project recommendations. If a potential or known hibernaculum is found, the DOW recommends a 0.25-mile tree cutting and subsurface disturbance buffer around the hibernaculum entrance, however, limited summer or winter tree cutting may be acceptable after consultation with the DOW. If no tree cutting or subsurface impacts to a hibernaculum are proposed, this project is not likely to impact these species.

The project is within the range the lake chubsucker (*Erimyzon sucetta*) a state threatened fish. The DOW recommends no in-water work in perennial streams from March 15 through June 30 to reduce impacts to indigenous aquatic species and their habitat. If no in-water work is proposed in a perennial stream, this project is not likely to impact this or other aquatic species.

The project is within the range of the northern harrier (*Circus hudsonius*), a state endangered bird. This is a common migrant and winter species. Nesters are much rarer, although they occasionally breed in large marshes and grasslands. Harriers often nest in loose colonies. The female builds a nest out of sticks on the ground, often on top of a mound. Harriers hunt over grasslands. If this type of habitat will be impacted, construction should be avoided in this habitat during the species' nesting period of April 15 through July 31. If this habitat will not be impacted, this project is not likely to impact this species.

Due to the potential of impacts to federally listed species, as well as to state listed species, we recommend that this project be coordinated with the US Fish & Wildlife Service.

Water Resources: The Division of Water Resources has the following comment.

The <u>local floodplain administrator</u> should be contacted concerning the possible need for any floodplain permits or approvals for this project.

ODNR appreciates the opportunity to provide these comments. Please contact Mike Pettegrew at <u>mike.pettegrew@dnr.ohio.gov</u> if you have questions about these comments or need additional information.

Mike Pettegrew Environmental Services Administrator



United States Department of the Interior

FISH AND WILDLIFE SERVICE

Ecological Services 4625 Morse Road, Suite 104 Columbus, Ohio 43230 (614) 416-8993 / FAX (614) 416-8994



August 18, 2023

Project Code: 2023-0093253

Dear Mr. Joshua Holmes:

The U.S Fish and Wildlife Service (Service) has received your recent correspondence requesting information about the subject proposal. We offer the following comments and recommendations to assist you in minimizing and avoiding adverse impacts to threatened, endangered, and proposed species pursuant to the Endangered Species Act of 1973 (16 U.S.C. 1531 et seq), as amended (ESA).

Federally Threatened and Endangered Species: The endangered Indiana bat (Myotis sodalis) and northern long-eared bat (Myotis septentrionalis) occur throughout the State of Ohio. The Indiana bat and northern long-eared bat may be found wherever suitable habitat occurs unless a presence/absence survey has been performed to document absence. Suitable summer habitat for Indiana bats and northern long-eared bats consists of a wide variety of forested/wooded habitats where they roost, forage, and breed that may also include adjacent and interspersed non-forested habitats such as emergent wetlands and adjacent edges of agricultural fields, woodlots, fallow fields, and pastures. Roost trees for both species include live and standing dead trees ≥ 3 inches diameter at breast height (dbh) that have any exfoliating bark, cracks, crevices, hollows and/or cavities. These roost trees may be located in forested habitats as well as linear features such as fencerows, riparian forests, and other wooded corridors. Individual trees may be considered suitable habitat when they exhibit the characteristics of a potential roost tree and are located within 1,000 feet of other forested/wooded habitat. Northern long-eared bats have also been observed roosting in human-made structures, such as buildings, barns, bridges, and bat houses; therefore, these structures should also be considered potential summer habitat. In the winter, Indiana bats and northern longeared bats hibernate in caves, rock crevices and abandoned mines.

<u>Federally Proposed Species</u>: On September 14, 2022, the Service proposed to list the tricolored bat (*Perimyotis subflavus*) as endangered under the ESA. The bat faces extinction due to the impacts of white-nose syndrome, a deadly disease affecting cave-dwelling bats across the continent. During spring, summer, and fall, this species roosts primarily among leaf clusters of live or recently dead trees, emerging at dusk to hunt for insects over waterways and forest edges. While white-nose syndrome is by far the most serious threat to the tricolored bat, other threats now have an increased significance due to the dramatic decline in the species' population. These threats include disturbance to bats in roosting, foraging, commuting, and over-wintering habitats. Mortality due to collision with wind turbines, especially during migration, has also been documented across their range. Conservation measures for the Indiana bat and northern long-eared bat will also help to conserve the tricolored bat.

Seasonal Tree Clearing for Federally Listed Bat Species: Should the proposed project site contain trees ≥ 3 inches dbh, we recommend avoiding tree removal wherever possible. If any caves or abandoned mines may be disturbed, further coordination with this office is requested to determine if fall or spring portal surveys are warranted. If no caves or abandoned mines are present and trees ≥ 3 inches dbh cannot be avoided, we recommend removal of any trees ≥ 3 inches dbh only occur between October 1 and March 31. Seasonal clearing is recommended to avoid adverse effects to Indiana bats and northern long-eared bats.

If implementation of this seasonal tree cutting recommendation is not possible, a summer presence/absence survey may be conducted for Indiana bats and northern long-eared bats. If Indiana bats and northern long-eared bats are not detected during the survey, then tree clearing may occur at any time of the year. Surveys must be conducted by an approved surveyor and be designed and conducted in coordination with the Ohio Field Office. Surveyors must have a valid federal permit. Please note that in Ohio summer mist net surveys may only be conducted between June 1 and August 15.

<u>Section 7 Coordination</u>: If there is a federal nexus for the project (e.g., federal funding provided, federal permits required to construct), then no tree clearing should occur on any portion of the project area until consultation under section 7 of the ESA, between the Service and the federal action agency, is completed. We recommend the federal action agency submit a determination of effects to this office, relative to the Indiana bat and northern long-eared bat, for our review and concurrence. This letter provides technical assistance only and does not serve as a completed section 7 consultation document.

<u>Stream and Wetland Avoidance</u>: Over 90% of the wetlands in Ohio have been drained, filled, or modified by human activities, thus is it important to conserve the functions and values of the remaining wetlands in Ohio (<u>https://epa.ohio.gov/portals/47/facts/ohio_wetlands.pdf</u>). We recommend avoiding and minimizing project impacts to all wetland habitats (e.g., forests, streams, vernal pools) to the maximum extent possible in order to benefit water quality and fish and wildlife habitat. Additionally, natural buffers around streams and wetlands should be preserved to enhance beneficial functions. If streams or wetlands will be impacted, the U.S. Army Corps of Engineers should be contacted to determine whether a Clean Water Act section 404 permit is required. Best management practices should be used to minimize erosion, especially on slopes. Disturbed areas should be mulched and revegetated with native plant species. In addition, prevention of non-native, invasive plant establishment is critical in maintaining high quality habitats.

Due to the project type, size, and location, we do not anticipate adverse effects to any other federally endangered, threatened, or proposed species, or proposed or designated critical habitat. Should the project design change, or additional information on listed or proposed species or their critical habitat become available, or if new information reveals effects of the action that were not previously considered, coordination with the Service should be initiated to assess any potential impacts.

Thank you for your efforts to conserve listed species and sensitive habitats in Ohio. We recommend coordinating with the Ohio Department of Natural Resources due to the potential for the proposed project to affect state listed species and/or state lands. Contact Mike Pettegrew, Environmental Services Administrator, at (614) 265-6387 or at <u>mike.pettegrew@dnr.ohio.gov</u>.

If you have questions, or if we can be of further assistance in this matter, please contact our office at (614) 416-8993 or <u>ohio@fws.gov</u>.

Sincerely,

that 26

Keith Lott Acting Field Office Supervisor

cc: Nathan Reardon, ODNR-DOW Eileen Wyza, ODNR-DOW





MIKE DEWINE, GOVERNOR

MARY MERTZ, DIRECTOR

Office of Real Estate Tara Paciorek, Chief 2045 Morse Road – Bldg. E-2 Columbus, OH 43229 Phone: (614) 265-6661 Fax: (614) 267-4764

September 8, 2023

Joshua Holmes AECOM 707 Grant Street, 5th Floor Pittsburgh, Pennsylvania 15219

Re: 23-0924; Macy Extension

Project: The proposed project involves the installation of an approximately 0.25-mile greenfield 138kV transmission line extension from the Anguin-Brie transmission line to the proposed Macy Substation.

Location: The proposed project is located in Jersey Township, Licking County, Ohio.

The Ohio Department of Natural Resources (ODNR) has completed a review of the above referenced project. These comments were generated by an inter-disciplinary review within the Department. These comments have been prepared under the authority of the Fish and Wildlife Coordination Act (48 Stat. 401, as amended; 16 U.S.C. 661 et seq.), the National Environmental Policy Act, the Coastal Zone Management Act, Ohio Revised Code and other applicable laws and regulations. These comments are also based on ODNR's experience as the state natural resource management agency and do not supersede or replace the regulatory authority of any local, state, or federal agency nor relieve the applicant of the obligation to comply with any local, state, or federal laws or regulations.

Natural Heritage Database: A review of the Ohio Natural Heritage Database indicates there are no records of state or federally listed plants or animals within one mile of the specified project area. Records searched date from 1980.

Please note that Ohio has not been completely surveyed and we rely on receiving information from many sources. Therefore, a lack of records for any particular area is not a statement that rare species or unique features are absent from that area.

Fish and Wildlife: The Division of Wildlife (DOW) has the following comments.

The DOW recommends that impacts to streams, wetlands and other water resources be avoided and minimized to the fullest extent possible, and that Best Management Practices be utilized to minimize erosion and sedimentation.

The project is within the vicinity of records for the northern long-eared bat (*Myotis septentrionalis*), a state endangered and federally endangered species. Because presence of state endangered bat species has been established in the area, summer tree cutting is not recommended, and additional summer surveys would not constitute presence/absence in the area. However,

limited summer tree cutting inside this buffer may be acceptable after further consultation with DOW (contact Eileen Wyza at <u>Eileen.Wyza@dnr.ohio.gov</u>).

In addition, the entire state of Ohio is within the range of the Indiana bat (*Myotis sodalis*), a state endangered and federally endangered species, the northern long-eared bat (*Myotis septentrionalis*), a state endangered and federally endangered species, the little brown bat (*Myotis lucifugus*), a state endangered species, and the tricolored bat (*Perimyotis subflavus*), a state endangered species. During the spring and summer (April 1 through September 30), these bat species predominately roost in trees behind loose, exfoliating bark, in crevices and cavities, or in the leaves. However, these species are also dependent on the forest structure surrounding roost trees. The DOW recommends tree cutting only occur from October 1 through March 31, conserving trees with loose, shaggy bark and/or crevices, holes, or cavities, as well as trees with DBH ≥ 20 if possible.

The DOW also recommends that a desktop habitat assessment is conducted, followed by a field assessment if needed, to determine if a potential hibernaculum is present within the project area. Direction on how to conduct habitat assessments can be found in the current USFWS "<u>RANGE-WIDE INDIANA BAT & NORTHERN LONG-EARED BAT SURVEY GUIDELINES</u>." If a habitat assessment finds that a potential hibernaculum is present within 0.25 miles of the project area, please send this information to Eileen Wyza for project recommendations. If a potential or known hibernaculum is found, the DOW recommends a 0.25-mile tree cutting and subsurface disturbance buffer around the hibernaculum entrance, however, limited summer or winter tree cutting may be acceptable after consultation with the DOW. If no tree cutting or subsurface impacts to a hibernaculum are proposed, this project is not likely to impact these species.

The project is within the range the lake chubsucker (*Erimyzon sucetta*) a state threatened fish. The DOW recommends no in-water work in perennial streams from March 15 through June 30 to reduce impacts to indigenous aquatic species and their habitat. If no in-water work is proposed in a perennial stream, this project is not likely to impact this or other aquatic species.

The project is within the range of the northern harrier (*Circus hudsonius*), a state endangered bird. This is a common migrant and winter species. Nesters are much rarer, although they occasionally breed in large marshes and grasslands. Harriers often nest in loose colonies. The female builds a nest out of sticks on the ground, often on top of a mound. Harriers hunt over grasslands. If this type of habitat will be impacted, construction should be avoided in this habitat during the species' nesting period of April 15 through July 31. If this habitat will not be impacted, this project is not likely to impact this species.

Due to the potential of impacts to federally listed species, as well as to state listed species, we recommend that this project be coordinated with the US Fish & Wildlife Service.

Water Resources: The Division of Water Resources has the following comment.

The <u>local floodplain administrator</u> should be contacted concerning the possible need for any floodplain permits or approvals for this project.

ODNR appreciates the opportunity to provide these comments. Please contact Mike Pettegrew at <u>mike.pettegrew@dnr.ohio.gov</u> if you have questions about these comments or need additional information.

Mike Pettegrew Environmental Services Administrator





June 14, 2023

Attention: Mr. John Kessler Ohio Department of Natural Resources 2045 Morse Road, Building E-2 Columbus, Ohio 43229-6693

Via email: <u>environmentalreviewrequest@dnr.state.oh.us</u>; <u>NHDRequest@dnr.state.oh.us</u> Reference: Request for Technical Assistance, Macy Extension, Licking County, Ohio

Dear Mr. Kessler:

AEP Ohio Transmission Company, Inc. (AEP), is formally requesting that the Ohio Department of Natural Resources (ODNR) complete a review for the proposed Macy Extension (Project) in Licking County, Ohio. The purpose of the Project is to install an approximately 0.25 mile greenfield 138kV transmission line extension from the Anguin- Brie transmission line to the proposed Macy Substation. The Project study area is located on the USGS New Albany, Ohio U.S. Geologic Survey 7.5' topographical quadrangle as displayed on the Project Topographic Overview Map (Figure 1).

AECOM completed a desktop review of publicly available data to identify underground voids which could be potential hibernation sites for overwintering bats (hibernacula) within 0.25-miles of the Project area. The data sources utilized include USGS topographical maps, aerial photography, and ODNR's Division of Mineral Resources and Geological Survey Data for Known Mining Activity and Karst Geology/Sinkholes as shown on Figure 1 and 2. Based on the available desktop resources, there are no underground and historic surface mines or karst features located within 0.25-mile of the Project. Therefore, potential hibernaculum is not anticipated to be within range of the Project area.

Please provide us with the results of the ODNR's environmental review, including results of the ODNR Natural Heritage Database search, at your earliest convenience. If you have questions or need additional information regarding the Project, please contact me at the phone number or email below. Thank you for your assistance with this request.

Sincerely,

Frang Malle

Brian Miller Environmental Project Manager Phone: (412-667-9172) Brian.miller1@aecom.com Cc: Amy J. Toohey Environmental Specialist-Consultant Phone: (614-565-1480) ajtoohey@aep.com

Attachments: Figure 1 – Topographic Project Overview, Figure 2 – Aerial Project Overview Natural Heritage Data Request Form Electronic Shapefiles (.shp)



Appendix D Ecological Resources Inventory Report

MACY 138 KV EXTENSION AND ANGUIN – BRIE CUT-IN PROJECT LICKING COUNTY, OHIO

ECOLOGICAL REPORT

Prepared for: American Electric Power Ohio Transmission Company 8600 Smiths Mill Road New Albany, Ohio 43054



Prepared by:



525 Vine Street, Suite 1800 Cincinnati, Ohio 45202

Project #: 60708642

October 2023

TABLE OF CONTENTS

1.0	INTRO	DUCTION	1
2.0	METH 2.1	ODOLOGY WETLAND DELINEATION 2.1.1 WETLAND CLASSIFICATION	1 2 2
	2.2	2.1.2 WETLAND ASSESSMENT	2 3
		 2.2.1 OEPA HABITAT ASSESSMENTS	3 3
	2.3	RARE, THREATENED, AND ENDANGERED SPECIES	4
3.0	RESU		
	3.1	3.1.1 PRELIMINARY SOILS EVALUATION	5 5 5
	3.2	STREAM DELINEATION	8 8
	3.3 3.4	FEMA 100 YEAR FLOODPLAINS PONDS	8 8
	3.5 3.6	UPLAND DRAINAGE FEAUTURES	8 8
	1.1	RARE, THREATENED AND ENDANGERED SPECIES AGENCY COORDINATION	9
4.0	SUMM	SUMMARY	
5.0	REFERENCES		. 15

i

TABLES (in-text)

TABLE 1 SOIL MAP LINITS AND DESCRIPTIONS WITHIN THE PROJECT SURVEY AREA	5
	0
TABLE 2 SUMMARY OF WATERSHED WETLANDS WITHIN THE PROJECT SURVEY AREA	1
TABLE 3 SUMMARY OF WATERSHED 401 WUC ELIGIBILITY WITHIN THE PROJECT SURVEY AREA	8
TABLE 4 VEGETATIVE COMMUNITIES WITHIN THE PROJECT SURVEY AREA	9
TABLE 5: ODNR AND USFWS LISTED SPECIES WITHIN THE PROJECT SURVEY AREA	11

FIGURES

Number

FIGURE 1	Project Overview
FIGURE 2	Soil Map Unit and National Wetland Inventory Map
FIGURE 3	Wetland Delineation and Stream Assessment Map
FIGURE 4	Stream Eligibility Map
FIGURE 5	Vegetative Communities

APPENDICES

Number

APPENDIX A	Agency Correspondence
APPENDIX B	Desktop Assessment for Winter Bat Habitat
APPENDIX C	U.S. Army Corps of Engineers Wetland Determination Data Forms / OEPA Wetland ORAM Forms / Delineated Features Photographs
APPENDIX D	Upland Drainage Features Photographic Record
APPENDIX E APPENDIX F	Habitat Photographic Record 2023 Joint Guidance

ii

1.0 INTRODUCTION

American Electric Power Ohio Transmission Company (AEP Ohio Transco) is proposing to install a new 0.25-mile greenfield 138 kilovolt (kV) transmission line extension (Project) from the Anguin-Brie Transmission line to the proposed Macy Station in Licking County, Ohio (OH). The Study Area associated with this Report for the Project is located on the New Albany, OH United States Geological Survey 7.5-minute topographical quadrangle as displayed on Project Overview Map (**Figure 1**).

Due to the active construction activities by others within the vicinity of the Project, an EMHT survey area overlaps with the AECOM Project Survey Area, see **Figure 2 and 3**. During those investigations, EMHT identified a total of three wetlands (EMHT Wetland A, EMHT Wetland C, and EMHT Wetland F) that overlap with the AECOM Project Survey Area. As the delineation was completed by others and not under public release, complete copies of the data forms and photographs have not been provided. However, AECOM has field verified the presence of these features and applicable forms have been included and/or supplemented with data provided from EMHT. Additionally, there is a conservation easement/EMHT wetland protection area that overlaps with the AECOM Project Survey Area, and it shall be avoided during construction due to existing wetland protection, see **Figure 2 and 3**. Only features that intersect the Project Survey Area have been included within this report.

The purpose of the field survey was to assess the presence of wetlands and other "waters of the United States" (WOTUS) that occur within the proposed Project area. Secondarily, land uses were also recorded to classify and characterize potential habitat for rare, threatened, and endangered (RTE) species. This report will be used to assist AEP Ohio Transco's efforts to identify potential WOTUS and RTE habitat present within the proposed Project alignment to avoid or minimize impacts during construction activities.

2.0 METHODOLOGY

The field survey was conducted within 100-ft survey corridor centered on the 0.5-mile proposed transmission line extension. As a result, the Project survey area included approximately 9.77-acres. Prior to conducting field surveys, digital United States Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS) soil survey data, United States Fish and Wildlife Service (USFWS) National Wetlands Inventory (NWI) data, United States Geological Survey (USGS) National Hydrography Dataset (NHD), Federal Emergency Management Agency (FEMA) 100-year floodplain data, and USGS 7.5-minute topographic maps were reviewed to identify the occurrence and location of potential wetland areas and/or streams.

Macy 138 kV Extension and Anguin- Brie Cut-In Project

1
Field survey activities included recording the physical boundaries of observed water features using submeter capable EOS Arrow Global Positioning System (GPS) units in conjunction with the ArcGIS Field Maps application on iPad tablets. The GPS data was imported into ArcMap Geographic Information System software, where the data was reviewed, edited for accuracy, and compiled in a format suitable for transfer and use by AEP Ohio Transco. Water features were delineated and assessed based upon the appropriate procedures detailed below. Land uses observed within the Project survey area were assigned a general classification based upon the principal land characteristics and vegetative cover of the location.

2.1 WETLAND DELINEATION

The Project survey area was evaluated according to the procedures outlined in the USACE *Corps of Engineers Wetland Delineation Manual* (Environmental Laboratory, 1987) and the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Midwest Region (Version 2.0)* (USACE, 2010).

During field survey activities, AECOM utilized the routine on-site delineation method described in the 1987 manual and the regional supplement that consisted of a pedestrian site reconnaissance, including identifying the vegetative communities, soils identification, a geomorphologic assessment of hydrology, and notation of disturbance. If a wetland was identified, AECOM completed a USACE Wetland Determination Data form (USACE Data Form) within each unique wetland habitat to serve as a representative of the wetland hydrology, vegetative community, and soil characteristics. Adjacent to each wetland complex, AECOM completed an additional USACE Data Form as a representation of the upland community.

2.1.1 WETLAND CLASSIFICATION

Wetlands identified in the field were classified based on the naming convention found in *Classification of Wetlands and Deepwater Habitats of the United States* (Cowardin *et al.*, 1979). The unique wetland habitats were classified as palustrine emergent (PEM), palustrine forested (PFO), palustrine unconsolidated bottom (PUB), palustrine scrub-shrub (PSS), or other classifications for some wetlands. Multiple Cowardin classifications may be present where more than one classification's vegetation is dominant (vegetation covers 30 percent or more of the substrate). Where multiple Cowardin classifications were present, the Cowardin classification of the plants that constitute the uppermost layer of vegetation having 30% or greater coverage is used for classification.

2.1.2 WETLAND ASSESSMENT

Each delineated wetland was assessed following the Ohio Environmental Protection Agency (OEPA) *Ohio Rapid Assessment Method for Wetlands v. 5.0* (ORAM) (Mack, 2001). Wetland assessments utilized the 10-page ORAM form, providing a final Category rating for each wetland.

2.2 STREAM ASSESSMENT

Streams were identified by the presence of a defined bed, bank, and evidence of an ordinary high-water mark (OHWM). The USACE defines the OHWM as "that line on the shore established by the fluctuations of water and indicated by physical characteristics such as a clear, natural line impressed on the bank, shelving, changes in the character of soil, destruction of terrestrial vegetation, the presence of litter and debris, or other appropriate means that consider the characteristics of the surrounding areas" (USACE, 2005).

2.2.1 OEPA HABITAT ASSESSMENTS

Stream assessments were conducted using the methods described in the OEPA's *Methods for Assessing Habitat in Flowing Waters: Using OEPA's Qualitative Habitat Evaluation Index (QHEI)* (Rankin, 2006) and in the OEPA's *Field Methods for Evaluating Primary Headwater Streams in Ohio* (OEPA, 2020). Streams associated with watershed area less than or equal to 1.0 square mile (259 hectares), and a maximum depth of water pools equal to or less than 15.75 inches were evaluated utilizing the Headwater Habitat Evaluation Index (HHEI) methodology and all other streams assessed using the QHEI. Flow regime (ephemeral, intermittent, perennial) was determined by the appropriate stream assessment score per OEPA manuals (OEPA, 2020) and by AECOM's professional opinion.

Streams assessed in the Project survey area were reviewed for existing OEPA Aquatic Life Use Designations per OEPA's Water Quality Standards (*OAC Chapter 3745-1*). Those without an existing use designation were assigned a provisional aquatic life use designation based upon habitat assessment results (Rankin, 1989; OEPA 2020).

2.2.2 OEPA 401 WATER QUALITY CERTIFICATION FOR NATIONWIDE PERMIT ELIGIBILITY

The OEPA has designated each watershed in the state on based on whether it may be ineligible for coverage under the OEPA's 401 Water Quality Certification (WQC) for Nationwide Permits (OEPA, 2017). Mapping provided by the OEPA illustrates the eligibility of streams in the area to fall under a Nationwide Permit for 401 certification or if an individual state WQC needs to be applied for. Impacts to streams within each watershed would then have eligibility for 401 Water Quality Certification determined by the watershed category. The three categories are defined as:

Eligible: Streams within the watershed are eligible for coverage under Ohio EPA's water quality certification for the nationwide permits if all other general and regional special terms and conditions are met.

Ineligible: Projects affecting high quality streams and undesignated streams draining directly to high quality streams, as represented in the map, must undergo an individual 401 Water Quality Certification review process.

Possibly Eligible: Additional field screening procedures are required for streams in the watershed to determine appropriate eligibility. Projects affecting undesignated streams within those HUC12 watersheds that do not directly but eventually drain into high quality waters, might be eligible for coverage under the OEPA's 401 WQC for Nationwide Permits depending on the results of a field screening assessment. The procedures for determining individual stream eligibility in this scenario are specified in Appendix D "Stream Eligibility Determination Process" of the OEPA Ohio State Water Quality Certification of the 2017 Nationwide Permit Reauthorization.

2.2.3 UPLAND DRAINAGE FEATURES

An upland drainage feature (UDF) is a non-jurisdictional drainage that does not meet the criteria of either a jurisdictional stream or a wetland. A UDF generally lacks an OHWM (USACE, 2005), and are equivalent to a swale or an erosional feature as described by the USACE: "generally shallow features in the landscape that may convey water across upland areas during and following storm events. Swales usually occur on nearly flat slopes and typically have grass or other low-lying vegetation throughout the swale" (USACE, 2005).

A roadside ditch may also be documented as a UDF if it meets the "not potentially jurisdictional" characterization as described in the Office of Environmental Services *Roadway Ditch Characterization Flowchart* (Ohio Department of Transportation, 2014). This would include a ditch that originates entirely within the roadway right-of-way, has a seasonal flow regime, was not constructed to drain a wetland, and does not have hydrophytic vegetation extending more than an insignificant amount beyond its original configuration.

In addition, UDF's (including swales, ditches, and other erosional features) are generally not WOTUS except in certain circumstances, such as relocated streams.

2.3 RARE, THREATENED, AND ENDANGERED SPECIES

AECOM conducted an RTE species review and general field habitat surveys within the Project survey area. AECOM submitted requests to Ohio Department of Natural Resources (ODNR) Office of Real Estate – Environmental Review Section and the USFWS Ohio Ecological Services Field Office soliciting comments on the proposed Project. Responses were received on September 8, 2023, and August 18, 2023, respectively (**Appendix A**). Agency-identified species of concern and available species-specific information was reviewed to identify the various habitat types that listed species are known to inhabit.

AECOM field ecologists conducted a general habitat survey in conjunction with the stream and wetland field surveys as part of assessing potential impacts to RTE species. Land uses within the Project survey area were assigned a general classification based upon the principal land characteristics and vegetative cover as observed during the field surveys.

AECOM conducted a desktop assessment of the Project Survey Area and a quarter-mile buffer around it to identify potentially occurring winter bat hibernaculum that may be present near the Project (**Appendix B**). This assessment was conducted by reviewing data on mining activity and karst geology from the ODNR Division of Mineral Resources and USGS websites.

3.0 RESULTS

On May 10 and 11 2022, AECOM ecologists walked the Project Survey Area to conduct the wetland delineation, stream assessment and habitat survey. Within the Project Survey Area, AECOM delineated two wetlands and one upland drainage features. The delineated features are discussed in detail in the following sections.

3.1 WETLAND DELINEATION

3.1.1 PRELIMINARY SOILS EVALUATION

According to the USDA/NRCS Soil Survey, four soil series are mapped within the Project Survey Area (USDA NRCS, 2023b). Of these, all four of the soil map units contain hydric inclusions (USDA NRCS, 2023a). Soils indicated as hydric inclusions are not predominately hydric soils and hydric soils are more likely to be found in topographic settings. **Table 1** below provides a detailed overview of all soil series and soil map units present within the Project Survey Area. Soil map units located in the Project survey area and vicinity are shown on **Figure 2**.

Soil Series	Map Unit Symbol	Map Unit Description	Topographic Setting	Hydric	Hydric Component (%)
Donnington	BeA	Bennington silt loam, 0 to 2 percent slopes	Ground moraines, end moraines	Yes*	Condit 5%, Pewamo 3%
Bennington	BeB	Bennington silt loam, 2 to 6 percent slopes	End moraines, ground moraines	Yes*	Condit 3%, Pewamo 3%
Contorburg	Cen1B1	Centerburg silt loam, 2 to 6 percent slopes	Ground moraines, end moraines	Yes*	Condit 4%, Marengo 3%
Cemerburg	Cen1C2	Centerburg silt loam, 6 to 12 percent slopes, eroded	End moraines, ground moraines	Yes*	Condit 4%

TABLE 1 - SOIL MAP UNITS AND DESCRIPTIONS WITHIN THE PROJECT SURVEY AREA

Yes* = Hydric inclusions

3.1.2 NATIONAL WETLAND INVENTORY MAP REVIEW

According to NWI data covering the Project location, the Project Survey Area contains one Palustrine, Emergent, Persistent, Seasonally Flooded (PEM1C) mapped NWI wetland. The feature was field verified as W-CMS-005. The locations of NWI mapped wetlands in the Project vicinity are shown on **Figure 2**.

3.1.3 DELINEATED WETLANDS

During the field survey, AECOM confirmed the presence of and collected data on two PFO wetlands [W-CMS-005 (EMHT Wetland F) and W-CMS-007 (Wetland C)] within the Project survey area. Each of the identified wetlands were assessed as an ORAM Category 2 wetland. No Category 1 or Category 3 wetlands were identified within the Project survey area. The AECOM delineation boundaries are provided on **Figure 3**. There are other delineated EMHT wetlands and AECOM delineated wetlands that are shown on **Figure 2 and 3** that are adjacent to the Project Survey Area, but not located within the Project Survey Area. Additionally, there is a conservation easement/EMHT wetland protection area that overlaps with the AECOM Project survey area, and it shall be avoided during construction due to existing wetland protection, see **Figure 2 and 3**.

Wetlands W-CMS-005 (EMHT Wetland F), and W-CMS-007 (EMHT Wetland C) have been provisionally determined to be isolated by AECOM. Final jurisdictional status can only be determined by the USACE, and AECOM assessments are provisional. The location and approximate extent of the wetlands identified within the Project survey area are shown on **Figure 3**. Details for the delineated wetlands in the Project survey area are provided in **Table 2**. Completed USACE Data forms, ORAM forms and photographs of the wetland are provided in **Appendix C**.

6

	Loc	ation			Delineated	C	RAM	Nearest	Existing	Proposed	Structure	Propose	d Impacts
Wetland ID	Latitude	Longitude	Isolated?	Habitat Type	Area (acre)	Score	Category	Structure # (Existing / Proposed)	in Wetland	Structure # in Wetland	Installation Method	Temporary Matting Area (acre)	Permanent Impact Area (acre)
W-CMS-005 (EMHT Wetland F)	40.05743	-82.75172	Yes	PFO	0.02	50	2	N/A	None	None	N/A	TBD	TBD
W-CMS-007 (EMHT Wetland C)	40.05710	-83.75095	Yes	PFO	0.12	49	2	N/A	None	None	N/A	TBD	TBD
Total:					0.26							TBD	TBD

TABLE 2 – SUMMARY OF DELINEATED WETLANDS WITHIN THE PROECT SURVEY AREA

3.2 STREAM DELINEATION

During the field survey, AECOM did not identify any streams within the Project survey area.

3.2.1 OEPA STREAM ELIGIBILITY

The Project occurs across one watershed, designated by 401 WQC eligibility, as listed in **Table 3**. The watershed is listed as "possibly eligible." OEPA stream eligibility mapping for the Project vicinity, is provided on **Figure 4**.

TABLE 3 – SUMMARY OF	WATERSHED 401 WQC EL	LIGIBILITY WITHIN THE F	PROJECT SURVEY AREA

HUC-12	Watershed	401 WQC Eligibility	Number of Stream Assessments
050600011503	Headwaters Blacklick Creek	Possibly Eligible	0
		Total	0

3.3 FEMA 100 YEAR FLOODPLAINS

Mapped FEMA designated 100-year floodplains and floodways are displayed on **Figure 2**. No regulated FEMA 100-year floodplains and/or floodways are located within the Project survey area.

3.4 PONDS

No ponds were observed within the Project survey area.

3.5 UPLAND DRAINAGE FEAUTURES

One upland drainage feature (UDF-CMS-003) was observed within the Project survey area. Photographs of the upland drainage features are provided in **Appendix D**.

3.6 VEGETATIVE COMMUNITIES

AECOM ecologists conducted a general habitat survey in conjunction with the stream and wetland field survey. Developed habitat, agricultural row crops, woodland, pasture/hay fields, and streams/wetlands were the identified within the Project survey area and are described in **Table 4**. Vegetative communities are depicted visually on aerial photography in **Figure 5**.

8



Vegetative Community	Description	Approximate Acreage Within the Project Survey Area	Approximate Percentage Within the Project Survey Area
Urban	Urban areas are areas developed with residential and commercial land uses, including roads, buildings and parking lots. These areas are generally devoid of significant woody and herbaceous vegetation.	4.78	48.93%
Agricultural Row Crops	Grassland and/or herbaceous cover alongside roads, field borders, and abandoned fields, as the initial stages of recolonization by plants following disturbance, and are infrequently mowed areas dominated by grasses, forbs, and occasional woody species. This community type is typically short-lived, giving way progressively to shrub and forest communities unless periodically re-disturbed, in which case they remain as old fields.	1.72	17.60%
Woodland	Woodlands are present along the Project survey area. The dominant tree species was box elder (<i>Acer negundo</i>) and dominant shrub-layer species was jewelweed (<i>Impatiens capensis</i>).	1.66	16.99%
Pasture/Hay Fields	Shrub-Scrub habitats represent the successional stage between old-field and second growth forest, and often emerge in recently harvested forests responding to the lightness of the remaining canopy. Dominant species consist of herbaceous communities similar to that of old field habitat with 30% or greater coverage of woody species that are not trees (including sapling trees generally <3" dbh and <20' in height).	1.57	16.07%
Streams/Wetlands	Streams and wetlands were observed both within and beyond the survey area for the Project.	0.04	0.41%
	Totals:	9.77	100%

3.7 RARE, THREATENED AND ENDANGERED SPECIES AGENCY COORDINATION

Protected Species Agency Consultation –

On June 14, 2023, coordination letters were sent to USFWS and the ODNR Ohio Natural Heritage Program and Division of Wildlife (DOW), seeking an environmental review for the Project for potential impacts to RTE species. Responses were received from the USFWS on August 18, 2023, and from the ODNR on September 8, 2023. Correspondence letters from the USFWS and ODNR for the Project are included as **Appendix A**.

Regarding state and federal listed threatened and endangered species that may occur within the Project vicinity, a total of three species were identified by the USFWS and six species were identified by the ODNR. Based on the review of these species and the habitat identified within the Project Survey Area, it is not anticipated that the project would adversely affect any of the species or their habitats identified within **Table 5**.

Table 5 provides a list of species of concern identified by the agencies as potentially occurring within the vicinity of the Project. Photographs of the habitat within the Project Area are provided as **Appendix E**.

10

		1		ODINK AND USPWS LISTED SPECIES WIT	HIN THE PROJEC	ISURVETAREA	
Common Name (Scientific Name)	State Status	Federal Status	Typical Habitat	Habitat Observed	Avoidance Dates	Agency Comments	Potential Impacts
				Mammal	ls		
Indiana Bat (<i>Myotis sodalis</i>)	Endangered	Endangered	Summer habitat During spring/summer, this bat species roosts in trees behind loose, exfoliating bark, in crevices and cavities, or in leaves. <u>Hibernaculum(a)</u> During winter, this species hibernates in humid mines, caves, and occasionally man-made structures.	Summer habitat Within the Project survey area, areas of young successional forest were identified which appear to be potentially suitable summer roosting and foraging habitat. Hibernaculum(a) No mine openings and/or known caves are located within 0.25 miles of Project area and USFWS did not identify known hibernacula within 5-miles of the Project. Field evaluations did not identify any potential hibernaculum(a) within the Project area (2023 Joint Guidance*).	April 1 – September 30	Summer habitat ODNR and USFWS recommends adherence to Avoidance Dates for Tree Clearing Activities (April 1 – September 30). <u>Hibernaculum(a)</u> The ODNR DOW recommends a desktop habitat assessment to be conducted to identify potential hibernacula within 0.25 miles of the Project area. If habitat assessment finds potential hibernaculum within 0.25 miles, a revised seasonal tree clearing restriction (March 15 to November 15) is recommended (2023 Joint Guidance)*. If absence or no tree cutting or subsurface impacts are proposed, the Project is not likely to impact this species.	Summer habitat No impact to listed bat species or their habitat is anticipated due to absence of tree clearing activities. If tree clearing is required, it should be completed between October 1 and March 15. <u>Hibernaculum(a)</u> No impacts to winter hibernacula were identified due to absence of caves, mines, or portals within 0.25-miles of the Project.
Northern Long-eared Bat (<i>Myotis septentrionalis</i>)	Threatened	Endangered	Summer habitat During spring/summer, this bat species roosts in trees behind loose, exfoliating bark, in crevices and cavities, or in leaves. <u>Hibernaculum(a)</u> During winter, this species hibernates in humid mines, caves, and occasionally man-made structures.	Summer habitat Within the Project survey area, areas of young successional forest were identified which appear to be potentially suitable summer roosting and foraging habitat. Hibernaculum(a) No mine openings and/or known caves are located within 0.25 miles of Project area and USFWS did not identify known hibernacula within 5-miles of the Project. Field evaluations did not identify any potential hibernaculum(a) within the Project area (2023 Joint Guidance*).	April 1 – September 30	Summer habitat ODNR and USFWS recommends adherence to Avoidance Dates for Tree Clearing Activities (April 1 – September 30). Additionally, the ODNR indicated that there is a known presence of this species within the Project area and summer surveys would not constitute a presence or absence of this species. Hibernaculum(a) The ODNR DOW recommends a desktop habitat assessment to be conducted to identify potential hibernacula within 0.25 miles of the Project area. If habitat assessment finds potential hibernaculum within 0.25 miles, a revised seasonal tree clearing restriction (March 15 to November 15) is recommended (2023 Joint Guidance)*. If absence or no tree cutting or subsurface impacts are proposed, the Project is not likely to impact this species.	Summer habitat No impact to listed bat species or their habitat is anticipated due to absence of tree clearing activities. If tree clearing is required, it should be completed between October 1 and March 15. <u>Hibernaculum(a)</u> No impacts to winter hibernacula were identified due to absence of caves, mines, or portals within 0.25-miles of the Project.
Little brown bat (<i>Myotis lucifugus</i>)	Endangered	NA	Summer habitat During spring/summer, this bat species roosts in trees behind loose, exfoliating bark, in crevices and cavities, or in leaves. <u>Hibernaculum(a)</u> During winter, this species hibernates in humid mines, caves, and occasionally man-made structures.	Summer habitat Within the Project survey area, areas of young successional forest were identified which appear to be potentially suitable summer roosting and foraging habitat. <u>Hibernaculum(a)</u> No mine openings and/or known caves are located within 0.25 miles of Project area and USFWS did not identify known hibernacula within 5-miles of the Project. Field evaluations did not identify any potential hibernaculum(a) within the Project area (2023 Joint Guidance*).	April 1 – September 30	Summer habitat ODNR and USFWS recommends adherence to Avoidance Dates for Tree Clearing Activities (April 1 – September 30). <u>Hibernaculum(a)</u> The ODNR DOW recommends a desktop habitat assessment to be conducted to identify potential hibernacula within 0.25 miles of the Project area. If habitat assessment finds potential hibernaculum within 0.25 miles, a revised seasonal tree clearing restriction (March 15 to November 15) is recommended (2023 Joint Guidance)*. If absence or no tree cutting or subsurface impacts are proposed, the Project is not likely to impact this species.	Summer habitat No impact to listed bat species or their habitat is anticipated due to absence of tree clearing activities. If tree clearing is required, it should be completed between October 1 and March 15. <u>Hibernaculum(a)</u> No impacts to winter hibernacula were identified due to absence of caves, mines, or portals within 0.25-miles of the Project.

TABLE 5 ODNR AND USFWS LISTED SPECIES WITHIN THE PROJECT SURVEY AREA

 TABLE 5

 ODNR AND USFWS LISTED SPECIES WITHIN THE PROJECT SURVEY AREA

Common Name (Scientific Name)	State Status	Federal Status	Typical Habitat	Habitat Observed	Avoidance Dates	Agency Comments	Potential Impacts
Tricolored bat (<i>Perimyotis subflavus</i>)	Endangered	Proposed	Summer habitat During spring/summer, this bat species roosts in trees behind loose, exfoliating bark, in crevices and cavities, or in leaves. <u>Hibernaculum(a)</u> During winter, this species hibernates in humid mines, caves, and occasionally man-made structures.	Summer habitatWithin the Project survey area, areas of young successional forest were identified which appear to be potentially suitable summer roosting and foraging habitat.Hibernaculum(a)No mine openings and/or known caves are located within 0.25 miles of Project area and USFWS did not identify known hibernacula within 5-miles of the Project.Field evaluations did not identify any potential hibernaculum(a) within the Project area (2023 Joint Guidance*).	April 1 – September 30	Summer habitat ODNR and USFWS recommends adherence to Avoidance Dates for Tree Clearing Activities (April 1 – September 30). Hibernaculum(a) The ODNR DOW recommends a desktop habitat assessment to be conducted to identify potential hibernacula within 0.25 miles of the Project area. If habitat assessment finds potential hibernaculum within 0.25 miles, a revised seasonal tree clearing restriction (March 15 to November 15) is recommended (2023 Joint Guidance)*. If absence or no tree cutting or subsurface impacts are proposed, the Project is not likely to impact this species.	Summer habitat No impact to listed bat species or their habitat is anticipated due to absence of tree clearing activities. If tree clearing is required, it should be completed between October 1 and March 15. <u>Hibernaculum(a)</u> No impacts to winter hibernacula were identified due to absence of caves, mines, or portals within 0.25-miles of the Project.
				Fish			
Lake chubsucker <i>(Erimyzon sucetta)</i>	Threatened	None	Perennial streams	Project area does not contain any perennial streams of sufficient size.	N/A	Due to the location, and the fact that there is no in-water work proposed in a perennial stream, this Project is not likely to impact this species.	No in-water work is proposed; therefore, no further coordination required.
				Birds			
Northern harrier (<i>Circus</i> <i>hudsonius</i>)	Endangered	None	This species hunts over grasslands and nests can be found in large marshes and grasslands.	No – Based on field reviews, the Project area does not contain continuous habitat greater than 2-acres; subjected to "edge effect" or increase predation due to proximity of tree lines; and area is highly urbanized/industrial.	April 15 to July 31	Habitat should be avoided during the bird's nesting period between April 15 through July 31. If habitat will not be impacted, this Project will not likely impact species.	No

*2023 Joint Guidance – refers to the 2023 ODNR DOW and USFWS Joint Guidance for Bat Surveys and Tree Clearing, a copy of the guidance is provided within **Appendix F** of this report.

Protected Species Agency Summary –

Based on general observations during the ecological survey, forested clearing is not anticipated as there is an existing 138 kV transmission line present within the identified forested habitat within the Project Survey Area and no tree clearing is proposed as part of the Project. If tree clearing is required, the ODNR/USFWS recommends implementations of seasonal tree clearing between October 1 and March 31 to avoid adverse effects to Indiana bat, northern long-eared bat, little brown bat, and tricolored bat. ODNR confirmed a known presence in the vicinity of the Project survey area for the northern long-eared bat. The Indiana bat, little brown bat, and tricolored bats are not known to be present in the vicinity of the Project survey area. If trees must be cut during the summer months, the ODNR recommends that a mist net survey could be completed for Indiana bat, northern long-eared bat, little brown bat and the tricolored bat between June 1 and August 15. However, additional summer surveys would not constitute presence/absence within the Project survey area for the northern long-eared bat If summer tree clearing is needed, additional coordination will be completed with ODNR/USFWS.

AECOM completed a desktop review for potential hibernaculum in accordance with the 2023 Ohio ODNR DOW and the USFWS Joint Guidance for Bat Surveys and Tree Clearing (2023 Joint Guidance; **Appendix F**) within 0.25 miles of the Project area and no caves, mines, and/or karst features were identified. As per ODNR and USFWS guidance, further coordination regarding potential hibernaculum is only necessary if the habitat assessment find potential habitat within 0.25 miles of the Project survey area. Therefore, no further coordination was necessary with either the ODNR and/or the USFWS regarding the listed bat species. Results of the desktop habitat assessment have been included within **Appendix B**.

No impacts are anticipated for the fish, mussels, birds or amphibians as no in-water work is proposed as part of the Project or species habitat is present. Additionally, the potential for nesting habitat for the Northern Harrier was absent based on field/desktop review of the Project Survey Area. The absence of habitat was due to the extensive disturbance to the surrounding area where grading and other construction activities are taking place as well as fragmented habitat thus lacking contiguous habitat. Therefore, no further coordination regarding this listed species is necessary concerning this Project.

4.0 SUMMARY

The ecological survey of the Project confirmed the boundary of two previously delineated EMHT wetland and identified no streams, or ponds within the Project survey area. The wetlands have been provisionally determined to be isolated. The reported results of the ecological survey conducted by AECOM on this Project are limited to the areas within the Project survey area provided in **Figure 3**. Areas that fall outside of the Project survey area were not evaluated in the field and are not included in the reporting of this survey.

13

Of the six state and/or federally listed threatened and endangered species within range of the Project survey area, none of the species or their critical habitat were identified for the fish or bird species. The young successional trees may provide suitable habitat for the bat species; however, no tree clearing is anticipated to be required for this Project. Therefore, no further coordination is anticipated to be required to the USFWS and/or ODNR.

The information contained in this wetland delineation report is for a study area that may be much larger than the actual Project limits-of-disturbance; therefore, lengths and acreages listed in this report may not constitute the actual impacts of the Project defined in subsequent permit applications. If necessary, a separate report that identifies the actual Project impacts will be provided with agency submittals.

The field survey results presented herein apply to the existing and reasonably foreseeable site conditions at the time of our assessment. They cannot apply to site changes of which AECOM is unaware and has not had the opportunity to review. Changes in the condition of a property may occur with time due to natural processes or human impacts at the project site or on adjacent properties. Changes in applicable standards may also occur as a result of legislation or the expansion of knowledge over time. Accordingly, the findings of this report may be invalidated, wholly or in part, by changes beyond the control of AECOM.

14

5.0 REFERENCES

- Cowardin, L.M., V. Carter, F.C. Golet and E.T. LaRoe. 1979. *Classification of Wetlands and Deepwater Habitats of the United States.* Office of Biological Services, U.S. Fish and Wildlife Service, Washington, D.C.
- Environmental Laboratory. 1987. U.S. Corps of Engineers Wetlands Delineation Manual. Technical Report Y-87-1, U.S. Army Engineer Waterways Experiment Station: Vicksburg, Mississippi.
- Federal Emergency Management Agency (FEMA). 2016 National Flood Hazard for the State of Ohio. https://msc.fema.gov/portal Published December 1, 2022.
- Mack, John J. 2001. *Ohio Rapid Assessment Method for Wetlands v. 5.0, User's Manual and Scoring Forms. OEPA Technical Report WET/2001-1.* Ohio Environmental Protection Agency, Division of Surface Water, 401/Wetland Ecology Unit, Columbus, Ohio.
- Ohio Department of Transportation. 2014. Roadway Ditch Characterization Flowchart. From: Ecological Manual, April 2014. Office of Environmental Services.
- Ohio Division of Wildlife and United States Fish and Wildlife Service (USFWS) (OH-Field Office) Joint Guidance for Bat Surveys and Tree Clearing. Published May 2023.
- Ohio Environmental Protection Agency (OEPA). 2017. Section 401 Water Quality Certification for the 2017 Nationwide Permits. Appendix D Stream Eligibility Determination Process. Effective March 17, 2017. Ohio Environmental Protection Agency, Division of Surface Water, 401 Water Quality Certification and Isolated Wetland Permitting Section, Columbus, Ohio.
- OEPA. 2017. 401 Water Quality Certification for the Nationwide Permits Stream Eligibility Web Map (2017 Reissuance). <u>https://data-oepa.opendata.arcgis.com/datasets/401-water-quality-certification-for-nationwide-permits</u>
- OEPA. 2020. *Field Methods for Evaluating Primary Headwater Streams in Ohio*. Version 4.1. Ohio EPA Division of Surface Water, Columbus, Ohio. May 2020. 130 pp.
- Rankin, Edward T. 1989. *The Qualitative Habitat Evaluation Index (QHEI)*: *Rationale, Methods, and Application*. Ohio EPA Ecological Assessment Section, Division of Surface Water, Columbus, Ohio.
- Rankin, Edward T. 2006. *Methods for Assessing Habitat in Flowing Waters: Using the Qualitative Habitat Evaluation Index (QHEI)*. OEPA Ecological Assessment Section, Division of Surface Water, Columbus, Ohio.
- United States Army Corps of Engineers (USACE). 2005. Regulatory Guidance Letter No. 05-05: Guidance on Ordinary High Water Mark Identification.
- USACE. 2010. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Midwest Region (Version 2.0), ed. J. S. Wakeley, R. W. Lichvar, J. F. Berkowitz, and C. V. Noble. ERDC/EL TR-10-16. Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- USACE. 2020. *National Wetland Plant List*, version 3.5. Engineer Research and Development Center. Cold Regions Research and Engineering Laboratory, Hanover, NH. <u>http://wetland_plants.usace.army.mil/</u>

- United States Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS). 2021a. National Hydric Soils List. <u>http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/use/hydric/</u>. Accessed June 2023.
- USDA NRCS. 2021b. Web Soil Survey (GIS Shapefile). http://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm. Accessed June 2023.
- USFWS. 2023. National Wetlands Inventory Geodatabase for Ohio. Available online at <u>http://www.fws.gov/wetlands/Data/Mapper.html</u>. Accessed June 2023.
- United States Geological Survey. 2016. National Hydrography Dataset, Ohio Statewide Geodatabase. Published August 2016. Earth Science Information Center, USGS, Reston, VA.



Date Saved: 10/16/2023 Document Path: X:DCS/GIS/ArcMap GeoDB Projects/ENV/60708642 AEP Macy Extension/2 MXDs/1 WDR\MacyExt WDR





Ő





APPENDIX A

AGENCY CORRESPONDENCE



United States Department of the Interior

FISH AND WILDLIFE SERVICE

Ecological Services 4625 Morse Road, Suite 104 Columbus, Ohio 43230 (614) 416-8993 / FAX (614) 416-8994



August 18, 2023

Project Code: 2023-0093253

Dear Mr. Joshua Holmes:

The U.S Fish and Wildlife Service (Service) has received your recent correspondence requesting information about the subject proposal. We offer the following comments and recommendations to assist you in minimizing and avoiding adverse impacts to threatened, endangered, and proposed species pursuant to the Endangered Species Act of 1973 (16 U.S.C. 1531 et seq), as amended (ESA).

Federally Threatened and Endangered Species: The endangered Indiana bat (Myotis sodalis) and northern long-eared bat (Myotis septentrionalis) occur throughout the State of Ohio. The Indiana bat and northern long-eared bat may be found wherever suitable habitat occurs unless a presence/absence survey has been performed to document absence. Suitable summer habitat for Indiana bats and northern long-eared bats consists of a wide variety of forested/wooded habitats where they roost, forage, and breed that may also include adjacent and interspersed non-forested habitats such as emergent wetlands and adjacent edges of agricultural fields, woodlots, fallow fields, and pastures. Roost trees for both species include live and standing dead trees ≥ 3 inches diameter at breast height (dbh) that have any exfoliating bark, cracks, crevices, hollows and/or cavities. These roost trees may be located in forested habitats as well as linear features such as fencerows, riparian forests, and other wooded corridors. Individual trees may be considered suitable habitat when they exhibit the characteristics of a potential roost tree and are located within 1,000 feet of other forested/wooded habitat. Northern long-eared bats have also been observed roosting in human-made structures, such as buildings, barns, bridges, and bat houses; therefore, these structures should also be considered potential summer habitat. In the winter, Indiana bats and northern longeared bats hibernate in caves, rock crevices and abandoned mines.

<u>Federally Proposed Species</u>: On September 14, 2022, the Service proposed to list the tricolored bat (*Perimyotis subflavus*) as endangered under the ESA. The bat faces extinction due to the impacts of white-nose syndrome, a deadly disease affecting cave-dwelling bats across the continent. During spring, summer, and fall, this species roosts primarily among leaf clusters of live or recently dead trees, emerging at dusk to hunt for insects over waterways and forest edges. While white-nose syndrome is by far the most serious threat to the tricolored bat, other threats now have an increased significance due to the dramatic decline in the species' population. These threats include disturbance to bats in roosting, foraging, commuting, and over-wintering habitats. Mortality due to collision with wind turbines, especially during migration, has also been documented across their range. Conservation measures for the Indiana bat and northern long-eared bat will also help to conserve the tricolored bat.

Seasonal Tree Clearing for Federally Listed Bat Species: Should the proposed project site contain trees ≥ 3 inches dbh, we recommend avoiding tree removal wherever possible. If any caves or abandoned mines may be disturbed, further coordination with this office is requested to determine if fall or spring portal surveys are warranted. If no caves or abandoned mines are present and trees ≥ 3 inches dbh cannot be avoided, we recommend removal of any trees ≥ 3 inches dbh only occur between October 1 and March 31. Seasonal clearing is recommended to avoid adverse effects to Indiana bats and northern long-eared bats.

If implementation of this seasonal tree cutting recommendation is not possible, a summer presence/absence survey may be conducted for Indiana bats and northern long-eared bats. If Indiana bats and northern long-eared bats are not detected during the survey, then tree clearing may occur at any time of the year. Surveys must be conducted by an approved surveyor and be designed and conducted in coordination with the Ohio Field Office. Surveyors must have a valid federal permit. Please note that in Ohio summer mist net surveys may only be conducted between June 1 and August 15.

<u>Section 7 Coordination</u>: If there is a federal nexus for the project (e.g., federal funding provided, federal permits required to construct), then no tree clearing should occur on any portion of the project area until consultation under section 7 of the ESA, between the Service and the federal action agency, is completed. We recommend the federal action agency submit a determination of effects to this office, relative to the Indiana bat and northern long-eared bat, for our review and concurrence. This letter provides technical assistance only and does not serve as a completed section 7 consultation document.

<u>Stream and Wetland Avoidance</u>: Over 90% of the wetlands in Ohio have been drained, filled, or modified by human activities, thus is it important to conserve the functions and values of the remaining wetlands in Ohio (<u>https://epa.ohio.gov/portals/47/facts/ohio_wetlands.pdf</u>). We recommend avoiding and minimizing project impacts to all wetland habitats (e.g., forests, streams, vernal pools) to the maximum extent possible in order to benefit water quality and fish and wildlife habitat. Additionally, natural buffers around streams and wetlands should be preserved to enhance beneficial functions. If streams or wetlands will be impacted, the U.S. Army Corps of Engineers should be contacted to determine whether a Clean Water Act section 404 permit is required. Best management practices should be used to minimize erosion, especially on slopes. Disturbed areas should be mulched and revegetated with native plant species. In addition, prevention of non-native, invasive plant establishment is critical in maintaining high quality habitats.

Due to the project type, size, and location, we do not anticipate adverse effects to any other federally endangered, threatened, or proposed species, or proposed or designated critical habitat. Should the project design change, or additional information on listed or proposed species or their critical habitat become available, or if new information reveals effects of the action that were not previously considered, coordination with the Service should be initiated to assess any potential impacts.

Thank you for your efforts to conserve listed species and sensitive habitats in Ohio. We recommend coordinating with the Ohio Department of Natural Resources due to the potential for the proposed project to affect state listed species and/or state lands. Contact Mike Pettegrew, Environmental Services Administrator, at (614) 265-6387 or at <u>mike.pettegrew@dnr.ohio.gov</u>.

If you have questions, or if we can be of further assistance in this matter, please contact our office at (614) 416-8993 or <u>ohio@fws.gov</u>.

Sincerely,

that 26

Keith Lott Acting Field Office Supervisor

cc: Nathan Reardon, ODNR-DOW Eileen Wyza, ODNR-DOW





MIKE DEWINE, GOVERNOR

MARY MERTZ, DIRECTOR

Office of Real Estate Tara Paciorek, Chief 2045 Morse Road – Bldg. E-2 Columbus, OH 43229 Phone: (614) 265-6661 Fax: (614) 267-4764

September 8, 2023

Joshua Holmes AECOM 707 Grant Street, 5th Floor Pittsburgh, Pennsylvania 15219

Re: 23-0924; Macy Extension

Project: The proposed project involves the installation of an approximately 0.25-mile greenfield 138kV transmission line extension from the Anguin-Brie transmission line to the proposed Macy Substation.

Location: The proposed project is located in Jersey Township, Licking County, Ohio.

The Ohio Department of Natural Resources (ODNR) has completed a review of the above referenced project. These comments were generated by an inter-disciplinary review within the Department. These comments have been prepared under the authority of the Fish and Wildlife Coordination Act (48 Stat. 401, as amended; 16 U.S.C. 661 et seq.), the National Environmental Policy Act, the Coastal Zone Management Act, Ohio Revised Code and other applicable laws and regulations. These comments are also based on ODNR's experience as the state natural resource management agency and do not supersede or replace the regulatory authority of any local, state, or federal agency nor relieve the applicant of the obligation to comply with any local, state, or federal laws or regulations.

Natural Heritage Database: A review of the Ohio Natural Heritage Database indicates there are no records of state or federally listed plants or animals within one mile of the specified project area. Records searched date from 1980.

Please note that Ohio has not been completely surveyed and we rely on receiving information from many sources. Therefore, a lack of records for any particular area is not a statement that rare species or unique features are absent from that area.

Fish and Wildlife: The Division of Wildlife (DOW) has the following comments.

The DOW recommends that impacts to streams, wetlands and other water resources be avoided and minimized to the fullest extent possible, and that Best Management Practices be utilized to minimize erosion and sedimentation.

The project is within the vicinity of records for the northern long-eared bat (*Myotis septentrionalis*), a state endangered and federally endangered species. Because presence of state endangered bat species has been established in the area, summer tree cutting is not recommended, and additional summer surveys would not constitute presence/absence in the area. However,

limited summer tree cutting inside this buffer may be acceptable after further consultation with DOW (contact Eileen Wyza at <u>Eileen.Wyza@dnr.ohio.gov</u>).

In addition, the entire state of Ohio is within the range of the Indiana bat (*Myotis sodalis*), a state endangered and federally endangered species, the northern long-eared bat (*Myotis septentrionalis*), a state endangered and federally endangered species, the little brown bat (*Myotis lucifugus*), a state endangered species, and the tricolored bat (*Perimyotis subflavus*), a state endangered species. During the spring and summer (April 1 through September 30), these bat species predominately roost in trees behind loose, exfoliating bark, in crevices and cavities, or in the leaves. However, these species are also dependent on the forest structure surrounding roost trees. The DOW recommends tree cutting only occur from October 1 through March 31, conserving trees with loose, shaggy bark and/or crevices, holes, or cavities, as well as trees with DBH ≥ 20 if possible.

The DOW also recommends that a desktop habitat assessment is conducted, followed by a field assessment if needed, to determine if a potential hibernaculum is present within the project area. Direction on how to conduct habitat assessments can be found in the current USFWS "<u>RANGE-WIDE INDIANA BAT & NORTHERN LONG-EARED BAT SURVEY GUIDELINES</u>." If a habitat assessment finds that a potential hibernaculum is present within 0.25 miles of the project area, please send this information to Eileen Wyza for project recommendations. If a potential or known hibernaculum is found, the DOW recommends a 0.25-mile tree cutting and subsurface disturbance buffer around the hibernaculum entrance, however, limited summer or winter tree cutting may be acceptable after consultation with the DOW. If no tree cutting or subsurface impacts to a hibernaculum are proposed, this project is not likely to impact these species.

The project is within the range the lake chubsucker (*Erimyzon sucetta*) a state threatened fish. The DOW recommends no in-water work in perennial streams from March 15 through June 30 to reduce impacts to indigenous aquatic species and their habitat. If no in-water work is proposed in a perennial stream, this project is not likely to impact this or other aquatic species.

The project is within the range of the northern harrier (*Circus hudsonius*), a state endangered bird. This is a common migrant and winter species. Nesters are much rarer, although they occasionally breed in large marshes and grasslands. Harriers often nest in loose colonies. The female builds a nest out of sticks on the ground, often on top of a mound. Harriers hunt over grasslands. If this type of habitat will be impacted, construction should be avoided in this habitat during the species' nesting period of April 15 through July 31. If this habitat will not be impacted, this project is not likely to impact this species.

Due to the potential of impacts to federally listed species, as well as to state listed species, we recommend that this project be coordinated with the US Fish & Wildlife Service.

Water Resources: The Division of Water Resources has the following comment.

The <u>local floodplain administrator</u> should be contacted concerning the possible need for any floodplain permits or approvals for this project.

ODNR appreciates the opportunity to provide these comments. Please contact Mike Pettegrew at <u>mike.pettegrew@dnr.ohio.gov</u> if you have questions about these comments or need additional information.

Mike Pettegrew Environmental Services Administrator APPENDIX B

DESKTOP ASSESSMENT FOR WINTER BAT HABITAT





June 14, 2023

Attention: Mr. John Kessler Ohio Department of Natural Resources 2045 Morse Road, Building E-2 Columbus, Ohio 43229-6693

Via email: <u>environmentalreviewrequest@dnr.state.oh.us</u>; <u>NHDRequest@dnr.state.oh.us</u> Reference: Request for Technical Assistance, Macy Extension, Licking County, Ohio

Dear Mr. Kessler:

AEP Ohio Transmission Company, Inc. (AEP), is formally requesting that the Ohio Department of Natural Resources (ODNR) complete a review for the proposed Macy Extension (Project) in Licking County, Ohio. The purpose of the Project is to install an approximately 0.25 mile greenfield 138kV transmission line extension from the Anguin- Brie transmission line to the proposed Macy Substation. The Project study area is located on the USGS New Albany, Ohio U.S. Geologic Survey 7.5' topographical quadrangle as displayed on the Project Topographic Overview Map (Figure 1).

AECOM completed a desktop review of publicly available data to identify underground voids which could be potential hibernation sites for overwintering bats (hibernacula) within 0.25-miles of the Project area. The data sources utilized include USGS topographical maps, aerial photography, and ODNR's Division of Mineral Resources and Geological Survey Data for Known Mining Activity and Karst Geology/Sinkholes as shown on Figure 1 and 2. Based on the available desktop resources, there are no underground and historic surface mines or karst features located within 0.25-mile of the Project. Therefore, potential hibernaculum is not anticipated to be within range of the Project area.

Please provide us with the results of the ODNR's environmental review, including results of the ODNR Natural Heritage Database search, at your earliest convenience. If you have questions or need additional information regarding the Project, please contact me at the phone number or email below. Thank you for your assistance with this request.

Sincerely,

Frang Malle

Brian Miller Environmental Project Manager Phone: (412-667-9172) Brian.miller1@aecom.com Cc: Amy J. Toohey Environmental Specialist-Consultant Phone: (614-565-1480) ajtoohey@aep.com

Attachments: Figure 1 – Topographic Project Overview, Figure 2 – Aerial Project Overview Natural Heritage Data Request Form Electronic Shapefiles (.shp)







APPENDIX C

U.S. ARMY CORPS OF ENGINEERS WETLAND DETERMINATION DATA FORMS

OEPA WETLAND ORAM FORMS

DELINEATED FEATURES PHOTOGRAPHS (WETLANDS)

WETLAND DETERMINATION DATA FORM – Midwest Region

Project/Site: Anguin	-Brie 1	38kV R0/Brie Substation		City/Co	ounty: Licking			Sampling Date:	5/11/2022
Applicant/Owner:	AEP					State:	ОН	Sampling Point:	W-CMS-005
Investigator(s): CMS	, HA			Section,	, Township, Range:	S25 2N	15W		
Landform (hillside, te	errace	etc.): Flat			Local relief (conca	ve, conve	ex, none):	concave	
Slope (%): 1	Lat:	40.057432		Long:	-82.751724			Datum: NAD 83	
Soil Map Unit Name	BeA:	Bennington silt loam, 0 to	o 2 percent slopes			N	WI class	ification: NA	
Are climatic / hydrolo	ogic co	onditions on the site typica	al for this time of ye	ear?	Yes <u>x</u> No	00	(If no, ex	plain in Remarks.)	
Are Vegetation	, Soil	, or Hydrology	significantly dist	urbed?	Are "Normal Circur	nstances'	" present?	? Yes <u>X</u> No)
Are Vegetation	, Soil	, or Hydrology	naturally probler	natic?	(If needed, explain	any answ	vers in Re	emarks.)	
SUMMARY OF	FIND	INGS – Attach site	map showing	sampli	ing point location	ons, tra	insects	, important feat	ures, etc.

Hydrophytic Vegetation Present?	Yes X	No	Is the Sampled Area			
Hydric Soil Present?	Yes X	No	within a Wetland?	Yes_	Х	No
Wetland Hydrology Present?	Yes X	No				

Remarks:

This sample point is representative of W-CMS-005 a PFO wetland dominated by box elder, black locust, red maple, American elm, spotted touch-menot, flat topped goldenrod and yellow avens.

VEGETATION – Use scientific names of plants.

Indext regundsObserve the systemSpecies?StatusDominance Test worksheet:1.Acer negunds20YesFACNumber of Dominant Species That2.Robinia pseudoacacia20YesFACNumber of Dominant Species That3.Acer rubrum20YesFACTotal Number of Dominant Species4.Ulmus americana20YesFACWTotal Number of Dominant Species580=Total Cover80=Total CoverTotal % Cover of:Multiply by:1.Rosa multiflora5YesFACU25YesFACUTotal % Cover of:Multiply by:35YesFACUTotal % Cover of:Multiply by:35=Total CoverFACU species100X1 = 04
1. Acer negundo 20 Yes FAC Number of Dominant Species That 2. Robinia pseudoacacia 20 Yes FAC Are OBL, FACW, or FAC: 6 (A) 3. Acer rubrum 20 Yes FAC Total Number of Dominant Species That Are OBL, FACW, or FAC: 6 (A) 5. 20 Yes FACW Total Number of Dominant Species That Across All Strata: 8 (B) 5. 9 =Total Cover Across All Strata: 8 (B) 9 Percent of Dominant Species That Are OBL, FACW, or FAC: 75.0% (A/B) 1. Rosa multiflora 5 Yes FACU Prevalence Index worksheet: 75.0% (A/B) 2. 5 5 Yes FACU FACU Total % Cover of: Multiply by: 0BL species 0 x1 = 0 FACW species 120 x2 = 240 FAC species 40 x3 = 120 FAC species 40 x3 = 120 FAC species 0 x5 = 0 0 Column Totals: 185 (A) 460 (B)
2. Robinia pseudoacacia 20 Yes FACU Are OBL, FACW, or FAC: 6 (A) 3. Acer rubrum 20 Yes FAC Total Number of Dominant Species 4. Ulmus americana 20 Yes FACW Across All Strata: 8 (B) 5.
3. Acer rubrum 20 Yes FAC Total Number of Dominant Species 4. Ulmus americana 20 Yes FACW Across All Strata: 8 (B) 5. 80 =Total Cover 80 =Total Cover Are OBL, FACW, or FAC: 75.0% (A/B) 1. Rosa multiflora 5 Yes FACU Prevalence Index worksheet: 75.0% (A/B) 2. 5 Yes FACU Prevalence Index worksheet: 75.0% (A/B) 3. 6 5 Yes FACU Prevalence Index worksheet: 75.0% (A/B) 4. 5 Yes FACU FACW species 0 x1 = 0 5. 5 =Total Cover 5 FACW species 120 x2 = 240 5. 5 =Total Cover FACW species 20 x3 = 120 FACU species 0 x3 = 120 FACU species 0 x5 = 0 1. Impatiens capensis 40 Yes FACW Column Totals: 185 (A) 460 <t< td=""></t<>
4. Ulmus americana 20 Yes FACW Across All Strata: 8 (B) 5.
5.Percent of Dominant Species That Are OBL, FACW, or FAC:75.0% (A/B)Sapling/Shrub Stratum 2.(Plot size: 15')5YesFACU1.Rosa multiflora5YesFACUPrevalence Index worksheet:2. $\hfill Total % Cover of: \hfill total $
Sapling/Shrub Stratum(Plot size: 15') 30 =Total CoverAre OBL, FACW, or FAC: 75.0% (A/B)1.Rosa multiflora5YesFACUPrevalence Index worksheet:2
Sapling/Shrub Stratum(Plot size:15')1.Rosa multiflora5YesFACUPrevalence Index worksheet:2Total % Cover of:Multiply by:3OBL species0x 1 =4FACW species120x 2 =5FAC species40x 3 =1205FAC species20x 4 =100UPL species0x 5 =0Column Totals:185(A)460(B)2.Euthamia graminifolia20YesFACWPrevalence Index = B/A =2.49
1.Rosa multiflora5YesFACUPrevalence Index worksheet:2. $\hfill \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
2.Total % Cover of:Multiply by:3456791.Impatiens capensis2.Euthamia graminifolia3912333333
3.OBL species0 $x 1 = 0$ 4. $x 1 = 0$ $x 2 = 240$ 5. $x 2 = 240$ 5. $x 2 = 240$ 5. $x 3 = 120$ FAC species $x 3 = 120$ FAC species $x 4 = 100$ $x 2 = 240$ $x 3 = 120$ $x 4 = 100$ $x 2 = 240$ $x 4 = 100$ $x 2 = 240$ $x 4 = 100$ $x 2 = 240$ $x 2 = 240$ $x 2 = 240$ $x 2 = 240$ $x 3 = 120$ $x 4 = 100$ $x 4 = 100$ $x 5 = 0$ $x 2 = 240$ $x 4 = 100$ $x 2 = 240$ $x 4 = 100$ $x 4 = 100$ $x 4 = 100$ $x 4 = 100$ $x 2 = 240$ $x 4 = 100$ $x 4 $
4. $=$
5. 5 5 5 5 5 7
Herb Stratum(Plot size:5')5=Total CoverFACU species25 $x 4 =$ 1001. Impatiens capensis40YesFACWUPL species0 $x 5 =$ 02. Euthamia graminifolia20YesFACWColumn Totals:185(A)460(B)3. Geum aleppicum20YesFACWPrevalence Index = B/A =2.49
Herb Stratum(Plot size:5')UPL species0x 5 =01. Impatiens capensis40YesFACWColumn Totals:185(A)460(B)2. Euthamia graminifolia20YesFACWPrevalence Index = B/A =2.493. Geum aleppicum20YesFACW
1. Impatiens capensis 40 Yes FACW Column Totals: 185 (A) 460 (B) 2. Euthamia graminifolia 20 Yes FACW Prevalence Index = B/A = 2.49 3. Geum aleppicum 20 Yes FACW
2. Euthamia graminifolia 20 Yes FACW Prevalence Index = B/A = 2.49 3. Geum aleppicum 20 Yes FACW
3. Geum aleppicum 20 Yes FACW
4. Poa palustris 15 No FACW Hydrophytic Vegetation Indicators:
5. Phalaris arundinacea 5 No FACW 1 - Rapid Test for Hydrophytic Vegetation
6. X 2 - Dominance Test is >50%
7. X 3 - Prevalence Index is $\leq 3.0^1$
8. 4 - Morphological Adaptations ¹ (Provide supporting
9. data in Remarks or on a separate sheet)
10. Problematic Hydrophytic Vegetation ¹ (Explain)
100 = Total Cover ¹ Indicators of hydric soil and wetland hydrology must
Woody Vine Stratum (Plot size: 30') be present, unless disturbed or problematic.
1 Hydrophytic
2 Vegetation
=Total Cover Present? Yes X No
Remarks: (Include photo numbers here or on a separate sheet.)
A preponderance of hydrophytic vegeation is present.

SOIL

Depth	Cription: (Describe Matrix	to the dep	th needed to doc Redo	ument ti v Featur	ne Indica	ator or o	confirm the absence	e of indicators.)
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	1 oc^2	Texture	Remarks
0-4	10VR 5/2	100		/0	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	1011C 5/2	100						
4-10	101R 5/1	100					Loamy/Clayey	
10-16	10YR 4/1	70	10YR 2/1	30	C	m	Loamy/Clayey	Faint redox concentrations
¹ Type: C=C	oncentration. D=Dep	letion. RM=	Reduced Matrix.	/S=Mas	ked Sand	Grains	² Locatio	n: PL=Pore Lining, M=Matrix,
Hydric Soil	Indicators:	,	, , , , ,				Indicat	ors for Problematic Hydric Soils ³ :
Histosol	(A1)		Sandy Gle	yed Mat	rix (S4)		Coa	ast Prairie Redox (A16)
Histic Ep	pipedon (A2)		Sandy Red	dox (S5)			Iror	-Manganese Masses (F12)
Black H	istic (A3)		Stripped N	latrix (Se	6)		Rec	d Parent Material (F21)
Hydroge	en Sulfide (A4)		Dark Surfa	ace (S7)			Ver	y Shallow Dark Surface (F22)
Stratified	d Layers (A5)		Loamy Mu	icky Min	eral (F1)		Oth	er (Explain in Remarks)
2 cm Mu	uck (A10)		Loamy Gle	eyed Ma	trix (F2)			
Deplete	d Below Dark Surface	e (A11)	x Depleted I	Matrix (F	3)		3	
	ark Surface (A12)		Redox Dai	rk Surfac	ce (⊢6)		"Indicat	ors of hydrophytic vegetation and
Sandy N	/lucky Mineral (S1)		Depleted I	Jark Sur	face (F7)		wet	land hydrology must be present,
	JCKY Peat of Peat (Sa	3)	Redox De	pression	s (F8)		unie	ess disturbed or problematic.
Restrictive	Layer (if observed):							
Type:								
Depth (i	nches):						Hydric Soil Prese	nt? Yes <u>X</u> No
Remarks:								
This data for	rm is revised from Mi	dwest Regi	ional Supplement		2.0 to inc	lude the	NRCS Field Indicato	ors of Hydric Soils, Version 7.0, 2015
Errata. (http	rm is revised from Mi ://www.nrcs.usda.gov	dwest Regi //Internet/F	ional Supplement V SE_DOCUMENTS	/ersion 2 /nrcs142	2.0 to inc 2p2_0512	lude the 293.doc>	NRCS Field Indicato	ors of Hydric Soils, Version 7.0, 2015
Errata. (http	rm is revised from Mi ://www.nrcs.usda.gov	dwest Regi //Internet/F	ional Supplement \ SE_DOCUMENTS	/ersion 2 /nrcs142	2.0 to inc 2p2_0512	lude the 293.doc>	NRCS Field Indicato	ors of Hydric Soils, Version 7.0, 2015
HYDROLC	rm is revised from Mi ://www.nrcs.usda.gov DGY	dwest Regi //Internet/F	ional Supplement \ SE_DOCUMENTS	/ersion 2 5/nrcs142	2.0 to inc 2p2_0512	lude the 293.doc>	NRCS Field Indicato	ors of Hydric Soils, Version 7.0, 2015
HYDROLC	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators:	dwest Regi //Internet/F	ional Supplement \ SE_DOCUMENTS	/ersion 2 3/nrcs142	2.0 to inc 2p2_0512	lude the 293.doc>	NRCS Field Indicato	ors of Hydric Soils, Version 7.0, 2015
HYDROLC Wetland Hy Primary Indi	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of c	dwest Regi //Internet/F	ional Supplement \ SE_DOCUMENTS red; check all that	/ersion 2 5/nrcs142	2.0 to inc 2p2_0512	lude the	NRCS Field Indicato	ors of Hydric Soils, Version 7.0, 2015
HYDROLC Wetland Hy Primary Indi Surface	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of c Water (A1)	dwest Regi //Internet/F	ional Supplement \ SE_DOCUMENTS red; check all that X_Water-Sta	/ersion 2 /nrcs142 apply) ined Lea	2.0 to inc 2p2_0512	lude the	NRCS Field Indicato	ors of Hydric Soils, Version 7.0, 2015 ary Indicators (minimum of two required) face Soil Cracks (B6)
HYDROLC Wetland Hy Primary Indi Surface	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of c Water (A1) ater Table (A2)	dwest Regi //Internet/F	ional Supplement \ SE_DOCUMENTS red; check all that X_Water-Sta Aquatic Fa	/ersion 2 /nrcs142 apply) ined Lea auna (B1	2.0 to inc 2p2_0512 aves (B9) 3)	lude the 293.doc>	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10)
HYDROLC Wetland Hy Primary Indi Surface High Wa Saturatio	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of o Water (A1) ater Table (A2) on (A3)	dwest Regi //Internet/F	ional Supplement \ SE_DOCUMENTS red; check all that X Water-Sta Aquatic Fa	/ersion 2 /nrcs142 apply) ined Lea auna (B1 ttic Plant	2.0 to inc 2p2_0512 ives (B9) 3) s (B14)	lude the 293.doc>	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2)
HYDROLC Wetland Hy Primary Indi Surface High Wa Saturati Water M	rm is revised from Mi ://www.nrcs.usda.gov DGY drology Indicators: cators (minimum of o Water (A1) ater Table (A2) on (A3) farks (B1)	dwest Reg //Internet/F	ional Supplement V SE_DOCUMENTS red; check all that X Water-Sta Aquatic Fa True Aqua Hydrogen	/ersion 2 /nrcs142 apply) ined Lea auna (B1 ttic Plant Sulfide (2.0 to inc 2p2_0512 ives (B9) 3) s (B14) Odor (C1)	lude the 293.doc>	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8)
HYDROLO Errata. (http HYDROLO Wetland Hy Primary Indi Surface High Wa Saturation Water M Sediment	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of c Water (A1) ater Table (A2) on (A3) farks (B1) nt Deposits (B2)	dwest Regi //Internet/F	ional Supplement \ SE_DOCUMENTS red; check all that X Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F	/ersion 2 /nrcs142 apply) ined Lea auna (B1 sulfide (Rhizosph	2.0 to inc 2p2_0512 ives (B9) 3) s (B14) Odor (C1) eres on I	lude the 293.doc>	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9)
HYDROLC Wetland Hy Primary Indi Surface High Wa Saturatio Water M Sedimen Drift Dep	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of c Water (A1) ater Table (A2) on (A3) farks (B1) nt Deposits (B2) posits (B3)	dwest Regi //Internet/F	ional Supplement V SE_DOCUMENTS red; check all that X Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence	/ersion 2 5/nrcs142 apply) ined Lea auna (B1 ttic Plant Sulfide (Rhizosph of Reduc	2.0 to inc 2p2_0512 ives (B9) 3) s (B14) Odor (C1) eres on I ced Iron (lude the 293.doc>) _iving Ri (C4)	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) nted or Stressed Plants (D1)
HYDROLC Errata. (http HYDROLC Wetland Hy Primary Indi Surface High Wa Saturation Water M Sedimen Drift Dep Algal Ma	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of c Water (A1) ater Table (A2) on (A3) flarks (B1) nt Deposits (B2) posits (B3) at or Crust (B4)	dwest Regi //Internet/F	ional Supplement V SE_DOCUMENTS red; check all that X Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro	/ersion 2 /nrcs142 apply) ined Lea auna (B1 ttic Plant Sulfide (Rhizosph of Reduc n Reduc	2.0 to inc 2p2_0512 ives (B9) 3) s (B14) Odor (C1) eres on I ced Iron (tion in Ti	lude the 293.doc> .iving Rr C4) Iled Soil	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) nted or Stressed Plants (D1) pmorphic Position (D2)
HYDROLC Errata. (http HYDROLC Wetland Hy Primary Indi Surface High Wa Saturatio Water M Sedimen Drift Deg Algal Ma Iron Deg	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of o Water (A1) ater Table (A2) on (A3) farks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5)	dwest Regi /Internet/F	ional Supplement V SE_DOCUMENTS	/ersion 2 /nrcs142 apply) ined Lea auna (B1 ttic Plant Sulfide (Rhizosph of Reduc n Reduc Surface	2.0 to inc 2p2_0512 aves (B9) 3) s (B14) Ddor (C1) eres on I ced Iron (tion in Ti (C2)	lude the 293.doc> .iving Ri (C4) Iled Soil	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) nted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5)
HYDROLC Errata. (http HYDROLC Wetland Hy Primary Indi Surface High Wa Saturatie Water M Sedimen Drift Dep Algal Ma Iron Dep Inundati	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of c Water (A1) ater Table (A2) on (A3) farks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5) on Visible on Aerial In	dwest Regi /Internet/F	ional Supplement \ SE_DOCUMENTS red; check all that X Water-Sta Aquatic Fa Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck 7) Gauge or 1	/ersion 2 /nrcs142 /nrcs142 ined Lea auna (B1 sulfide (Rhizosph of Reduc n Reduc sulface Sulface Sulface Sulface	2.0 to inc 2p2_0512 2p2_0512 2p2_0512 2p2_0512 2p2_0512 2p2_0512 3) s (B14) 2dor (C1) eres on I ced Iron (tion in Ti ced Iron (ction in Ti c(C7) a (D9)) Living Rd C4) Iled Soil	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) nted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5)
HYDROLO Errata. (http HYDROLO Wetland Hy Primary Indi Surface High Wa Saturation Water M Sedimen Drift Dep Algal Ma Iron Dep Inundati Sparsely	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of c Water (A1) ater Table (A2) on (A3) farks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5) on Visible on Aerial In y Vegetated Concave	dwest Regi //Internet/F	ional Supplement V SE_DOCUMENTS 	/ersion / /nrcs14/ /nrcs14/ ined Lea auna (B1 ttic Plant Sulfide (Rhizosph of Reduc n Reduc sulfide (Sulfide (Rhizosph of Reduc n Reduc Sulfide (Sulfide	2.0 to inc 2p2_0512 2p2_0512 2p2_0512 2p2_0512 3) s (B14) 3) s (B14) 2dor (C1) eres on I ced Iron (tion in Ti erc7) a (D9) 2emarks)) Living Ro (C4) Iled Soil	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) nted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5)
HYDROLC Errata. (http HYDROLC Wetland Hy Primary Indi Surface High Wa Saturatio Water M Sedimen Drift Dep Algal Ma Iron Dep Inundati Sparsely Field Obser	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of c Water (A1) ater Table (A2) on (A3) flarks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5) on Visible on Aerial In y Vegetated Concave rvations:	dwest Regi //Internet/F	red; check all that <u>X</u> Water-Sta <u>A</u> quatic Fa <u>True Aqua</u> <u>Hydrogen</u> <u>Oxidized F</u> <u>Presence</u> <u>Recent Iro</u> <u>Thin Muck</u> 7) <u>Gauge or</u> 38) <u>Other (Exp</u>	/ersion 2 5/nrcs142 apply) ined Lea auna (B1 ttic Plant Sulfide (Rhizosph of Reduc n Reduc Sulfide (Sulfide (Sulf	2.0 to inc 2p2_0512 2p2_0512 2p2_0512 2p2_0512 2p2_0512 3 3 3 5 (B14) 2dor (C1) eres on I ced Iron (ction in Ti ccd Iron (ction (ctio) Living Ro (C4) Iled Soil	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) nted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5)
HYDROLO Errata. (http HYDROLO Wetland Hy Primary Indi Surface High Wa Saturatie Water M Sedimen Drift Dep Algal Ma Iron Dep Inundati Sparsely Field Obser Surface Wa	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of o Water (A1) ater Table (A2) on (A3) farks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5) on Visible on Aerial In y Vegetated Concave rvations: ter Present? Ye	dwest Regi //Internet/F	ional Supplement \ SE_DOCUMENTS red: check all that X Water-Sta Aquatic Fa Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck 7) Gauge or 1 38) Other (Exp No	/ersion / /nrcs14/ /nrcs14/ /nrcs14/ //n	2.0 to inc 2p2_0512 2p2_0512 2p2_0512 2p2_0512 2p2_0512 2p2_0512 3) 3) 3) 3) 5 (B14) 2dor (C1) eres on I ced Iron (tion in Ti e (C7) a (D9) 2emarks) 2emarks) 2emarks)	lude the 293.doc> .iving Ri (C4) lled Soil	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) nted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5)
HYDROLC Errata. (http HYDROLC Wetland Hy Primary Indi Surface High Wa Saturatia Water M Sedimen Drift Dep Algal Ma Iron Dep Inundati Sparsely Field Obser Surface Wa Water Table Saturation F	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of o Water (A1) ater Table (A2) on (A3) farks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5) on Visible on Aerial In y Vegetated Concave rvations: ter Present? Ye Present? Ye	dwest Regi //Internet/F	ional Supplement V SE_DOCUMENTS red; check all that X Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck 7) Gauge or V 38) Other (Exp No No	/ersion 2 /nrcs142 /nrcs142 ined Lea auna (B1 sulfide (Rhizosph of Reduc n Reduc Sulfide (Sulface Well Dat blain in F Depth (i Depth (i	2.0 to inc 2p2_0512 2p2_0512 2p2_0512 2p2_0512 2p2_0512 2p2_0512 2p2_0512 3) s (B14) 2dor (C1) eres on I ced Iron (tition in Ti ced Iron (tition (tition in Ti ced Iron (tition) Living Ro (C4) Iled Soil	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) nted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5)
HYDROLO Errata. (http HYDROLO Wetland Hy Primary Indi Surface High Wa Saturatio Water M Sedimen Drift Dep Algal Ma Iron Dep Inundati Sparsely Field Obser Surface Wa Water Table Saturation F	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: <u>cators (minimum of c</u> Water (A1) ater Table (A2) on (A3) farks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5) on Visible on Aerial In y Vegetated Concave rvations: ter Present? Ye Present? Ye pillary frince)	dwest Regi //Internet/F	ional Supplement V SE_DOCUMENTS red; check all that X Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck 7) Gauge or V 38) Other (Exp No No No	/ersion / /nrcs14/ /nrcs14/ /nrcs14/ //nrcs14/ //nrcs14/ //nrcs14/ //lined Lea auna (B1 //lined Lea auna (B1 //lin	2.0 to inc 2p2_0512 2p2_0512 2p2_0512 2p2_0512 2p2_0512 2p2_0512 3 3 3 5 6 8 9 9 9 10 10 10 10 10 10 10 10 10 10 10 10 10) Living Rr C4) Iled Soil	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) nted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5)
HYDROLO Errata. (http HYDROLO Wetland Hy Primary Indi Surface High Wa Saturativ Water M Sedimer Drift Dep Algal Ma Iron Dep Inundati Sparsely Field Obser Surface Wa Water Table Saturation P (includes ca Describe Re	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of c Water (A1) ater Table (A2) on (A3) flarks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5) on Visible on Aerial In y Vegetated Concave rvations: ter Present? Ye present? Ye pillary fringe)	dwest Regi //Internet/F	red; check all that <u>X</u> Water-Sta <u>A</u> quatic Fa <u>True Aqua</u> Hydrogen <u>Oxidized F</u> Presence <u>Recent Iro</u> Thin Muck 7) <u>Gauge or 1</u> 38) <u>Other (Exp</u> No No No	/ersion / /nrcs14/ /nrcs14/ //nrcs14/ //nrcs14/ //nrcs14/ ///////////////////////////////////	2.0 to inc 2p2_0512 2p2_0512 2p2_0512 2p2_0512 2p2_0512 3) s (B14) 2dor (C1) eres on I ced Iron (tion in Ti (C7) a (D9) 2emarks) nches): previou	lude the 293.doc>) 	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) nted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5)
HYDROLC Errata. (http HYDROLC Wetland Hy Primary Indi Surface High Wa Saturation Water N Sedimen Drift Deg Algal Ma Iron Deg Inundati Sparsely Field Obsen Surface Wa Water Table Saturation F (includes ca Describe Ref	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of c Water (A1) ater Table (A2) on (A3) Marks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5) on Visible on Aerial In y Vegetated Concave rvations: ter Present? Ye Present? Ye pillary fringe) ecorded Data (stream	dwest Regi //Internet/F	ional Supplement V SE_DOCUMENTS red; check all that X Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck 7) Gauge or 1 38) Other (Exp No No No No No No No No No No	/ersion 2 s/nrcs142 ined Lea auna (B1 ttic Plant Sulfide (Rhizosph of Reduc n Reduc Sulfide (Sulfide (Nell Dat blain in F Depth (i Depth (i Depth (i al photos	2.0 to inc 2p2_0512 ives (B9) 3) s (B14) Odor (C1) eres on I ced Iron (tion in Ti (C7) a (D9) Remarks) nches): nches): , previou:) Living Ro (C4) Iled Soil	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) nted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5)
HYDROLC Errata. (http HYDROLC Wetland Hy Primary Indi Surface High Wa Saturatie Water N Sedimen Drift Deg Algal Ma Iron Deg Inundati Sparsely Field Obser Surface Wa Water Table Saturation F (includes ca Describe Ref	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of o Water (A1) ater Table (A2) on (A3) farks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5) on Visible on Aerial In y Vegetated Concave rvations: ter Present? Ye Present? Ye pillary fringe) acorded Data (stream	dwest Regi //Internet/F	ional Supplement V SE_DOCUMENTS red: check all that X Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized Fa Presence Recent Iro Thin Muck 7) Gauge or V 38) Other (Exp No No No No No Onitoring well, aeria	/ersion / /nrcs14/ /nrcs14/ /n	2.0 to inc 2p2_0512 2p2_0512 2p2_0512 2p2_0512 2p2_0512 2p2_0512 3) s (B14) 2dor (C1) eres on I ced Iron (tition in Ti ced Iron (tition (tition in Ti ced Iron (tition	lude the 293.doc>) 	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) nted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5)
HYDROLC Errata. (http HYDROLC Wetland Hy Primary Indi Surface High Wa Saturation Water M Sedimen Drift Dep Algal Ma Iron Dep Inundati Sparsely Field Obser Surface Wa Water Table Saturation F (includes ca Describe Re Remarks: Precipitation	rm is revised from Mi ://www.nrcs.usda.gov DGY rdrology Indicators: cators (minimum of o Water (A1) ater Table (A2) on (A3) farks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5) on Visible on Aerial In y Vegetated Concave rvations: ter Present? Ye Present? Ye pillary fringe) ecorded Data (stream	dwest Regi //Internet/F	ional Supplement V SE_DOCUMENTS red; check all that X Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck 7) Gauge or V 38) Other (Exp No No No No No No No No No No	/ersion / /nrcs14/ /nrcs14/ /nrcs14/ //nrcs14/ //nrcs14/ //nrcs14/ //lined Lea auna (B1 //lined Lea auna (B1 //lin	2.0 to inc 2p2_0512 ives (B9) 3) s (B14) Odor (C1) eres on I ced Iron (tion in Ti c(C7) a (D9) cemarks) nches): nches): , previou:	lude the 293.doc>) Living Rr (C4) Iled Soil	NRCS Field Indicato	ary Indicators (minimum of two required) face Soil Cracks (B6) inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) nted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5)

WETLAND DETERMINATION DATA FORM – Midwest Region

Project/Site: Anguin-Brie 138kV R0/Brie Substation		City/Co	ounty: Licking			Sampling Date:	5/11/2022		
Applicant/Owner:	AEP					State:	ОН	Sampling Point:	W-CMS-005/8/7-UPL
Investigator(s): CMS, HA			Section	, Township, Range:	S25 2N 15W				
Landform (hillside, te	errace	, etc.): <u>Flat</u>			Local relief (conca	ve, conve	ex, none):	concave	
Slope (%): 4	Lat:	40.057158		Long:	-82.751333			Datum: NAD 83	
Soil Map Unit Name	: BeA:	Bennington silt loam, 0 to	o 2 percent slopes			N	WI class	ification: NA	
Are climatic / hydrole	ogic co	onditions on the site typic	al for this time of ye	ar?	Yes <u>x</u> No	D	(If no, ex	plain in Remarks.)	
Are Vegetation	, Soil	, or Hydrology	significantly distu	urbed?	Are "Normal Circur	nstances'	" present'	? Yes <u>X</u> N	o
Are Vegetation	, Soil	, or Hydrology	naturally problem	natic?	(If needed, explain	any answ	vers in Re	emarks.)	
SUMMARY OF	FIND	INGS – Attach site	map showing	sampli	ing point location	ons, tra	insects	, important fea	tures, etc.

Hydrophytic Vegetation Present? Hydric Soil Present? Wetland Hydrology Present?	Yes Yes Yes X	No X No X No	Is the Sampled Area within a Wetland?	Yes	No <u>X</u>
Remarks:					

This sample point is representive of the upland forest community that surrounds W-CMS-005, W-CMS-006 and W-CMS-007.

VEGETATION – Use scientific names of plants.

	Absolute	Dominant	Indicator					
Tree Stratum (Plot size: 30')	% Cover	Species?	Status	Dominance Test worksheet:				
1. Acer saccharum	70	Yes	FACU	Number of Dominant Species That				
2. Carpinus caroliniana	20	No	FAC	Are OBL, FACW, or FAC: 2 (A)				
3. Prunus serotina	20	No	FACU	Total Number of Dominant Species				
4.				Across All Strata: 4 (B)				
5				Percent of Dominant Species That				
	110	=Total Cover		Are OBL, FACW, or FAC:50.0% (A/B)				
Sapling/Shrub Stratum (Plot size: 15')								
1. Rosa multiflora	5	Yes	FACU	Prevalence Index worksheet:				
2.				Total % Cover of: Multiply by:				
3.				OBL species 0 x 1 = 0				
4.				FACW species 60 x 2 = 120				
5.				FAC species 20 x 3 = 60				
	5	=Total Cover		FACU species 95 x 4 = 380				
Herb Stratum (Plot size: 5')				UPL species $0 x 5 = 0$				
1. Impatiens capensis	40	Yes	FACW	Column Totals: 175 (A) 560 (B)				
2. Euthamia graminifolia	20	Yes	FACW	Prevalence Index = B/A = 3.20				
3.								
4.				Hydrophytic Vegetation Indicators:				
5.				 1 - Rapid Test for Hydrophytic Vegetation 				
6.				2 - Dominance Test is >50%				
7.				3 - Prevalence Index is ≤3.0 ¹				
8.				4 - Morphological Adaptations ¹ (Provide supporting				
9.				data in Remarks or on a separate sheet)				
10.				Problematic Hydrophytic Vegetation ¹ (Explain)				
	60	=Total Cover		¹ Indicators of hydric soil and wetland hydrology must				
Woody Vine Stratum (Plot size: 30')				be present, unless disturbed or problematic.				
1				Hydrophytic				
2.				Vegetation				
		=Total Cover		Present? Yes No X				
Remarks: (Include photo numbers here or on a separ	ate sheet.)		<u>+</u>					
A preponderance of hydrophytic vegetation is not pres	ent.							

SOIL

Profile Desc	cription: (Describe	to the depth	needed to doo	cument t	he indica	ator or o	confirm the	absence of in	dicators.)			
Depth Matrix Redox Features												
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Text	ture	Remarks			
0-9	10YR 4/2	100										
9-14	10YR 6/4	100										
<u> </u>												
¹ Type: C=C	oncentration, D=Dep	etion, RM=R	educed Matrix,	MS=Mas	ked Sand	d Grains	6.	² Location: PL	_=Pore Lining, M=Mat	rix.		
Hydric Soil	Indicators:							Indicators fo	or Problematic Hydric	; Soils':		
Histosol	(A1)		Sandy GI	eyed Mat	rix (S4)							
Histic Ep	bipedon (A2)		Sandy Re	edox (S5)			Iron-Manganese Masses (F12)					
Black Hi	stic (A3)		Stripped	Matrix (Se	5)		Red Parent Material (F21)					
Hydroge	en Sulfide (A4)		Dark Surl	face (S7)			Very Shallow Dark Surface (F22)					
Stratified	d Layers (A5)			ucky Mine	eral (F1)		Other (Explain In Remarks)					
	ICK (ATU)	(114)	Loamy G	Netrin (C	mx (F2)							
	d Below Dark Surface	e (A11)		Matrix (F	3));;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;		³ Indicators of hydrophytic vession and					
	AIR SUITACE (ATZ)			Dork Suria	е (го) face (Е7)		Indicators of hydrophytic vegetation and					
Sanuy iv	iucky Milleral (ST)	1	Depieted		ace (F7)		wetland hydrology must be present,					
)		epression	5 (1 0)	<u> </u>		uniess un				
Tupo	Layer (if observed):											
Type:			_				Uudria Sa	il Brocont?	Vac			
Deptii (ii	iches).		_				Hyunc Su	In Fresent?	165			
Remarks:	ile doos not most the	critoria for a	yny hydric coil in	dicatore								
The soli proi			any myune son in	iuicators.								
HYDROLC	DGY											
Wetland Hv	drology Indicators:											
Primary Indi	cators (minimum of c	ne is require	d; check all that	t apply)				Secondary In	dicators (minimum of	two required)		
Surface	Water (A1)	•	X Water-Sta	ained Lea	ves (B9)			Surface S	Soil Cracks (B6)			
High Wa	ater Table (A2)		Aquatic F	auna (B1	3)			Drainage	Patterns (B10)			
Saturatio	on (A3)		True Aqu	atic Plant	s (B14)			Dry-Seas	on Water Table (C2)			
Water M	larks (B1)		Hydroger	n Sulfide (Ddor (C1))		Crayfish	Burrows (C8)			
Sedimer	nt Deposits (B2)		Oxidized	Rhizosph	eres on L	_iving R	oots (C3)	Saturatio	n Visible on Aerial Ima	agery (C9)		
Drift Dep	oosits (B3)		Presence	of Reduc	ced Iron (C4)		Stunted of	or Stressed Plants (D1)		
Algal Ma	at or Crust (B4)		Recent Ir	on Reduc	tion in Ti	lled Soil	ls (C6)	Geomorp	hic Position (D2)			
Iron Dep	oosits (B5)		Thin Muc	k Surface	e (C7)			FAC-Neu	tral Test (D5)			
Inundation Visible on Aerial Imagery (B7) Gauge or Well Data (D9)												
Sparsely	Vegetated Concave	Surface (B8)Other (Ex	plain in R	(emarks							
Field Obser	vations:											
Surface Wat	ter Present? Ye	s	No <u>X</u>	Depth (i	nches):							
Water Table Present? Yes No X Depth (inches):												
Saturation Present? Yes No X Depth (inches):								d Hydrology P	resent? Yes X	No		
(includes ca	pillary fringe)											
Describe Re	corded Data (stream	gauge, mon	itoring well, aeri	al photos	, previous	s inspec	ctions), if ava	allable:				
Remarks:												
One wetland	hydrology indicator	was observed	d									
	,,											
1												
WETLAND DETERMINATION DATA FORM – Midwest Region

Project/Site: Anguin	-Brie 1	38kV R0		City/Co	ounty: Licking			Sampling Date:	5/11/2022
Applicant/Owner:	AEP					State:	ОН	Sampling Point:	W-CMS-007
Investigator(s): CMS	, HA			Section,	, Township, Range:	S25 2N	15W		
Landform (hillside, te	errace,	etc.): Flat			Local relief (conca	ve, conve	ex, none)	concave	
Slope (%): 1	Lat:	40.057097		Long:	-82.750953			Datum: NAD 83	
Soil Map Unit Name	: BeA:	Bennington silt loam, 0 to	o 2 percent slopes			N	IWI class	ification: NA	
Are climatic / hydrole	ogic co	onditions on the site typic	al for this time of yea	ar?	Yes <u>x</u> No	o	(If no, ex	plain in Remarks.)	
Are Vegetation	, Soil	, or Hydrology	significantly distur	rbed?	Are "Normal Circur	nstances'	' present	? Yes <u>X</u> No	o
Are Vegetation	, Soil	, or Hydrology	naturally problema	atic?	(If needed, explain	any answ	ers in Re	emarks.)	
SUMMARY OF	FIND	INGS – Attach site	map showing s	ampli	ing point location	ons, tra	nsects	, important feat	tures, etc.

Hydrophytic Vegetation Present? Hydric Soil Present? Wetland Hydrology Present?	Yes X Yes X Yes X	No No No	Is the Sampled Area within a Wetland?	Yes <u>X</u>	No
Remarks:					

This sample point is representative of W-CMS-007 a PFO wetland.

VEGETATION – Use scientific names of plants.

	Absolute	Dominant	Indicator	
Tree Stratum (Plot size: 30')	% Cover	Species?	Status	Dominance Test worksheet:
1. Acer rubrum	45	Yes	FAC	Number of Dominant Species That
2. Ulmus americana	25	Yes	FACW	Are OBL, FACW, or FAC: 6 (A)
3.				Total Number of Dominant Species
4				Across All Strata: <u>6</u> (B)
5				Percent of Dominant Species That
	70	=Total Cover		Are OBL, FACW, or FAC: 100.0% (A/B)
Sapling/Shrub Stratum (Plot size: 15')			
1. <u>Ulmus americana</u>	25	Yes	FACW	Prevalence Index worksheet:
2. Lindera benzoin	25	Yes	FACW	Total % Cover of: Multiply by:
3.				OBL species 0 x 1 = 0
4.				FACW species 90 x 2 = 180
5.				FAC species 47 x 3 = 141
	50	=Total Cover		FACU species 0 x 4 = 0
Herb Stratum (Plot size: 5')				UPL species $0 x 5 = 0$
1. Phalaris arundinacea	10	Yes	FACW	Column Totals: 137 (A) 321 (B)
2. Euthamia graminifolia	5	Yes	FACW	Prevalence Index = $B/A = 2.34$
3. Acer rubrum	2	No	FAC	
 Acer rubrum 4. 	2	No	FAC	Hydrophytic Vegetation Indicators:
 Acer rubrum 4. 5. 	2	No	FAC	Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation
3. Acer rubrum 4.	2	<u>No</u>	FAC	Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50%
3. Acer rubrum 4.	2	<u>No</u>		Hydrophytic Vegetation Indicators:1 - Rapid Test for Hydrophytic VegetationX2 - Dominance Test is >50%X3 - Prevalence Index is $\leq 3.0^1$
3. Acer rubrum 4. 5. 6. 7. 8.	2	<u>No</u>		Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% X 3 - Prevalence Index is ≤3.0 ¹ 4 - Morphological Adaptations ¹ (Provide supporting
3. Acer rubrum 4.	2			Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% X 3 - Prevalence Index is ≤3.0 ¹ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)
3. Acer rubrum 4.	2 			Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% X 3 - Prevalence Index is ≤3.0 ¹ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation ¹ (Explain)
3. Acer rubrum 4.	2 			Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% X 3 - Prevalence Index is ≤3.0 ¹ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation ¹ (Explain)
3. Acer rubrum 4. 5. 6. 7. 8. 9. 10. Woody Vine Stratum (Plot size: 30')	2 	No		Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% X 3 - Prevalence Index is ≤3.0 ¹ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
3. Acer rubrum 4.	2 			Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% X 3 - Prevalence Index is ≤3.0 ¹ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Hydrophytic
3. Acer rubrum 4.	2 			Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% X 3 - Prevalence Index is ≤3.0 ¹ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Hydrophytic Vegetation
3. Acer rubrum 4.	2 	No		Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% X 3 - Prevalence Index is ≤3.0 ¹ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Hydrophytic Vegetation Present? Yes
3. Acer rubrum 4. 5. 6. 7. 8. 9. 10. Woody Vine Stratum 1. 2. Remarks: (Include photo numbers here or on a separation of the sepa	2 	=Total Cover		Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation X 2 - Dominance Test is >50% X 3 - Prevalence Index is ≤3.0 ¹ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)

SOIL

Profile Desc	cription: (Describe	to the depth	needed to doc	ument t	he indica	ator or o	confirm the absence o	of indicators.)
Depth	Matrix		Redo	ox Featur	es			
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-2	10YR 5/1	70	7.5YR 4/6	30	С	m	Loamy/Clayey	Prominent redox concentrations
2-8	10YR 6/1	60	10YR 6/6	40	c	m	Loamy/Clayey	Prominent redox concentrations
		· ·		·				
<u> </u>		·		·				
		·		·				
				·			·	
		·		·			. <u> </u>	
<u> </u>		·						
¹ Type: C=C	oncentration, D=Dep	letion, RM=F	Reduced Matrix, I	MS=Mas	ked Sand	d Grains	. ² Location:	PL=Pore Lining, M=Matrix.
Hydric Soil	Indicators:						Indicator	s for Problematic Hydric Soils':
Histosol	(A1)		Sandy Gle	eyed Mat	rix (S4)		Coast	Prairie Redox (A16)
Histic Ep	pipedon (A2)		Sandy Re	dox (S5)			Iron-N	Manganese Masses (F12)
Black Hi	stic (A3)		Stripped M	Aatrix (Se	5)			Parent Material (F21)
Hydroge	n Sulfide (A4)		Dark Surf	ace (S7)			Very :	Shallow Dark Surface (F22)
	Layers (A5)							(Explain in Remarks)
	ICK (ATU) N Bolow Dark Surface	o (A11)		Motrix (E	111X (FZ) 2)			
Depieted	ark Surface (A12)	= (ATT)	Depleted	rk Surfac	5) 29 (F6)		³ Indicator	s of hydrophytic vegetation and
Sandy M	lucky Mineral (S1)			Dark Sur	face (F7)		wetla	ad hydrology must be present
5 cm Mu	icky Peat or Peat (S	3)	Bedox De	pression	s (F8)		unles	s disturbed or problematic.
Bestrictive	Lever (if cheerved)	- /		p.000.011	0 (1 0)	<u> </u>		
Type	Layer (il observeu).							
Depth (ir	nches).		_				Hydric Soil Present	2 Yes X No
	ioneo).		_					
The soil prof	ile meets the criteria	for having a	depleted matrix					
		nor naving a	depicted matrix.					
HYDROLC)GY							
Wetland Hy	drology Indicators:							
Primary Indi	cators (minimum of c	one is require	d: check all that	apply)			Secondar	v Indicators (minimum of two required)
X Surface	Water (A1)		X Water-Sta	ained Lea	ves (B9)		Surfa	ce Soil Cracks (B6)
X High Wa	iter Table (A2)		Aquatic Fa	auna (B1	3)		Drain	age Patterns (B10)
X Saturatio	on (A3)		True Aqua	atic Plant	s (B14)		Dry-S	eason Water Table (C2)
Water M	arks (B1)		Hydrogen	Sulfide 0	Ddor (C1))	Crayf	sh Burrows (C8)
Sedimer	nt Deposits (B2)		Oxidized Rhizospheres on Living R				oots (C3) Satur	ation Visible on Aerial Imagery (C9)
Drift Dep	oosits (B3)		Presence	of Reduc	ced Iron ((C4)	Stunte	ed or Stressed Plants (D1)
Algal Ma	at or Crust (B4)		Recent Irc	on Reduc	tion in Ti	lled Soil	s (C6) Geom	horphic Position (D2)
Iron Dep	osits (B5)		Thin Mucl	Surface	e (C7)		X FAC-	Neutral Test (D5)
Inundatio	on Visible on Aerial I	magery (B7)	Gauge or	Well Dat	a (D9)			
X Sparsely	Vegetated Concave	e Surface (B8)Other (Ex	plain in R	(emarks			
Field Obser	vations:							
Surface Wat	er Present? Ye	es X	No	Depth (i	nches):	0.1		
Water Table	Present? Ye	es <u>X</u>	No	Depth (i	nches):	0		
Saturation P	resent? Ye	es X	No	Depth (i	nches):	0	Wetland Hydrolog	y Present? Yes X No
(includes ca	pillary fringe)			-1 l +		- 1		
Describe Re	corded Data (stream	i gauge, mon	itoring well, aeria	ai photos	, previou	s inspec	ctions), it available:	
Remarks [.]								
Precipitation	provides hvdroloav.							
	. ,							

	Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization				
X 7 · F 0	Background Information				
Version 5.0	Scoring Boundary Worksheet				
	Narrative Rating	Ohio EPA, Division of Surface Water			
	Field Form Quantitative Rating	Final: February 1, 2001			
	ORAM Summary Worksheet				
	Wetland Categorization Worksheet				

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland *may* be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To *properly* answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: <u>http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx</u>

Background Information

Name:	
Charlotte Stallone	
Date: 5/11/2022	
Affiliation: AECOM	
Address: 564 White Pond drive, Akron OH 44320	
Phone Number: 717-617-7738	
e-mail address: charlotte.stallone@aecom.com	
Name of Wetland: W-CMS-005	
Vegetation Communit(ies): PEM/PFO	
HGM Class(es): Depressional	
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	
← from Pataskala, Ohio 43062, to New Albany, Ohio B Gas P Groceries He Hotels Q. More Wormington and	
5 min (1.7 miles) 1	
Pataskala Ohio 43062	2 22 5
Head south on Beech Rd NW toward Worthington Rd	1
	La de
0.1 ml	
Sharp right	Street _
G Turn left	•
Destination will be on the right O.1 mi	
New Albany Use traffic Fast Sow O New Albany Obio Imagery 62022 Landsat / Oppennicus, Masar Technologies, State of Ohio / OSP, US. Geological Survey, UDA/TFVAC/GEO, Map data 62022 Geogle United State 1000 ft	· · · · · · · · · · · · · · · · · · ·
Lat/Long or UTM Coordinate	
40.057432, -82.751724 USGS Quad Name New ALbany	
Licking	
New Albany	
Section and Subsection NA	
Hydrologic Unit Code 050600011503	
Site Visit 5/11/2022	
National Wetland Inventory Map NA	
Ohio Wetland Inventory Map	
Soil Survey	
Delineation report/map	

-



Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	х	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.		x
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	x	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	x	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		x
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		x

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature *and* by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), <u>http://www.dnr.state.oh.us/dnap</u>. The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	Critical Habitat. Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical	YES Wetland should be	NO Go to Question 2
	habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has	evaluated for possible Category 3 status	
	had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	Go to Question 2	
2	Threatened or Endangered Species. Is the wetland known to contain an individual of or documented occurrences of federal or state-listed	YES	NO
	threatened or endangered plant or animal species?	Wetland is a Category 3 wetland.	Go to Question 3
		Go to Question 3	
3	Documented High Quality Wetland. Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES	
		Wetland is a Category 3 wetland	Go to Question 4
		Go to Question 4	
4	Significant Breeding or Concentration Area. Does the wetland	YES	
	waterfowl, neotropical songbird, or shorebird concentration areas?	Wetland is a Category 3 wetland	Go to Question 5
		Go to Question 5	
5	Category 1 Wetlands. Is the wetland less than 0.5 hectares (1 acre) in size and bydrologically isolated and either 1) comprised of	YES	
	vegetation that is dominated (greater than eighty per cent areal cover)	Wetland is a Category	Go to Question 6
	by Phalaris arundinacea, Lythrum salicaria, or Phragmites australis, or 2) an acidic pond created or excavated on mined lands that has little or	1 wetland	
	no vegetation?	Go to Question 6	
6	Bogs. Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses,	YES	NO
	particularly <i>Sphagnum</i> spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	Wetland is a Category 3 wetland	Go to Question 7
		Go to Question 7	
<u>7</u>	Fens. Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free	YES	
	flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	Wetland is a Category 3 wetland	Go to Question 8a
		Go to Question 8a	
8a	"Old Growth Forest." Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics:	YES	
	overstory canopy trees of great age (exceeding at least 50% of a	Wetland is a Category	Go to Question 8b
	of human-caused understory disturbance during the past 80 to 100	5 wellanu.	
	years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	Go to Question 8b	
	0	ı	•

8b	Mature forested wetlands. Is the wetland a forested wetland with	YES	NO
	50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	Wetland should be evaluated for possible Category 3 status.	Go to Question 9a
		Go to Question 9a	
9a	Lake Erie coastal and tributary wetlands. Is the wetland located at	YES	NO
	an elevation less than 575 feet on the USGS map, adjacent to this	Go to Question 9h	Go to Question 10
9b	Does the wetland's hydrology result from measures designed to	YES	NO
	prevent erosion and the loss of aquatic plants, i.e. the wetland is	Matternal also utat ha	
	landward dikes or other hydrological controls?	evaluated for possible Category 3 status	Go to Question 90
		Go to Question 10	
9c	Are Lake Erie water levels the wetland's primary hydrological influence,	YES	NO
	I.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation	Go to Question 9d	Go to Question 10
9d	Does the wetland have a predominance of native species within its	YES	NO
	vegetation communities, although non-native or disturbance tolerant		
	native species can also be present?	3 wetland is a Category	Go to Question 9e
		Go to Question 10	
9e	Does the wetland have a predominance of non-native or disturbance	YES	NO
	tolerant native plant species within its vegetation communities?	Watland should be	Co to Ouestion 10
		evaluated for possible	Go to Question To
		Category 3 status	
		Go to Question 10	
10	Lake Plain Sand Prairies (Oak Openings) Is the wetland located in	YES	NO
	Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the	Wetland is a Category 3 wetland.	Go to Question 11
	gramineous vegetation listed in Table 1 (woody species may also be present). The Obio Department of Natural Resources Division of	Go to Question 11	
	Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality		
11	Relict Wet Prairies . Is the wetland a relict wet prairie community	YES	NO
	dominated by some or all of the species in Table 1. Extensive prairies	Watland should be	Complete
	Counties). Sandusky Plains (Wyandot, Crawford, and Marion	evaluated for possible	Quantitative
	Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties),	Category 3 status	Rating
	and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.)	Complete Quantitative	
	wongomory, van weit etc.j.	Rating	

Table 1. Characteristic plant species.	
--	--

invasive/exotic spp	fen species	bog species	0ak Opening species	wet prairie species
Lythrum salicaria	Zygadenus elegans var. glaucus	Calla palustris	Carex cryptolepis	Calamagrostis canadensis
Myriophyllum spicatum	Cacalia plantaginea	Carex atlantica var. capillacea	Carex lasiocarpa	Calamogrostis stricta
Najas minor	Carex flava	Carex echinata	Carex stricta	Carex atherodes
Phalaris arundinacea	Carex sterilis	Carex oligosperma	Cladium mariscoides	Carex buxbaumii
Phragmites australis	Carex stricta	Carex trisperma	Calamagrostis stricta	Carex pellita
Potamogeton crispus	Deschampsia caespitosa	Chamaedaphne calyculata	Calamagrostis canadensis	Carex sartwellii
Ranunculus ficaria	Eleocharis rostellata	Decodon verticillatus	Quercus palustris	Gentiana andrewsii
Rhamnus frangula	Eriophorum viridicarinatum	Eriophorum virginicum		Helianthus grosseserratus
Typha angustifolia	Gentianopsis spp.	Larix laricina		Liatris spicata
Typha xglauca	Lobelia kalmii	Nemopanthus mucronatus		Lysimachia quadriflora
	Parnassia glauca	Schechzeria palustris		Lythrum alatum
	Potentilla fruticosa	Sphagnum spp.		Pycnanthemum virginianum
	Rhamnus alnifolia	Vaccinium macrocarpon		Silphium terebinthinaceum
	Rhynchospora capillacea	Vaccinium corymbosum		Sorghastrum nutans
	Salix candida	Vaccinium oxycoccos		Spartina pectinata
	Salix myricoides	Woodwardia virginica		Solidago riddellii
	Salix serissima	Xyris difformis		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland 5



ORAM-wetland 5.xlsm | test_Field

Wetland 5

Site: Ang	guin-Brie 13	38kV R0/Brie Substat Rater(s): C.Stallone		Date:	5/11/2022
			Field Id:	.	
	36		W-CMS-005		
		2	W-0110-005		
	subtotal thi	s page			
	0 36	6 Metric 5. Special Wetlands.			
max 10 pts	subtotal	Check all that apply and score as indicated			
max to pis.	Subtotal	Bog (10)			
		Fen (10)			
		Old growth forest (10)			
		Mature forested wetland (5)			
		Lake Erie coastal/tributary wetland-unrestricted hydrology (10)			
		Lake Plain Sand Prairies (Oak Openings) (10)			
		Relict Wet Praires (10)			
		Known occurrence state/federal threatened or endangered spe	cies (10)		
		Significant migratory songbird/water fowl habitat or usage (10)			
r	44 50	Calegory I weitand. See Question 5 Qualitative Rating (-10)	-ion missotonoonenku		
	14 50	Metric 6. Plant communities, intersper	sion, microtopograpny.		
max 20pts.	subtotal	6a. Wetland Vegetation Communities.	Vegetation Community Co	ver Scale	
		Score all present using 0 to 3 scale.	Absent or comprises <0.1ha (0.2471	acres) contiguous area	
		Aquatic bed	Present and either comprises small p	part of wetland's 1	
		1 Emergent	significant part but is of low quality	, or comprises a	
		3 Forest	 Present and either comprises signific 	ant part of wetland's 2	
		Mudflats	vegetation and is of moderate quality	or comprises a small	
		Open water	part and is of high quality		
		Other	Present and comprises significant particular and is of high guality.	rt, or more, of wetland's 3	
		Select only one	vegetation and is of high quality		
		High (5)	Narrative Description of Vegetatio	n Quality	
		x Moderately high(4)	Low spp diversity and/or predominar	ce of nonnative or low	
		Moderate (3)	disturbance tolerant native species		
		Moderately low (2)	Native spp are dominant component	of the vegetation, mod	
		None (0)	can also be present, and species div	ersity moderate to	
		6c. Coverage of invasive plants. Refer	moderately high, but generallyw/o pro	esence of rare	
		Table 1 ORAM long form for list. Add	threatened or endangered spp to		
		or deduct points for coverage	A predominance of native species, w	ith nonnative spp high	
		Extensive >75% cover (-5) Moderate 25-75% cover (-3) Phalaris arundinace	absent and high son diversity and of	ten but not always	
		Sparse 5-25% cover (-1)	the presence of rare, threatened, or e	endangered spp	
		x Nearly absent <5% cover (0)		• • •	
		Absent (1)	Mudflat and Open Water Class Qu	ality	
		6d. Microtopography.	Absent <0.1ha (0.247 acres))	
		2 Vegetated hummucks/tussucks	2 Moderate 1 to <4ha (2.47 to 9.88 acr	es)	
		2 Coarse woody debris >15cm (6in)	B High 4ha (9.88 acres) or more		
		2 Standing dead >25cm (10in) dbh			
		Amphibian breeding pools	Microtopography Cover Scale		
		0_0	Present very small amounts or if mo	e common	
			of marginal quality	o oommon	
			Present in moderate amounts, but no	ot of highest	
Category 2		=	quality or in small amounts of highes	t quality	
	50 GRAN	D TOTAL(max 100 pts)	Present in moderate or greater amou	ints	

and of highest quality

		circle	
		answer or	
		insert	Result
		score	
Narrative Rating	Question 1 Critical Habitat	YES NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES 🔊	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES MO	If yes, Category 1.
	Question 6. Bogs	YES MO	If yes, Category 3.
	Question 7. Fens	YES NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES MO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES 🔊	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES M	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES 🔟	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES 🔟	If yes, Category 3
	Question 11. Relict Wet Prairies	YES NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	1	
	Metric 2. Buffers and surrounding land use	8	
	Metric 3. Hydrology	12.5	
	Metric 4. Habitat	14.5	
	Metric 5. Special Wetland Communities	0	
	Metric 6. Plant communities, interspersion, microtopography	14	
	TOTAL SCORE	50	Category based on score breakpoints 2

Complete Wetland Categorization Worksheet.

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	Ø	Is quantitative rating score <i>less</i> than the Category 2 scoring threshold (<i>excluding</i> gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over-categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	®.	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland		Is quantitative rating score <i>greater</i> than the Category 2 scoring threshold (<i>including</i> any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the <i>"gray zone"</i> for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria		Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit <i>moderate OR superior</i> hydrologic OR habitat, OR recreational functions AND the wetland was <i>not</i> categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.



End of Ohio Rapid Assessment Method for Wetlands.

.

	Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization			
X 7 · F 0	Background Information			
Version 5.0	Scoring Boundary Worksheet			
	Narrative Rating	Ohio EPA, Division of Surface Water		
	Field Form Quantitative Rating	Final: February 1, 2001		
	ORAM Summary Worksheet			
	Wetland Categorization Worksheet			

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland *may* be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To *properly* answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: <u>http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx</u>

Background Information

Name: Charlotte Stallone	
Date: 5/11/2022	
Affiliation: AECOM	
Address: 564 White Pond drive, Akron OH 44320	
Phone Number: 717-617-7738	
e-mail address: charlotte.stallone@aecom.com	
Name of Wetland: W-CMS-007	
Vegetation Communit(ies):	
HGM Class(es): Depressional	
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	
 In Wex Albany, Ohio S min (1.7 miles) C C Coeffe H hetels M ore M ore<td>€ + + + +</td>	€ + + + +
Lat/Long or UTM Coordinate 40,057097, -82,750953	
USGS Quad Name New Albany	
County Licking	
Township New Albany	
Section and Subsection NA	
Hydrologic Unit Code 050600011503	
Site Visit 5/11/2022	
National Wetland Inventory Map NA	
Ohio Wetland Inventory Map	
Soil Survey	
Delineation report/map	



Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	х	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.		x
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	x	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	x	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		x
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		x

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature *and* by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), <u>http://www.dnr.state.oh.us/dnap</u>. The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	Critical Habitat. Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical	YES Wetland should be	NO Go to Question 2
	habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has	evaluated for possible Category 3 status	
	had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	Go to Question 2	
2	Threatened or Endangered Species. Is the wetland known to contain an individual of or documented occurrences of federal or state-listed	YES	NO
	threatened or endangered plant or animal species?	Wetland is a Category 3 wetland.	Go to Question 3
		Go to Question 3	
3	Documented High Quality Wetland. Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES	
		Wetland is a Category 3 wetland	Go to Question 4
		Go to Question 4	
4	Significant Breeding or Concentration Area. Does the wetland	YES	
	waterfowl, neotropical songbird, or shorebird concentration areas?	Wetland is a Category 3 wetland	Go to Question 5
		Go to Question 5	
5	Category 1 Wetlands. Is the wetland less than 0.5 hectares (1 acre) in size and bydrologically isolated and either 1) comprised of	YES	
	vegetation that is dominated (greater than eighty per cent areal cover)	Wetland is a Category	Go to Question 6
	by Phalaris arundinacea, Lythrum salicaria, or Phragmites australis, or 2) an acidic pond created or excavated on mined lands that has little or	1 wetland	
	no vegetation?	Go to Question 6	
6	Bogs. Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses,	YES	NO
	particularly <i>Sphagnum</i> spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	Wetland is a Category 3 wetland	Go to Question 7
		Go to Question 7	
<u>7</u>	Fens. Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free	YES	
	flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	Wetland is a Category 3 wetland	Go to Question 8a
		Go to Question 8a	
8a	"Old Growth Forest." Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics:	YES	
	overstory canopy trees of great age (exceeding at least 50% of a	Wetland is a Category	Go to Question 8b
	of human-caused understory disturbance during the past 80 to 100	5 wellanu.	
	years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	Go to Question 8b	
	0	ı	•

8b	Mature forested wetlands. Is the wetland a forested wetland with	YES	NO
	50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	Wetland should be evaluated for possible Category 3 status.	Go to Question 9a
		Go to Question 9a	
9a	Lake Erie coastal and tributary wetlands. Is the wetland located at	YES	NO
	an elevation less than 575 feet on the USGS map, adjacent to this	Go to Question 9h	Go to Question 10
9b	Does the wetland's hydrology result from measures designed to	YES	NO
	prevent erosion and the loss of aquatic plants, i.e. the wetland is	Matternal also utat ha	
	landward dikes or other hydrological controls?	evaluated for possible Category 3 status	Go to Question 90
		Go to Question 10	
9c	Are Lake Erie water levels the wetland's primary hydrological influence,	YES	NO
	I.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation	Go to Question 9d	Go to Question 10
9d	Does the wetland have a predominance of native species within its	YES	NO
	vegetation communities, although non-native or disturbance tolerant		
	native species can also be present?	3 wetland is a Category	Go to Question 9e
		Go to Question 10	
9e	Does the wetland have a predominance of non-native or disturbance	YES	NO
	tolerant native plant species within its vegetation communities?	Watland should be	Co to Ouestion 10
		evaluated for possible	Go to Question To
		Category 3 status	
		Go to Question 10	
10	Lake Plain Sand Prairies (Oak Openings) Is the wetland located in	YES	NO
	Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the	Wetland is a Category 3 wetland.	Go to Question 11
	gramineous vegetation listed in Table 1 (woody species may also be present). The Obio Department of Natural Resources Division of	Go to Question 11	
	Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality		
11	Relict Wet Prairies . Is the wetland a relict wet prairie community	YES	NO
	dominated by some or all of the species in Table 1. Extensive prairies	Watland should be	Complete
	Counties). Sandusky Plains (Wyandot, Crawford, and Marion	evaluated for possible	Quantitative
	Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties),	Category 3 status	Rating
	and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.)	Complete Quantitative	
	wongomory, van weit etc.j.	Rating	

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	0ak Opening species	wet prairie species
Lythrum salicaria	Zygadenus elegans var. glaucus	Calla palustris	Carex cryptolepis	Calamagrostis canadensis
Myriophyllum spicatum	Cacalia plantaginea	Carex atlantica var. capillacea	Carex lasiocarpa	Calamogrostis stricta
Najas minor	Carex flava	Carex echinata	Carex stricta	Carex atherodes
Phalaris arundinacea	Carex sterilis	Carex oligosperma	Cladium mariscoides	Carex buxbaumii
Phragmites australis	Carex stricta	Carex trisperma	Calamagrostis stricta	Carex pellita
Potamogeton crispus	Deschampsia caespitosa	Chamaedaphne calyculata	Calamagrostis canadensis	Carex sartwellii
Ranunculus ficaria	Eleocharis rostellata	Decodon verticillatus	Quercus palustris	Gentiana andrewsii
Rhamnus frangula	Eriophorum viridicarinatum	Eriophorum virginicum		Helianthus grosseserratus
Typha angustifolia	Gentianopsis spp.	Larix laricina		Liatris spicata
Typha xglauca	Lobelia kalmii	Nemopanthus mucronatus		Lysimachia quadriflora
	Parnassia glauca	Schechzeria palustris		Lythrum alatum
	Potentilla fruticosa	Sphagnum spp.		Pycnanthemum virginianum
	Rhamnus alnifolia	Vaccinium macrocarpon		Silphium terebinthinaceum
	Rhynchospora capillacea	Vaccinium corymbosum		Sorghastrum nutans
	Salix candida	Vaccinium oxycoccos		Spartina pectinata
	Salix myricoides	Woodwardia virginica		Solidago riddellii
	Salix serissima	Xyris difformis		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland 7 Site: Anguin-Brie 138kV R0 Rater(s): C.Stallone Date: 5/11/2022 Field Id: Metric 1. Wetland Area (size). W-CMS-007 Select one size class and assign score. max 6 pts subtotal >50 acres (>20.2ha) (6 pts) 0 1 1 8 acres delineated within survey area 25 to <50 acres (10.1 to <20.2ha) (5 pts) 10 to <25 acres (4 to <10.1ha) (4 pts) 3 to <10 acres (1.2 to <4ha) (3 pts) 0.3 to <3 acres (0.12 to <1.2ha) (2pts) x 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt) <0.1 acres (0.04ha) (0 pts) 14 15 Metric 2. Upland buffers and surrounding land use. 2a. Calculate average buffer width. Select only one and assign score. Do not double check. max 14 pts. subtotal x WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7) MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4) NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1) VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0) 2b. Intensity of surrounding land use. Select one or double check and average. VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7) LOW. Old field (>10 years), shrubland, young second growth forest. (5) MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3) HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1) 25.0 10.0 Metric 3. Hydrology. max 30 pts. 3a. Sources of Water. Score all that apply. 3b. Connectivity. Score all that apply. subtota High pH groundwater (5) 100 year floodplain (1) Other groundwater (3) Between stream/lake and other human use (1) Precipitation (1) Part of wetland/upland (e.g. forest), complex (1) х Х Seasonal/Intermittent surface water (3) Part of riparian or upland corridor (1) 3d. Duration inundation/saturation. Score one or dbl check. Perennial surface water (lake or stream) (5) Semi- to permanently inundated/saturated (4) 3c. Maximum water depth. Select one. Regularly inundated/saturated (3) >0.7 (27.6in) (3) 0.4 to 0.7m (15.7 to 27.6in) (2) x Seasonally inundated (2) x <0.4m (<15.7in) (1) Seasonally saturated in upper 30cm (12in) (1) 3e. Modifications to natural hydrologic regime. Score one or double check and average. None or none apparent (12) Check all disturbances observed Recovered (7) ditch x point source (nonstormwater) x Recovering (3) tile filling/grading x road bed/RR track access road created Recent or no recovery (1) dike in 2008 dredging weir stormwater input Other: Metric 4. Habitat Alteration and Development. 14 39 4a. Substrate disturbance. Score one or double check and average. max 20 pts. subtotal None or none apparent (4) x Recovered (3) Recovering (2) Recent or no recovery (1) 4b. Habitat development. Select only one and assign score. Excellent (7) Very good (6) x Good (5) Moderately good (4) Fair (3) Poor to fair (2) Poor (1)

Check all disturbances observed

mowing

grazing

Х

clearcutting

x selective cutting

toxic pollutants

woody debris removal

x shrub/sapling removal

nutrient enrichment

sedimentation

dredging

farming

herbaceous/aquatic bed removal

4c. Habitat alteration. Score one or double check and average.

None or none apparent (9)

Recent or no recovery (1)

ORAM v. 5.0 Field Form Quantitative Rating

Recovered (6)

Recovering (3)

39 Ibtotal this page

Wetland 7

Site: /	Anguin-Brie	138kV	R0 Rater(s): C.Stallo	ne		Date:	5/11/2022
					Field Id:	•	
		39			W-CMS-007		
		l dh in an an					
	Subtota	a this page	Matria E. Crassial Watlanda				
	0	39	Metric 5. Special Wetlands.				
nax 10 pts.	subtota	al	Check all that apply and score as indic	ated.			
			Bog (10)				
			Fen (10)				
			Old growth forest (10) Mature forested wetland (5)				
			Lake Erie coastal/tributary wetland-unrestricted hydro	ology (10)			
			Lake Erie coastal/tributary wetland-restricted hydrolog	gy (5)			
			Lake Plain Sand Prairies (Oak Openings) (10)				
			Relict Wet Praires (10)	acred crock	ica (10)		
			Significant migratory songbird/water fowl babitat or us	gered spec sade (10)	ies (10)		
			Category 1 Wetland. See Question 5 Qualitative Rati	ng (-10)			
	10	49	Metric 6. Plant communities, inte	erspers	ion, microtopography.		
nax 20pts.	subtota	al	6a. Wetland Vegetation Communities.	-	Vegetation Community Co	over Scale	
			Score all present using 0 to 3 scale.	0	Absent or comprises <0.1ha (0.2471	l acres) contiguous area	
			Aquatic bed	1	Present and either comprises small	part of wetland's 1	
			Emergent		vegetation and is of moderate quality	y, or comprises a	
		3	Shrub	2	significant part but is of low quality	cant part of wotland's 2	
		5	Mudflats	2	vegetation and is of moderate quality	v or comprises a small	
			Open water		part and is of high quality	,	
			Other	3	Present and comprises significant pa	art, or more, of wetland's 3	
			6b. horizontal (plan view) Interspersion.		vegetation and is of high quality		
			High (5)		Narrative Description of Vegetation	n Quality	
		x	Moderately high(4)		Low spp diversity and/or predomination	nce of nonnative or low	
			Moderate (3)		disturbance tolerant native species		
			Moderately low (2)		Native spp are dominant component	t of the vegetation, mod	
			Low (1)		although nonnative and/or disturban	ce tolerant native spp	
			6c. Coverage of invasive plants. Refer		moderately high but generallyw/o p	resence of rare	
			Table 1 ORAM long form for list. Add		threatened or endangered spp to		
			or deduct points for coverage		A predominance of native species, v	vith nonnative spp high	
			Extensive >75% cover (-5)		and/or disturbance tolerant native sp	p absent or virtually	
		×	Moderate 25-75% cover (-3)	Indinacoa	absent, and high spp diversity and o	ordangered spp	
		^	Nearly absent <5% cover (0)	numacea	the presence of fare, threatened, of	endangered spp	
			Absent (1)		Mudflat and Open Water Class Qu	ality	
			6d. Microtopography.	0	Absent <0.1ha (0.247 acres)		
		0	Score all present using 0 to 3 scale.	1	Low 0.1 to <1ha (0.247 to 2.47 acres	S)	
		2	Vegetated nummucks/tussucks	- 2	Moderate 1 to <4na (2.47 to 9.88 ac	res)	
		2	Standing dead >25cm (10in) dbh	5	riigh 4na (3.00 acles) of more		
			Amphibian breeding pools		Microtopography Cover Scale		
				0_0	Absent		
				1	Present very small amounts or if mo	re common	
				2	Present in moderate amounts, but n	ot of highest	
Category	2			2	quality or in small amounts of highes	st quality	
	49 GR 4		TAI (max 100 pts)	2	Present in moderate or greater amo	unts	
	10 010		(ax 100 pto)	5			

and of highest quality

		circle	
		answer or	Decult
		score	Result
Narrative Rating	Question 1 Critical Habitat	YES 🔊	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES M	If yes, Category 1.
	Question 6. Bogs	YES M	If yes, Category 3.
	Question 7. Fens	YES NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES M	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES 🔊	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES 👧	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES ඟ	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES 🔟	If yes, Category 3
	Question 11. Relict Wet Prairies	YES NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	1	
5	Metric 2. Buffers and surrounding land use	14	
	Metric 3. Hydrology	10	
	Metric 4. Habitat	14	
	Metric 5. Special Wetland Communities	0	
	Metric 6. Plant communities, interspersion, microtopography	10	
	TOTAL SCORE	49	Category based on score breakpoints 2

Complete Wetland Categorization Worksheet.

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	Ø	Is quantitative rating score <i>less</i> than the Category 2 scoring threshold (<i>excluding</i> gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over-categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	®.	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	Ø	Is quantitative rating score <i>greater</i> than the Category 2 scoring threshold (<i>including</i> any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the <i>"gray zone"</i> for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria		Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit <i>moderate OR superior</i> hydrologic OR habitat, OR recreational functions AND the wetland was <i>not</i> categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.



End of Ohio Rapid Assessment Method for Wetlands.

.

PHOTOGRAPHIC RECORD Wetland Photograph Record

Client Name:

AEP

Site Location:

Macy 138 kV Extension and Anguin- Brie Cut-In Project

Project No. 60683729



May 11, 2022 **Description:** PFO wetland Category 2 Facing East

W-CMS-005

Date:



PHOTOGRAPHIC RECORD Wetland Photograph Record

Client Name:

AEP

Site Location:

Macy 138 kV Extension and Anguin- Brie Cut-In Project

Project No. 60683729



W-CMS-005 Date: May 11, 2022 **Description:** PFO wetland Category 2 Facing West

nagine it. elivered.	PHOTOGRAPHIC RECORD Wetland Photograph Record

Client Name:

AEP

Site Location:

Macy 138 kV Extension and Anguin- Brie Cut-In Project

Project No. 60683729



W-CMS-007

Date:

May 11, 2022

Description:

PFO wetland

Category 2

Facing North



PHOTOGRAPHIC RECORD Wetland Photograph Record

Client Name:

AEP

Site Location:

Macy 138 kV Extension and Anguin- Brie Cut-In Project

W-CMS-007	
Date:	
May 11, 2022	
Description:	
PFO wetland	
Category 2	
Facing East	



PHOTOGRAPHIC RECORD Wetland Photograph Record

Client Name:

AEP

Site Location:

Macy 138 kV Extension and Anguin- Brie Cut-In Project

Project No. 60683729

W-CMS-007	
Date:	
May 11, 2022	
Description:	
PFO wetland	
Category 2	
Facing West	



|--|

Date:

May 11, 2022

Description:

PFO wetland

Category 2

Facing Soils



APPENDIX D

UPLAND DRAINAGE FEATURE PHOTOGRAPHIC RECORD

PHOTOGRAPHIC RECORD **Upland Drainage Feature Photographs**

Client Name:

UDF-CMS-003

May 11, 2022 **Description:**

Upland Drainage

Facing Upstream

AEP

Date:

Feature

Site Location:

Macy 138 kV Extension and Anguin- Brie Cut-In Project

Project No. 60708642



UDF-CMS-003

Date:

May 11, 2022

Description:

Upland Drainage Feature

Facing Downstream



PHOTOGRAPHIC RECORD **Upland Drainage Feature Photographs**

Client Name:

AEP

Site Location:

Macy 138 kV Extension and Anguin- Brie Cut-In Project

Project No. 60708642

UDF-CMS-003 Date: May 11, 2022 **Description:** Upland Drainage Feature Facing Substrate

APPENDIX E

HABITAT PHOTOGRAPHIC RECORD



PHOTOGRAPHIC RECORD Habitat Photograph Record

Client Name:

AEP

Site Location:

Macy 138kV Extension and Anguin- Brie Cut-In Project





PHOTOGRAPHIC RECORD Habitat Photograph Record

Client Name:

AEP

Site Location:

Macy 138kV Extension and Anguin- Brie Cut-In Project







PHOTOGRAPHIC RECORD Habitat Photograph Record

Client Name:

AEP

Site Location:

Macy 138kV Extension and Anguin- Brie Cut-In Project

РН-05	
Date:	
May 11, 2022	
Description:	
Stream/Wetland	
Facing East	
	the second second second second
APPENDIX F

2023 JOINT GUIDANCE



OHIO DIVISION OF WILDLIFE AND U.S. FISH AND WILDLIFE SERVICE (OH-FIELD OFFICE) JOINT GUIDANCE FOR BAT SURVEYS AND TREE CLEARING MAY 2023

This document has been updated with new state guidance for the 2023 field season.

This guidance applies to state recommendations only. Contact the USFWS to determine if federal consultation is also necessary to comply with federal law.

Agency Contacts:

ODNR-DOW Permit Coordinator: Wildlife.Permits@dnr.ohio.gov, (614) 265-6315 **ODNR-DOW Bat Survey Coordinator:** Eileen Wyza, Eileen.Wyza@dnr.ohio.gov, (614) 265-6764 **USFWS OHFO Endangered Species:** Angela Boyer, angela_boyer@fws.gov, (614) 416-8993, ext.122

Covid-19 Guidance:

Surveyors should follow all covid protocols put in place by their agency. All surveyors should wear masks when handling bats and anyone exhibiting symptoms of covid-19 should not participate in bat surveys.

Ohio Mist-net Surveys:

This document serves as guidance for bat mist netting activities in Ohio and does not supersede any requirements listed on your permits or facility certificate. All permit conditions must be strictly adhered to for permits to be valid and for renewal of permits beyond the existing year.

Due to the presence of White-nose Syndrome (WNS), mist-netting in Ohio must be conducted between June 1 and August 15 unless stated otherwise in your state permit. The ODNR Division of Wildlife (ODNR-DOW) and U.S. Fish and Wildlife Service (USFWS) Ohio Field Office (OHFO) have determined that delaying netting activities until June 1 will provide additional recovery time for bats affected by WNS. For presence/probable absence surveys, netting will not be accepted outside of the June 1 - August 15 timeframe.

To assess project areas for presence or probable absence of the state and federally listed Indiana bat (*Myotis sodalis*) and northern long-eared bat (*Myotis septentrionalis*) during summer residency, the USFWS developed the USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (March 2023). This protocol, <u>with minor modifications referenced below</u>, can also be used in Ohio for the 2023 field season and includes surveying for the state-listed little brown bat (*Myotis lucifugus*) and tricolored bat (*Perimyotis subflavus*).

According to the updated federal range-wide guidelines, presence/probable absence net surveys for northern longeared bats shall incorporate either 10 net nights per square 0.5 kilometer (123 acres) of project area, or four net nights per kilometer for linear projects. Presence/probable absence net surveys for Indiana bats shall incorporate six net nights per square 0.5 kilometer (123 acres) of project area, or two net nights per kilometer for linear projects. If a project area is eligible for a presence/probable absence survey for both Indiana bats and northern long-eared bats, following the northern long-eared bat level of effort will qualify as a presence/ probable absence survey for both species. However, if a project area is eligible for a presence/absence survey for both species, following the Indiana bat level of effort will not qualify the survey for a northern long-eared bat presence/ probable absence survey. Please note that the USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (March 2023) requires that a minimum of two (2) biologists (e.g., one permitted and one technician) must be on-site for every four (4) net-sets being operated. Exceptions to on-site minimum staffing levels may be allowed under extenuating circumstances, provided written justification is included in the proposed survey study plan and subsequently approved by the OHFO and ODOW.

Due to the reclassification of the northern long-eared bat on March 31, 2023, the previous northern long-eared bat 4(d) rule has been nullified. There is a new online tool in the USFWS's Information for Planning and Consultation (IPaC) website that allows project proponents to utilize a determination key (Dkey) for the northern long-eared bat. **The Dkey cannot be used to replace consultation with ODNR-DOW.** Project proponents should coordinate directly with the ODNR-DOW and the OHFO for project technical assistance for all federally listed species, including the Indiana bat and northern long-eared bat.

The tricolored bat is listed as endangered by ODNR-DOW. Additionally, the USFWS published a proposed rule to list the tri-colored bat as endangered on September 14, 2022. The USFWS is scheduled to publish a final rule on the tricolored bat's status by the end of September 2023 which could affect future project development. Therefore, in anticipation of this listing we recommend that project proponents coordinate with the OHFO in addition to ODNR-DOW to determine if the project could benefit from formal coordination with USFWS for tricolored bat. The USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (March 2023) allows presence/absence surveys for the tricolored bat that use the northern long-eared bat level of effort.

Exception for Ohio mist-net surveys: All presence/absence surveys conducted for state listed bat species (Indiana, northern long-eared, little brown, tricolored) should follow the maximum net nights set forth in the federal guidance to be considered valid by ODNR-DOW. Any modifications to this position will be communicated at the time of the site authorization approval.

Ohio Acoustic Surveys:

Acoustic bat surveys for presence/absence will be accepted by ODNR-DOW for the 2023 season. Surveys should follow guidelines laid out in the USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (March 2023) with the following exceptions:

- Ohio survey dates are June 1 August 15, 2022
- After conducting automated analyses using one or more of the currently available 'approved' acoustic bat ID programs¹, qualitative analysis (i.e., manual vetting) of any calls recorded from state-endangered species (*M. sodalis, M. septentrionalis², M. lucifugus², and P. subflavus²*) must be completed.
- All presence/absence acoustic surveys conducted for state listed bat species (Indiana, northern longeared, little brown, tricolored) should follow the maximum acoustic nights set forth in the federal guidance to be considered valid by ODNR-DOW. Any modifications to this position will be communicated at the time of the site authorization approval.

At a minimum, for each detector site/night a program considered presence of state-listed bats likely, review all files (including no IDs) from that site/night. If more than one acoustic bat ID program is used, qualitative analysis must also include a comparison of the results of each program by site and night.

¹ <u>https://www.fws.gov/media/indiana-bat-summer-survey-guidance</u>

² State listing as endangered effective July 1, 2020

Combined Mist-netting and Acoustic Surveys:

ODNR-DOW will accept the USFWS pilot survey option of combining mist-netting and acoustic surveys for traditional survey sites (e.g., 123-acre area) detailed in Appendix I of the USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (2023). All presence/absence combined mist-net and acoustic surveys conducted for state listed bat species should follow the maximum level of effort set forth by the federal guidance to be considered valid by ODNR-DOW. Any modifications to this position will be communicated at the time of the site authorization approval.

Before Field Season:

• Anyone surveying bats using mist-nets in the state of Ohio must obtain a federal permit as well as a state scientific collection permit. The federal permit should include both the Indiana bat and the northern long-eared bat.

• Your ODNR-DOW permit consists of two documents: a Scientific Collector (Wild Animal) Permit and an endangered species letter signed by the Chief of the Division of Wildlife (in addition to your federal permit). Both ODNR-DOW documents must be obtained prior to field work and kept with you and any sub-permittees during field work.

During Field Season:

• Prior to initiation of field work (a minimum of two weeks in advance), permittees must provide proposed mist netting plans to USFWS and ODNR-DOW in the form of an e-mail letter to the USFWS OHFO and copy to the ODNR-DOW Bat Survey Coordinator. Plans must be reviewed and approved by USFWS OHFO and ODNR-DOW before ANY surveys take place. Study plans must specify objectives, location details, dates of proposed work, and all other relevant details. **Study plans must also include a USFWS Project Code. Project Codes can only be obtained by requesting an official species list through the USFWS's Information for Planning and Consultation (IPaC) website**

(<u>https://ipac.ecosphere.fws.gov/</u>). When handling bats, you must strictly adhere to the current WNS Decontamination Protocol (current version can be found at

<u>https://www.whitenosesyndrome.org/topics/decontamination</u>). Clothing, boots, gear, and equipment should all be thoroughly decontaminated between nights, as well as between netting sites.

• Request bat bands at least two weeks in advance of needing them. Bat bands can be obtained by emailing the ODNR-DOW Bat Survey Coordinator with how many bands are needed, current permit number, sizes, and a mailing address. Bands will not be issued until your permits are valid. We have two sizes of bands—2.4 mm and 4.2 mm. The 2.4 mm split metal bat ring made of aluminum alloy is suitable for banding small bats. This band must be placed on all captured Indiana, northern long-eared, little brown, and tricolored bats. The larger 4.2 mm band is suitable for silver-haired (*Lasionycteris noctivagans*), big brown (*Eptesicus fuscus*), and hoary (*Lasiurus cinereus*) bats. You must band all Indiana, northern longeared, little brown, and tricolored bats with ODNR-DOW bands; therefore, you should not be in the field without the 2.4 mm sized band.

• Only individuals who are named on the ODNR-DOW endangered species letter portion of the permit and on the corresponding federal bat permit may conduct and oversee mist-net surveys. Trained assistants may work on permitted bat activities under the direct and on-site supervision of a named permittee. All bat IDs must be verified by a named permittee. If an Indiana bat and/or northern long-eared bat is captured, the permittee shall notify the USFWS and the ODNR-DOW Bat Survey Coordinator referenced above within 48 hours via email. If a little brown bat or tricolored bat is captured, notify the ODNR-DOW Bat Survey Coordinator only within 48 hours via email. Reports of listed bat captures should include specific information such as spatial location of capture, band information, radio-transmitter frequency information, sex, reproductive status, and age of individual.

• For presence/absence surveys, ODNR-DOW requires all female and juvenile state endangered and threatened bat species (Indiana, northern long-eared, little brown, and tricolored bat) be radio-tracked if

caught, in accordance with methods outlined in Appendix D of USFWS 2022 Range-wide Indiana Bat Summer Survey Guidelines.

• If you are taking any biological samples (tissue, fur, blood, etc.), this must be specifically authorized in your state and federal permits and noted in your survey proposal.

After Field Season:

By March 15, you must submit your final ODNR-DOW report(s) from the previous summer. You are not required to fill out the ODNR-DOW Wildlife Diversity Bat Excel Spreadsheet; instead, please forward your USFWS Midwestern US Spreadsheet (found here: https://www.fws.gov/media/bat-reporting-spreadsheets-2020-2021) to the ODNR-DOW Bat Survey Coordinator and ODNR-DOW Permit Coordinator and include your state permit number along with an electronic copy of the project report. Electronic summaries emailed during the field season are NOT considered as full compliance of this reporting requirement.

Ohio Environmental Review Recommendations for projects involving disturbance near potential/known bat hibernacula (cliffs, caves, mines) or tree cutting:

Step 1: Coordinate with Ohio Division of Wildlife (DOW) regarding existing records for state-listed endangered bat summer and/or winter occurrence information. Potential hibernacula found during a habitat assessment must address possible suitability for Indiana bats, northern long-eared bats, tricolored bats, and little brown bats.

If project site contains a known bat hibernaculum(a) -

- For state-listed endangered species other than the Indiana bat and northern long-eared bat, a recommendation of 0.25-mile tree cutting buffer around all known entrances to protect existing conditions at the hibernaculum(a). The U.S. Fish and Wildlife Service (USFWS) should be contacted for guidance on projects occurring within 5 miles of known or potential Indiana bat and/or northern long-eared bat hibernacula. If the project involves subsurface disturbance, consultation with DOW is required.

- Limited tree cutting may be permitted within the buffer. Coordinate with DOW.

If a project site does not contain known bat hibernaculum(a)

- Conduct a desktop habitat assessment of the project area. Tools such as the <u>ODNR Mines of Ohio</u> <u>Viewer</u>, <u>Karst Interactive Map</u>, topographic maps, aerial photos, historical records, etc. should be used to determine if there are any potential caves, mines, karst features, rock ledges, or other features that may serve as potential hibernacula.

- If no such features are found, proceed to Step 2.
- If potential hibernacula are found during the desktop assessment:
 - Assume bats are using these hibernacula and refrain from clearing trees from March 15-November 15

-Or-

- Conduct a field habitat assessment to determine if a potential hibernaculum(a) is present within the action area. We encourage impacts to ledges and rock outcroppings be avoided. If impacts cannot be avoided, features should be evaluated for potential roosting characteristics such as recesses, overhangs, and crevices.

- **NOTE**: The USFWS Range-wide Indiana Bat Guidelines, Appendix H, contains instructions for completing a habitat assessment, but only includes criteria for Indiana bat hibernacula.

Step 2: When conducted, a presence/absence survey must follow current DOW guidelines.

Step 3: If a state-listed endangered bat is captured or recorded during the survey:

Recommendation of no summer tree cutting, or limited cutting following guidelines detailed below, within 5 miles (or 2.5 miles for tricolored bats) of the capture site if a roost is not located.
Recommendation of no summer tree cutting, or limited cutting following guidelines detailed below, within 2.5 miles of a roost tree if located.

If no state-listed endangered bat is captured or recorded during the survey:

- Summer tree cutting may proceed for 5 years before a new survey is needed under state guidance.

<u>Limited summer tree cutting guidance for bats that are only state-listed endangered</u>: Limited tree cutting in summer may be permitted after consultation with DOW, but clearing trees with the following characteristics should be avoided unless they pose a hazard: dead or live trees of any size with loose, shaggy bark; crevices, holes, or cavities; clusters of dead leaves; live trees of any species with DBH $\ge 20^{\circ}$.

FREQUENTLY ASKED QUESTIONS

When does the ODNR-DOW Bat Survey protocol have to be used?

This protocol should be used anytime Indiana bat, northern long-eared bat, little brown bat, or tricolored bat summer presence/probable absence surveys are conducted in the state of Ohio.

How many detector nights are required for presence/probable absence acoustic surveys?

As described in the current USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines:

<u>Level of effort for all state-listed endangered bat species</u> including Indiana bat and northern long-eared bats: Follow maximum detector nights as outlined in the federal guidance (for northern long-eared bat).

Northern Long-eared Bat Level of Effort:

<u>Linear projects</u>: a minimum of 4 detector nights per km (0.6 miles) of suitable summer habitat <u>Non-linear projects</u>: a minimum of 14 detector nights per 123 acres (0.5 km²) of suitable summer habitat. At least 2 detector locations per 123 acre "site" shall be sampled until at least 8 detector nights has been completed over the course of at least 2 calendar nights (may be consecutive). For example:

- 4 detectors for 3 nights and 1 detector for 2 nights each (can sample the same location or move within the site)
- 2 detectors for 7 nights each (can sample the same location or move within the site)

• 1 detector for 14 nights (must sample at least 2 locations and move within the site – we recommend evenly distributing LOE among locations)

Indiana Bat Level of Effort:

<u>Linear projects</u>: a minimum of 4 detector nights per km (0.6 miles) of suitable summer habitat <u>Non-linear projects</u>: a minimum of 10 detector nights per 123 acres (0.5 km²) of suitable summer habitat. At least 2 detector locations per 123 acre "site" shall be sampled until at least 8 detector nights has been completed over the course of at least 2 calendar nights (may be consecutive). For example:

- 5 detectors for 2 nights each (can sample the same location or move within the site)
- 2 detectors for 5 nights each (can sample the same location or move within the site)

• 1 detector for 10 nights (must sample at least 2 locations and move within the site – we recommend evenly distributing LOE among locations)

How many net surveys are required for presence/probable absence?

<u>Level of effort for all state-listed endangered bat species</u> including Indiana bat and northern long-eared bats: Follow maximum net nights as outlined in the federal guidance (for northern long-eared bat).

Net surveys for northern long-eared bat presence/probable absence shall incorporate, at a minimum, either 10 net nights per square 0.5 kilometer (123 acres) of project area, or four net nights per kilometer for linear projects. For linear projects, there must be at least one net night of survey on two different nights (minimum of two nights). This does not allow for two net nights on a single night for surveys.

Net surveys for Indiana bat presence/probable absence shall incorporate, at a minimum, either six net nights net nights per square 0.5 kilometer (123 acres) of project area, or two net nights per kilometer for linear projects. For linear projects, there must be at least one net night of survey on two different nights (minimum of two nights). This

does not allow for two net nights on a single night for surveys.

How long are the results of the surveys valid for an assessment of an area?

Mist-net or acoustic surveys documenting probable absence of state-listed endangered bats are valid for five years.

When can acoustic or net surveys occur in Ohio?

In Ohio, acoustic or net surveys may only be conducted from June 1 through August 15 unless indicated otherwise in your state permit. Any surveys outside of the June 1 - August 15 timeframe cannot be used in Ohio to assess the presence/probable absence of state-listed bats.

Can a presence/probable absence survey be conducted within a known Indiana bat and/or northern long-eared bat capture/detection buffer?

Surveys generally cannot be used to document presence/probable absence of state-listed endangered bats where presence of the species has already been confirmed by prior surveys.

What if a project is proposing to clear trees between April 1 and September 30 when bats may be present but no bat records exist in the project area?

Any Ohio project that is not within a known bat record buffer, and tree clearing between April 1 and September 31 is being proposed, may have a presence/probable absence survey conducted between June 1 and August 15 following the range-wide guidance. If a presence/probable absence survey is not performed, presence of listed bats is assumed.

How does take of northern long-eared bats differ from Indiana bats?

Under Ohio law, there is no exemption for take of any listed bat species.

Where do I get bands?

If you need bands, email the ODNR-DOW Bat Survey Coordinator at least two weeks in advance with your current ODNR permit number, how many bands in each size (2.4 and 4.2 mm) you will need this season, and a current address to ship the bands.

Do I have to band every bat?

No, currently this is optional. However, you are required as per your state permit to band all Indiana, northern long-eared, little brown, and tricolored bats.

MACY 138 KV STATION PROJECT

LICKING COUNTY, OHIO

ECOLOGICAL REPORT

Prepared for: American Electric Power Ohio Transmission Company 8600 Smiths Mill Road New Albany, Ohio 43054



Prepared by:



525 Vine Street, Suite 1800 Cincinnati, Ohio 45202

Project #: 60704092, 60708618

September 2023

TABLE OF CONTENTS

1.0	INTRODUCTION
2.0	METHODOLOGY
	2.2 STREAM ASSESSMENT
	2.3 RARE, THREATENED, AND ENDANGERED SPECIES
3.0	RESULTS83.1WETLAND DELINEATION83.1.1PRELIMINARY SOILS EVALUATION83.1.2NATIONAL WETLAND INVENTORY MAP REVIEW83.1.3DELINEATED WETLANDS93.2STREAM DELINEATION113.2.1OEPA STREAM ELIGIBILITY113.3FEMA 100 YEAR FLOODPLAINS113.4PONDS113.6VEGETATIVE COMMUNITIES113.7RARE, THREATENED AND ENDANGERED SPECIES AGENCY COORDINATION12
4.0	SUMMARY 15
5.0	REFERENCES

TABLES (in-text)

TABLE 1- SOIL MAP UNITS AND DESCRIPTIONS WITHIN THE IN PROJECT SURVEY AREA	8
TABLE 2- SUMMARY OF DELINEATED WETLANDS WITHIN THE PROJECT SURVEY AREA	10
TABLE 3- SUMMARY OF WATERSHED 401 WQC ELIGIBILITY WITHIN THE PROJECT SURVEY AREA	11
TABLE 4- VEGETATIVE COMMUNITIES WITHIN THE PROJECT SURVEY AREA	12
TABLE 5- ODNR AND USFWS LISTED SPECIES WITHIN THE PROJECT SURVEY AREA	13

FIGURES

Number

FIGURE 1	Project Overview
FIGURE 2	Soil Map and National Wetland Inventory Map
FIGURE 3	Wetland Delineation and Stream Assessment Map
FIGURE 4	Stream Eligibility Map
FIGURE 5	Vegetation Communities Assessment Map

APPENDICES

Number

APPENDIX A:	Agency Correspondence
APPENDIX B:	Desktop Assessment for Winter Bat Habitat
APPENDIX C:	U.S. Army Corps of Engineers Wetland Determination Data Forms / OEPA
	Wetland ORAM Forms / Delineated Features Photographs (combined per
	wetland and shown in numerical order)
APPENDIX D:	Habitat Photographic Record
APPENDIX E:	2023 Joint Guidance

1.0 INTRODUCTION

American Electric Power Ohio Transmission Company (AEP Ohio Transco) is proposing the construction of a new substation and to install a new 0.15-mile greenfield 138 kilovolt (kV) transmission line extension from the QTS Justice Substation (Customer Substation) to the proposed Macy Substation, as part of the Macy 138 kV Station (Project) in Licking County, Ohio (OH). The survey area associated with this report for the Project is located on the New Albany, OH United States Geological Survey (USGS) 7.5-minute topographical quadrangle as displayed on the Project Overview Map (**Figure 1**).

Due to the active construction activities by others within the vicinity of the Project, a previously completed EMHT survey area overlaps with the AECOM Project survey area, see **Figure 2 and 3**. Additionally, a wetland conservation easement overlaps the AECOM Project survey area and will be avoided during construction due to existing wetland protections, see **Figure 2 and 3**. AECOM field verified all EMHT features within the wetland conservation easement and EMHT survey area, with the exception of W-CRW-001 (EMHT Wetland A) located outside the AECOM Project survey area. Regarding the wetland (W-CRW-001/EMHT Wetland A), AECOM confirmed the current boundaries of the previous EMHT delineation within the extent of AECOM Study Area only. Only features that intersect the Project survey area have been included within this report.

The purpose of the field survey was to assess the presence of aquatic resources and possible "waters of the United States" (WOTUS) that occur within the proposed Project area. Secondarily, land uses were also recorded to classify and characterize potential habitat for rare, threatened, and endangered (RTE) species. This report will be used to assist AEP Ohio Transco's efforts to identify potential WOTUS and RTE species habitat present within the proposed Project area to avoid or minimize impacts during construction activities.

2.0 METHODOLOGY

The field survey was conducted within a 9.21-acre area associated with the northern extent of the customer owned parcel, that contains both the proposed location of the Macy 138 kV Station and the 0.15-mile greenfield transmission line. Prior to conducting field surveys, digital United States Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS) soil survey data, United States Fish and Wildlife Service (USFWS) National Wetlands Inventory (NWI) data, USGS National Hydrography Dataset (NHD), Federal Emergency Management Agency (FEMA) 100-year floodplain data, and USGS 7.5-minute topographic maps were reviewed to identify the occurrence and location of potential wetland areas and/or streams.

Field survey activities included recording the physical boundaries of observed water features using submeter capable EOS Arrow Global Positioning System (GPS) units in conjunction with ArcGIS Field Maps application on iPad tablets. The GPS data was imported into ArcMap Geographic Information System software, where the data was reviewed, edited for accuracy, and compiled in a format suitable for transfer and use by AEP Ohio Transco. Water features were delineated and assessed based upon the appropriate procedures detailed below. Land uses observed within the Project survey area were assigned a general classification based upon the principal land characteristics and vegetative cover of the location.

2.1 WETLAND DELINEATION

The Project survey area was evaluated according to the procedures outlined in the United States Army Corps of Engineers (USACE) *Corps of Engineers Wetland Delineation Manual* (Environmental Laboratory, 1987) and *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Midwest Region (Version 2.0)* (USACE, 2010).

During field survey activities AECOM utilized the routine on-site delineation method described in the *1987 Manual* and *Regional Supplement* that consisted of a pedestrian site reconnaissance, including identifying the vegetative communities, soils identification, a geomorphologic assessment of hydrology, and notation of disturbance. If a wetland was identified, AECOM completed a USACE Wetland Determination Data Form (USACE Data Form) within each unique wetland habitat to serve as a representative of the wetland hydrology, vegetative community, and soil characteristics. Adjacent to each wetland complex, AECOM completed an additional USACE Data Form as a representative of the upland community.

2.1.1 WETLAND CLASSIFICATION

Wetlands identified in the field were classified based on the naming convention found in *Classification of Wetlands and Deepwater Habitats of the United States* (Cowardin *et al.*, 1979). The unique wetland habitats were classified as palustrine emergent (PEM), palustrine forested (PFO), palustrine unconsolidated bottom (PUB), palustrine scrub-shrub (PSS), or other classifications for some wetlands; Multiple Cowardin classifications may be present where more than one classification's vegetation is dominant (vegetation covers 30 percent or more of the substrate). Where multiple Cowardin classifications are present, the Cowardin classification of the plants that constitute the uppermost layer of vegetation having 30% or greater coverage is used for classification.

2.1.2 WETLAND ASSESSMENT

Each delineated wetland was assessed following the Ohio Environmental Protection Agency (OEPA) *Ohio Rapid Assessment Method for Wetlands v. 5.0* (ORAM) (Mack, 2001). Wetland assessments utilized the 10-page ORAM form, providing a final Category rating for each wetland.

2.2 STREAM ASSESSMENT

Streams were identified by the presence of a defined bed and bank, and evidence of an ordinary high-water mark (OHWM). The USACE defines the OHWM as "that line on the shore established by the fluctuations of water and indicated by physical characteristics such as a clear, natural line impressed on the bank,

shelving, changes in the character of soil, destruction of terrestrial vegetation, the presence of litter and debris, or other appropriate means that consider the characteristics of the surrounding areas" (USACE, 2005).

2.2.1 OEPA PRIMARY HEADWATER HABITAT ASSESSMENT

Stream assessments were conducted using the methods described in the OEPA's *Methods for Assessing Habitat in Flowing Waters*: *Using OEPA's Qualitative Habitat Evaluation Index (QHEI)* (Rankin, 2006) and in the OEPA's *Field Methods for Evaluating Primary Headwater Streams in Ohio* (OEPA, 2020). Streams associated with watershed area less than or equal to 1.0 square mile (259 hectares), and a maximum depth of water pools equal to or less than 15.75 inches were evaluated utilizing the Primary Headwater Habitat Evaluation Index (HHEI) methodology and all other streams assessed as QHEI. Flow regime (ephemeral, intermittent, perennial) was determined by the appropriate stream assessment score per OEPA manuals (OEPA, 2020) and by AECOM's professional opinion.

Streams assessed in the Project survey area were reviewed for existing OEPA Aquatic Life Use Designations per OEPA's Water Quality Standards (OAC Chapter 3745-1). Those without an existing use designation were assigned a provisional aquatic life use designation based upon habitat assessment results (Rankin, 1989; OEPA, 2020).

2.2.2 OEPA 401 WATER QUALITY CERTIFICATION FOR NATIONWIDE PERMIT ELIGIBILITY

The OEPA has designated each watershed in the state on the basis of whether it may be ineligible for coverage under Ohio EPA's 401 Water Quality Certification (WQC) for Nationwide Permits (OEPA, 2017). Mapping provided by the OEPA illustrates the eligibility of streams in the area to fall under a Nationwide Permit for 401 certification or if an individual state WQC needs to be applied for. Impacts to streams within each watershed would then have eligibility for 401 WQC determined by the watershed category. The three categories are defined as:

Eligible: Streams within the watershed are eligible for coverage under Ohio EPA's water quality certification for the nationwide permits if all other general and regional special terms and conditions are met.

Ineligible: Projects affecting high quality streams and undesignated streams draining directly to high quality streams, as represented in the map, must undergo an individual 401 Water Quality Certification review process.

Possibly Eligible: Additional field screening procedures are required for streams in the watershed to determine appropriate eligibility. Projects affecting undesignated streams within those HUC12 watersheds that do not directly but eventually drain into high quality waters, might be eligible for coverage under the OEPA's 401 WQC for Nationwide Permits depending on the results of a field screening assessment. The

procedures for determining individual stream eligibility in this scenario are specified in Appendix D "Stream Eligibility Determination Process" of the OEPA Ohio State Water Quality Certification of the 2017 Nationwide Permit Reauthorization.

2.2.3 UPLAND DRAINAGE FEATURES

An upland drainage feature (UDF) is a non-jurisdictional drainage that does not meet the criteria of either a jurisdictional stream or a wetland. A UDF generally lacks an OHWM (USACE, 2005), and are equivalent to a swale or an erosional feature as described by the USACE: "generally shallow features in the landscape that may convey water across upland areas during and following storm events. Swales usually occur on nearly flat slopes and typically have grass or other low-lying vegetation throughout the swale" (USACE, 2005).

A roadside ditch may also be documented as a UDF if it meets the "not potentially jurisdictional" characterization as described in the Office of Environmental Services *Roadway Ditch Characterization Flowchart* (Ohio Department of Transportation, 2014). This would include a ditch that originates entirely within the roadway right-of-way, has a seasonal flow regime, was not constructed to drain a wetland, and does not have hydrophytic vegetation extending more than an insignificant amount beyond its original configuration.

In addition, UDF's (including swales, ditches, and other erosional features) are generally not WOTUS except in certain circumstances, such as relocated streams.

2.3 RARE, THREATENED, AND ENDANGERED SPECIES

AECOM conducted a RTE species review and general field habitat surveys within the Project Survey Area. AECOM submitted requests to Ohio Department of Natural Resources (ODNR) Office of Real Estate – Environmental Review Section and the USFWS Ohio Ecological Services Field Office soliciting comments on the proposed Project. Responses were received on September 8, 2023, and August 18, 2023, respectively (**Appendix A**). Agency-identified species of concern and available species-specific information was reviewed to identify the various habitat types that listed species are known to inhabit.

AECOM field ecologists conducted a general habitat survey in conjunction with the stream and wetland field surveys as part of assessing potential impacts to rare, threatened, and endangered species. Land uses within the Project survey area were assigned a general classification based upon the principal land characteristics and vegetative cover as observed during the field surveys.

AECOM conducted a desktop assessment of the Project survey area and a quarter-mile buffer around it to identify potentially occurring winter bat hibernaculum that may be present near the Project which is located

in **Appendix B**. This assessment was conducted by reviewing data on mining activity and karst geology from the ODNR Division of Mineral Resources and United States Geological Survey websites.

3.0 RESULTS

On June 7, 2023, AECOM ecologists walked the Project Survey Area to conduct the wetland delineation, stream assessment and habitat survey. Within the Project survey area, AECOM confirmed the boundary of one EMHT wetland. The representative data form is provided in **Appendix C**, and the delineated features are discussed in detail in the following sections.

3.1 WETLAND DELINEATION

3.1.1 PRELIMINARY SOILS EVALUATION

According to the USDA/NRCS Web Soil Survey, four soil map units are mapped within the Project Survey Area (USDA NRCS, 2021a and 2021b). Of these, one was identified as hydric soils, and four soil map units were identified as having hydric inclusions. Soils indicated as hydric inclusions are not predominately hydric soils and hydric soils are more likely to be found in topographic settings. **Table 1** below provides a detailed overview of all soil series and soil map units present within the Project survey area. Soil map units located in the Project Survey Area and vicinity are shown on **Figure 2**.

Soil Series	Map Unit Symbol	Map Unit Description	Topographic Setting	Hydric	Hydric Component (%)
	BeA	Bennington silt loam, 0 to 2 percent slopes	Ground moraines, end moraines	Yes*	Condit 5% Pewamo 3%
Bennington	BeB	Bennington silt loam, 2 to 6 percent slopes	End moraines and ground moraines	Yes*	Condit 5% Pewamo 3%
Centerburg	Cen1B1	Centerburg silt loam, 2 to 6 percent slopes	End moraines and ground moraines	Yes*	Condit 4% Marengo 3%
Pewamo	Pe	Pewamo silty clay loam, low carbonate till, 0 to 2 percent slopes	Drainageways, depressions	Yes	Pewamo 85% Condit 9%

TABLE 1 - SOIL MAP UNITS AND DESCRIPTIONS WITHIN THE PROJECT SURVEY AREA

NA = Not Applicable or Not Available; Yes* = Hydric inclusion present

3.1.2 NATIONAL WETLAND INVENTORY MAP REVIEW

According to the NWI data covering the Project location, the Project survey area does not contain any mapped NWI wetlands. The locations of the NWI mapped wetlands in the Project vicinity are shown on **Figure 2.**

3.1.3 DELINEATED WETLANDS

During the field survey, AECOM confirmed the presence of, and modified the boundary of, one previously delineated EMHT wetland within the Project survey area. One wetland was assigned ORAM Category 2 within the Project survey area. No Category 1 or Category 3 wetlands were identified within the Project survey area. Additionally, there are delineated EMHT wetlands that are shown on **Figure 2 and 3** that are adjacent to the Project survey area, but not located within the Project survey area.

AECOM has given one wetland within the Project survey area a provisional determination of jurisdictional (non-isolated, i.e., WOTUS). Final jurisdictional status can only be determined by the USACE, and AECOM assessments are provisional. The locations and approximate extent of the wetlands identified within the Project survey area are shown on **Figure 3**. Details for each delineated wetland in the survey area are provided in Table 2. Completed USACE data forms and photographs of each wetland are provided in **Appendix C**.

	Location		Location		Location ORAM ORAM		Nearest Existing	Existing	Existing Proposed	Structure	Proposed Impacts		
Wetland ID	Latitude	Longitude	Isolated?	Туре	Area (acre)	Score	Category	(Existing / Proposed)	Structure # in Wetland	Structure # in Wetland	Installation Method	Temporary Matting Area (acre)	Permanent Impact Area (acre)
W-CRW-001 (EMHT Wetland A)	40.05768	-82.75676	No	PFO	0.10	50	2	TBD	TBD	TBD	TBD	TBD	TBD
				Total:	0.10							TBD	TBD

3.2 STREAM DELINEATION

During the field survey, AECOM did not identify any streams within the Project survey area.

3.2.1 OEPA STREAM ELIGIBILITY

The Project occurs across one watershed, which was designated by 401 WQC eligibility as "Possibly Eligible," as listed in **Table 3**. OEPA stream eligibility mapping for the Project vicinity is provided on **Figure 4**.

3.3 FEMA 100 YEAR FLOODPLAINS

Mapped FEMA designated 100-year floodplains and floodways are displayed on **Figure 2**. No regulated FEMA 100-year floodplains and/or floodways are located within the Project survey area.

TABLE 3- SUMMARY OF WATERSHED 401 WQC ELIGIBILITY WITHIN THE PROJECT SURVEY AREA

HUC-12	Watershed	401 WQC Eligibility	Number of Stream Assessments
050600011503	Headwaters Blacklick Creek	Possibly Eligible	0
		Total	0

3.4 PONDS

No ponds were observed within the Project survey area.

3.5 UPLAND DRAINAGE FEATURES

No upland drainage features were observed within the Project survey area,

3.6 VEGETATIVE COMMUNITIES

AECOM ecologists conducted a general habitat survey in conjunction with the stream and wetland field surveys. The Project survey area consists of Pasture/Hay Fields, Barren/Disturbed, and Streams/Wetlands Habitat as described in **Table 4**. Vegetative communities are depicted visually on aerial photography in **Figure 5**. Representative photographs of the vegetative communities in the Project area are provided as **Appendix D**.

Vegetative Community	Description	Approximate Acreage Within the Project Survey Area	Approximate Percentage Within the Project Survey Area
Pasture/Hay Fields	Cattle and/or horse pasture, and hay fields, dominated by seasonally mowed and grazed areas of grasses and forbs.	8.63	93.70
Barren/Disturbed	Recently disturbed by construction or similar activities and land has yet to recover resulting in little to no vegetation.	0.48	5.21
Streams/Wetlands	Streams and wetlands were observed both within and beyond the survey area for the Project.	0.10	1.09
	Totals:	9.21	100%

TABLE 4- VEGETATIVE COMMUNITIES WITHIN THE PROJECT SURVEY AREA

3.7 RARE, THREATENED AND ENDANGERED SPECIES AGENCY COORDINATION

Protected Species Agency Consultation -

On June 14, 2023, coordination letters were sent to USFWS and the ODNR Ohio Natural Heritage Program (ONHP) and Division of Wildlife (DOW), seeking an environmental review for the Project for potential impacts to threatened and endangered species. Responses were received from the USFWS on August 18, 2023, and from the ODNR on September 8, 2023. Correspondence letters from the USFWS and ODNR for the Project are included as **Appendix A**.

Regarding state and federal listed threatened and endangered species that may occur within the Project vicinity, a total of three species were identified by the USFWS and six species were identified by the ODNR. Based on the review of these species and the habitat identified within the Project Survey Area, it is not anticipated that the project would adversely affect any of the species or their habitats identified within **Table 5**.

Table 5 provides a list of species of concern identified by the agencies as potentially occurring within the vicinity of the Project. Photographs of the habitat within the Project Survey Area are provided as Appendix D.

				ODINK AND USPWS LISTED SPECIES WI	THIN THE PROJEC	I JURVET AREA	
Common Name (Scientific Name)	State Status	Federal Status	Typical Habitat	Habitat Observed	Avoidance Dates	Agency Comments	Potential Impacts
				Mamma	ls		
Indiana Bat (<i>Myotis sodalis</i>)	Endangered	Endangered	Summer habitat During spring/summer, this bat species roosts in trees behind loose, exfoliating bark, in crevices and cavities, or in leaves. <u>Hibernaculum(a)</u> During winter, this species hibernates in humid mines, caves, and occasionally.	Summer habitat Within the Project survey area, areas of young successional forest were identified which appear to be potentially suitable summer roosting and foraging habitat. <u>Hibernaculum(a)</u> No mine openings and/or known caves are located within 0.25 miles of Project area and USFWS did not identify known hibernacula within 5-miles of the Project. Field evaluations did not identify any potential hibernaculum(a) within the Project area (2023 Joint Guidance*).	April 1 – September 30	Summer habitat ODNR and USFWS recommends adherence to Avoidance Dates for Tree Clearing Activities (April 1 – September 30). <u>Hibernaculum(a)</u> The ODNR DOW recommends a desktop habitat assessment to be conducted to identify potential hibernacula within 0.25 miles of the Project area. If habitat assessment finds potential hibernaculum within 0.25 miles, a revised seasonal tree clearing restriction (March 15 to November 15) is recommended (2023 Joint Guidance)*. If absence or no tree cutting or subsurface impacts are proposed, the Project is not likely to impact this species.	Summer habitat No impact to listed bat species or their habitat is anticipated due to absence of tree clearing activities. If tree clearing is required, it should be completed between October 1 and March 15. <u>Hibernaculum(a)</u> No impacts to winter hibernacula were identified due to absence of caves, mines, or portals within 0.25-miles of the Project.
Northern Long-eared Bat (<i>Myotis septentrionalis</i>)	Threatened	Endangered	Summer habitat During spring/summer, this bat species roosts in trees behind loose, exfoliating bark, in crevices and cavities, or in leaves. <u>Hibernaculum(a)</u> During winter, this species hibernates in humid mines, caves, and occasionally man-made structures.	Summer habitatWithin the Project survey area, areas of young successional forest were identified which appear to be potentially suitable summer roosting and foraging habitat.Hibernaculum(a)No mine openings and/or known caves are located within 0.25 miles of Project area and USFWS did not identify known hibernacula within 5-miles of the Project.Field evaluations did not identify any potential hibernaculum(a) within the Project area (2023 Joint Guidance*).	April 1 – September 30	Summer habitat ODNR and USFWS recommends adherence to Avoidance Dates for Tree Clearing Activities (April 1 – September 30). Additionally, the ODNR indicated that there is a known presence of this species within the Project area and summer surveys would not constitute a presence or absence of this species. Hibernaculum(a) The ODNR DOW recommends a desktop habitat assessment to be conducted to identify potential hibernacula within 0.25 miles of the Project area. If habitat assessment finds potential hibernaculum within 0.25 miles, a revised seasonal tree clearing restriction (March 15 to November 15) is recommended (2023 Joint Guidance)*. If absence or no tree cutting or subsurface impacts are proposed, the Project is not likely to impact this species.	Summer habitat No impact to listed bat species or their habitat is anticipated due to absence of tree clearing activities. If tree clearing is required, it should be completed between October 1 and March 15. <u>Hibernaculum(a)</u> No impacts to winter hibernacula were identified due to absence of caves, mines, or portals within 0.25-miles of the Project.
Little brown bat (<i>Myotis lucifugus</i>)	Endangered	NA	Summer habitat During spring/summer, this bat species roosts in trees behind loose, exfoliating bark, in crevices and cavities, or in leaves. <u>Hibernaculum(a)</u> During winter, this species hibernates in humid mines, caves, and occasionally man-made structures.	Summer habitatWithin the Project survey area, areas of young successional forest were identified which appear to be potentially suitable summer roosting and foraging habitat.Hibernaculum(a)No mine openings and/or known caves are located within 0.25 miles of Project area and USFWS did not identify known hibernacula within 5-miles of the Project.Field evaluations did not identify any potential hibernaculum(a) within the Project area (2023 Joint Guidance*).	April 1 – September 30	Summer habitat ODNR and USFWS recommends adherence to Avoidance Dates for Tree Clearing Activities (April 1 – September 30). Hibernaculum(a) The ODNR DOW recommends a desktop habitat assessment to be conducted to identify potential hibernacula within 0.25 miles of the Project area. If habitat assessment finds potential hibernaculum within 0.25 miles, a revised seasonal tree clearing restriction (March 15 to November 15) is recommended (2023 Joint Guidance)*. If absence or no tree cutting or subsurface impacts are proposed, the Project is not likely to impact this species.	Summer habitat No impact to listed bat species or their habitat is anticipated due to absence of tree clearing activities. If tree clearing is required, it should be completed between October 1 and March 15. <u>Hibernaculum(a)</u> No impacts to winter hibernacula were identified due to absence of caves, mines, or portals within 0.25-miles of the Project.

TABLE 5 ODNR AND USFWS LISTED SPECIES WITHIN THE PROJECT SURVEY AREA

 TABLE 5

 ODNR AND USFWS LISTED SPECIES WITHIN THE PROJECT SURVEY AREA

Common Name (Scientific Name)	State Status	Federal Status	Typical Habitat	Habitat Observed Avoidance [Agency Comments
Tricolored bat (<i>Perimyotis subflavus</i>)	Endangered	Proposed	Summer habitat During spring/summer, this bat species roosts in trees behind loose, exfoliating bark, in crevices and cavities, or in leaves. <u>Hibernaculum(a)</u> During winter, this species hibernates in humid mines, caves, and occasionally man-made structures.	Summer habitatWithin the Project survey area, areas of young successional forest were identified which appear to be potentially suitable summer roosting and foraging habitat.Hibernaculum(a)No mine openings and/or known caves are located within 0.25 miles of Project area and USFWS did not identify known hibernacula within 5-miles of the Project.Field evaluations did not identify any potential hibernaculum(a) within the Project area (2023 Joint Guidance*).	April 1 – September 30	Summer habitat ODNR and USFWS recommends adherence to Avoida Tree Clearing Activities (April 1 – September : <u>Hibernaculum(a)</u> The ODNR DOW recommends a desktop habitat asse conducted to identify potential hibernacula within 0.25 Project area. If habitat assessment finds potential hik within 0.25 miles, a revised seasonal tree clearing restr 15 to November 15) is recommended (2023 Joint Gui absence or no tree cutting or subsurface impacts are p Project is not likely to impact this species.
				Fish		
Lake chubsucker (Erimyzon sucetta)	Threatened	None	Perennial Streams	Project area does not contain any perennial streams of sufficient size.	N/A	Due to the location, and the fact that there is no in-w proposed in a perennial stream, this Project is not likely species.
				Birds		
Northern harrier (Circus hudsonius)	Endangered	None	This species hunts over grasslands and nests can be found in large marshes and grasslands.	Based on field reviews, the Project area does not contain continuous habitat greater than 2- acres; subjected to "edge effect" or increase predation due to proximity of tree lines; and area is highly urbanized/industrial.	April 15 to July 31	Habitat should be avoided during the bird's nesting per April 15 through July 31. If habitat will not be impacted will not likely impact species.

*2023 Joint Guidance – refers to the 2023 ODNR DOW and USFWS Joint Guidance for Bat Surveys and Tree Clearing, a copy of the guidance is provided within Appendix E of this report.

	Potential Impacts
nce Dates for 30). ssment to be miles of the bernaculum iction (March dance)*. If roposed, the	Summer habitat No impact to listed bat species or their habitat is anticipated due to absence of tree clearing activities. If tree clearing is required, it should be completed between October 1 and March 15. <u>Hibernaculum(a)</u> No impacts to winter hibernacula were identified due to absence of caves, mines, or portals within 0.25-miles of the Project.
rater work to impact this	No in-water work is proposed; therefore, no further coordination required.
iod between l, this Project	No

Protected Species Agency Summary

Based on general observations during the ecological survey, forested clearing is not anticipated. If tree clearing is required, the ODNR/USFWS recommends implementations of seasonal tree clearing between October 1 and March 31 to avoid adverse effects to Indiana bat, northern long-eared bat, little brown bat, and tricolored bat. ODNR confirmed a known presence in the vicinity of the Project survey area for the northern long-eared bat. The Indiana bat, little brown bat, and tricolored bats are not known to be present in the vicinity of the Project survey area. If trees must be cut during the summer months, the ODNR recommends that a mist net survey could be completed for Indiana bat, northern long-eared bat, little brown bat and the tricolored bat between June 1 and August 15. However, additional summer surveys would not constitute presence/absence within the Project survey area for the northern long-eared bat If summer tree clearing is needed, additional coordination will be completed with ODNR/USFWS.

AECOM completed a desktop review for potential hibernaculum in accordance with the 2023 Ohio ODNR DOW and USFWS Joint Guidance for Bat Surveys and Tree Clearing (2023 Joint Guidance; **Appendix E**) within 0.25 miles of the Project area and no caves, mines, and/or karst features were identified. As per ODNR and USFWS guidance, further coordination regarding potential hibernaculum is only necessary if the habitat assessment find potential habitat within 0.25 miles of the Project survey area. Therefore, no further coordination was necessary with either the ODNR and/or USFWS regarding the listed bat species. Results of the desktop habitat assessment have been included within **Appendix B**.

No impacts are anticipated for the fish, mussels, birds, or amphibians as no in-water work is proposed as part of the Project or species habitat is present. Additionally, the potential for nesting habitat for the Northern Harrier was absent based on field/desktop review of the project area. The absence of habitat was due to active agricultural activities as well as fragmented habitat, thus lacking contiguous open field habitat to support nesting Therefore, no further coordination regarding this listed species is necessary concerning this Project.

4.0 SUMMARY

The ecological survey of the Project survey area confirmed the boundary of one previously delineated EMHT wetland. The wetland identified was a Category 2 wetland and its boundary is provided on **Figure 2** and **Figure 3**. This wetland has been given a jurisdictional status of non-isolated. No streams were observed within the Project survey area at the time of survey. The reported results of the ecological survey conducted by AECOM on this Project are limited to the areas within the Project survey area provided in **Figure 3**. Areas that fall outside of the Project survey area were not evaluated in the field and not included in the reporting of the survey.

Of the six state and/or federally listed threatened and endangered species within range of the Project survey area, none of the species or their critical habitat were identified for the fish or bird species. The young successional trees may provide suitable habitat for the bat species; however, no tree clearing is anticipated to be required for this Project. Therefore, no further coordination is anticipated to be required to the USFWS and/or ODNR.

The information contained in this Ecological report is for a survey area that may be much larger than the actual Project limits-of-disturbance; therefore, lengths and acreages listed in this report may not constitute the actual impacts of the Project defined in subsequent permit applications. If necessary, a separate report that identifies the actual Project impacts will be provided with agency submittals.

The field survey results presented herein apply to the existing and reasonably foreseeable site conditions at the time of our assessment. They cannot apply to site changes of which AECOM is unaware and has not had the opportunity to review. Changes in the condition of a property may occur with time due to natural processes or human impacts at the project site or on adjacent properties. Changes in applicable standards may also occur as a result of legislation or the expansion of knowledge over time. Accordingly, the findings of this report may be invalidated, wholly or in part, by changes beyond the control of AECOM.

5.0 **REFERENCES**

- Cowardin, L.M., V. Carter, F.C. Golet and E.T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. Office of Biological Services, U.S. Fish and Wildlife Service, Washington, D.C.
- Environmental Laboratory. 1987. U.S. Corps of Engineers Wetlands Delineation Manual. Technical Report Y-87-1, U.S. Army Engineer Waterways Experiment Station: Vicksburg, Mississippi.
- Federal Emergency Management Agency (FEMA). 2016 National Flood Hazard for the State of Ohio. https://msc.fema.gov/portal Published December 1, 2022.
- Mack, John J. 2001. Ohio Rapid Assessment Method for Wetlands v. 5.0, User's Manual and Scoring Forms. OEPA Technical Report WET/2001-1. Ohio Environmental Protection Agency, Division of Surface Water, 401/Wetland Ecology Unit, Columbus, Ohio.
- Ohio Department of Transportation. 2014. Roadway Ditch Characterization Flowchart. From: Ecological Manual, April 2014. Office of Environmental Services.
- Ohio Division of Wildlife and United States Fish and Wildlife Service (USFWS) (OH-Field Office) Joint Guidance for Bat Surveys and Tree Clearing. Published May 2023.
- Ohio Environmental Protection Agency (OEPA). 2017. Section 401 Water Quality Certification for the 2017 Nationwide Permits. Appendix D Stream Eligibility Determination Process. Effective March 17, 2017. Ohio Environmental Protection Agency, Division of Surface Water, 401 Water Quality Certification and Isolated Wetland Permitting Section, Columbus, Ohio.
- OEPA. 2017. 401 Water Quality Certification for the Nationwide Permits Stream Eligibility Web Map (2017 Reissuance). https://data-oepa.opendata.arcgis.com/datasets/401-water-quality-certification-for-nationwide-permits
- OEPA. 2020. Field Methods for Evaluating Primary Headwater Streams in Ohio. Version 4.1. Ohio EPA Division of Surface Water, Columbus, Ohio. May 2020. 130 pp.
- Rankin, Edward T. 1989. The Qualitative Habitat Evaluation Index (QHEI): Rationale, Methods, and Application. Ohio EPA Ecological Assessment Section, Division of Surface Water, Columbus, Ohio.
- Rankin, Edward T. 2006. Methods for Assessing Habitat in Flowing Waters: Using the Qualitative Habitat Evaluation Index (QHEI). OEPA Ecological Assessment Section, Division of Surface Water, Columbus, Ohio.
- United States Army Corps of Engineers (USACE). 2005. Regulatory Guidance Letter No. 05-05: Guidance on Ordinary High Water Mark Identification.
- USACE. 2010. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Midwest Region (Version 2.0), ed. J. S. Wakeley, R. W. Lichvar, J. F. Berkowitz, and C. V. Noble. ERDC/EL TR-10-16. Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- USACE. 2020. National Wetland Plant List, version 3.5. Engineer Research and Development Center. Cold Regions Research and Engineering Laboratory, Hanover, NH. http://wetland_plants.usace.army.mil/
- United States Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS). 2021a. National Hydric Soils List. http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/use/hydric/. Accessed June 2023.

- USDA NRCS. 2021b. Web Soil Survey (GIS Shapefile). http://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm. Accessed June 2023.
- USFWS. 2023. National Wetlands Inventory Geodatabase for Ohio. Available online at http://www.fws.gov/wetlands/Data/Mapper.html. Accessed June 2023.
- United States Geological Survey. 2016. National Hydrography Dataset, Ohio Statewide Geodatabase. Published August 2016. Earth Science Information Center, USGS, Reston, VA,



1/2023 X:\DC5 8/2, ath:











APPENDIX A

AGENCY CORRESPONDENCE



United States Department of the Interior

FISH AND WILDLIFE SERVICE

Ecological Services 4625 Morse Road, Suite 104 Columbus, Ohio 43230 (614) 416-8993 / FAX (614) 416-8994



August 18, 2023

Project Code: 2023-0088649

Dear Mr. Joshua Holmes:

The U.S Fish and Wildlife Service (Service) has received your recent correspondence requesting information about the subject proposal. We offer the following comments and recommendations to assist you in minimizing and avoiding adverse impacts to threatened, endangered, and proposed species pursuant to the Endangered Species Act of 1973 (16 U.S.C. 1531 et seq), as amended (ESA).

Federally Threatened and Endangered Species: The endangered Indiana bat (Myotis sodalis) and northern long-eared bat (Myotis septentrionalis) occur throughout the State of Ohio. The Indiana bat and northern long-eared bat may be found wherever suitable habitat occurs unless a presence/absence survey has been performed to document absence. Suitable summer habitat for Indiana bats and northern long-eared bats consists of a wide variety of forested/wooded habitats where they roost, forage, and breed that may also include adjacent and interspersed non-forested habitats such as emergent wetlands and adjacent edges of agricultural fields, woodlots, fallow fields, and pastures. Roost trees for both species include live and standing dead trees ≥ 3 inches diameter at breast height (dbh) that have any exfoliating bark, cracks, crevices, hollows and/or cavities. These roost trees may be located in forested habitats as well as linear features such as fencerows, riparian forests, and other wooded corridors. Individual trees may be considered suitable habitat when they exhibit the characteristics of a potential roost tree and are located within 1,000 feet of other forested/wooded habitat. Northern long-eared bats have also been observed roosting in human-made structures, such as buildings, barns, bridges, and bat houses; therefore, these structures should also be considered potential summer habitat. In the winter, Indiana bats and northern longeared bats hibernate in caves, rock crevices and abandoned mines.

<u>Federally Proposed Species</u>: On September 14, 2022, the Service proposed to list the tricolored bat (*Perimyotis subflavus*) as endangered under the ESA. The bat faces extinction due to the impacts of white-nose syndrome, a deadly disease affecting cave-dwelling bats across the continent. During spring, summer, and fall, this species roosts primarily among leaf clusters of live or recently dead trees, emerging at dusk to hunt for insects over waterways and forest edges. While white-nose syndrome is by far the most serious threat to the tricolored bat, other threats now have an increased significance due to the dramatic decline in the species' population. These threats include disturbance to bats in roosting, foraging, commuting, and over-wintering habitats. Mortality due to collision with wind turbines, especially during migration, has also been documented across their range. Conservation measures for the Indiana bat and northern long-eared bat will also help to conserve the tricolored bat.

Seasonal Tree Clearing for Federally Listed Bat Species: Should the proposed project site contain trees ≥ 3 inches dbh, we recommend avoiding tree removal wherever possible. If any caves or abandoned mines may be disturbed, further coordination with this office is requested to determine if fall or spring portal surveys are warranted. If no caves or abandoned mines are present and trees ≥ 3 inches dbh cannot be avoided, we recommend removal of any trees ≥ 3 inches dbh only occur between October 1 and March 31. Seasonal clearing is recommended to avoid adverse effects to Indiana bats and northern long-eared bats.

If implementation of this seasonal tree cutting recommendation is not possible, a summer presence/absence survey may be conducted for Indiana bats and northern long-eared bats. If Indiana bats and northern long-eared bats are not detected during the survey, then tree clearing may occur at any time of the year. Surveys must be conducted by an approved surveyor and be designed and conducted in coordination with the Ohio Field Office. Surveyors must have a valid federal permit. Please note that in Ohio summer mist net surveys may only be conducted between June 1 and August 15.

<u>Section 7 Coordination</u>: If there is a federal nexus for the project (e.g., federal funding provided, federal permits required to construct), then no tree clearing should occur on any portion of the project area until consultation under section 7 of the ESA, between the Service and the federal action agency, is completed. We recommend the federal action agency submit a determination of effects to this office, relative to the Indiana bat and northern long-eared bat, for our review and concurrence. This letter provides technical assistance only and does not serve as a completed section 7 consultation document.

<u>Stream and Wetland Avoidance</u>: Over 90% of the wetlands in Ohio have been drained, filled, or modified by human activities, thus is it important to conserve the functions and values of the remaining wetlands in Ohio (<u>https://epa.ohio.gov/portals/47/facts/ohio_wetlands.pdf</u>). We recommend avoiding and minimizing project impacts to all wetland habitats (e.g., forests, streams, vernal pools) to the maximum extent possible in order to benefit water quality and fish and wildlife habitat. Additionally, natural buffers around streams and wetlands should be preserved to enhance beneficial functions. If streams or wetlands will be impacted, the U.S. Army Corps of Engineers should be contacted to determine whether a Clean Water Act section 404 permit is required. Best management practices should be used to minimize erosion, especially on slopes. Disturbed areas should be mulched and revegetated with native plant species. In addition, prevention of non-native, invasive plant establishment is critical in maintaining high quality habitats.

Due to the project type, size, and location, we do not anticipate adverse effects to any other federally endangered, threatened, or proposed species, or proposed or designated critical habitat. Should the project design change, or additional information on listed or proposed species or their critical habitat become available, or if new information reveals effects of the action that were not previously considered, coordination with the Service should be initiated to assess any potential impacts.

Thank you for your efforts to conserve listed species and sensitive habitats in Ohio. We recommend coordinating with the Ohio Department of Natural Resources due to the potential for the proposed project to affect state listed species and/or state lands. Contact Mike Pettegrew, Environmental Services Administrator, at (614) 265-6387 or at <u>mike.pettegrew@dnr.ohio.gov</u>.

If you have questions, or if we can be of further assistance in this matter, please contact our office at (614) 416-8993 or <u>ohio@fws.gov</u>.

Sincerely,

that 26

Keith Lott Acting Field Office Supervisor

cc: Nathan Reardon, ODNR-DOW Eileen Wyza, ODNR-DOW



MIKE DEWINE, GOVERNOR

MARY MERTZ, DIRECTOR

Office of Real Estate Tara Paciorek, Chief 2045 Morse Road – Bldg. E-2 Columbus, OH 43229 Phone: (614) 265-6661 Fax: (614) 267-4764

September 8, 2023

Joshua Holmes AECOM 707 Grant Street, 5th Floor Pittsburgh, Pennsylvania 15219

Re: 23-0923; Macy Substation and Macy-Justice Cust DP#1 T Line

Project: The proposed project involves the construction of a new greenfield substation and the installation of a new 0.15-mile greenfield 138kV transmission line extension from the QTS Justice Substation to the proposed Macy Substation.

Location: The proposed project is located in Jersey Township, Licking County, Ohio.

The Ohio Department of Natural Resources (ODNR) has completed a review of the above referenced project. These comments were generated by an inter-disciplinary review within the Department. These comments have been prepared under the authority of the Fish and Wildlife Coordination Act (48 Stat. 401, as amended; 16 U.S.C. 661 et seq.), the National Environmental Policy Act, the Coastal Zone Management Act, Ohio Revised Code and other applicable laws and regulations. These comments are also based on ODNR's experience as the state natural resource management agency and do not supersede or replace the regulatory authority of any local, state, or federal agency nor relieve the applicant of the obligation to comply with any local, state, or federal laws or regulations.

Natural Heritage Database: A review of the Ohio Natural Heritage Database indicates there are no records of state or federally listed plants or animals within one mile of the specified project area. Records searched date from 1980.

Please note that Ohio has not been completely surveyed and we rely on receiving information from many sources. Therefore, a lack of records for any particular area is not a statement that rare species or unique features are absent from that area.

Fish and Wildlife: The Division of Wildlife (DOW) has the following comments.

The DOW recommends that impacts to streams, wetlands and other water resources be avoided and minimized to the fullest extent possible, and that Best Management Practices be utilized to minimize erosion and sedimentation.

The project is within the vicinity of records for the northern long-eared bat (*Myotis septentrionalis*), a state endangered and federally endangered species. Because presence of state endangered bat species has been established in the area, summer tree cutting is not recommended, and additional summer surveys would not constitute presence/absence in the area. However,
limited summer tree cutting inside this buffer may be acceptable after further consultation with DOW (contact Eileen Wyza at <u>Eileen.Wyza@dnr.ohio.gov</u>).

In addition, the entire state of Ohio is within the range of the Indiana bat (*Myotis sodalis*), a state endangered and federally endangered species, the northern long-eared bat (*Myotis septentrionalis*), a state endangered and federally endangered species, the little brown bat (*Myotis lucifugus*), a state endangered species, and the tricolored bat (*Perimyotis subflavus*), a state endangered species. During the spring and summer (April 1 through September 30), these bat species predominately roost in trees behind loose, exfoliating bark, in crevices and cavities, or in the leaves. However, these species are also dependent on the forest structure surrounding roost trees. The DOW recommends tree cutting only occur from October 1 through March 31, conserving trees with loose, shaggy bark and/or crevices, holes, or cavities, as well as trees with DBH ≥ 20 if possible.

The DOW also recommends that a desktop habitat assessment is conducted, followed by a field assessment if needed, to determine if a potential hibernaculum is present within the project area. Direction on how to conduct habitat assessments can be found in the current USFWS "<u>RANGE-WIDE INDIANA BAT & NORTHERN LONG-EARED BAT SURVEY GUIDELINES</u>." If a habitat assessment finds that a potential hibernaculum is present within 0.25 miles of the project area, please send this information to Eileen Wyza for project recommendations. If a potential or known hibernaculum is found, the DOW recommends a 0.25-mile tree cutting and subsurface disturbance buffer around the hibernaculum entrance, however, limited summer or winter tree cutting may be acceptable after consultation with the DOW. If no tree cutting or subsurface impacts to a hibernaculum are proposed, this project is not likely to impact these species.

The project is within the range the lake chubsucker (*Erimyzon sucetta*) a state threatened fish. The DOW recommends no in-water work in perennial streams from March 15 through June 30 to reduce impacts to indigenous aquatic species and their habitat. If no in-water work is proposed in a perennial stream, this project is not likely to impact this or other aquatic species.

The project is within the range of the northern harrier (*Circus hudsonius*), a state endangered bird. This is a common migrant and winter species. Nesters are much rarer, although they occasionally breed in large marshes and grasslands. Harriers often nest in loose colonies. The female builds a nest out of sticks on the ground, often on top of a mound. Harriers hunt over grasslands. If this type of habitat will be impacted, construction should be avoided in this habitat during the species' nesting period of April 15 through July 31. If this habitat will not be impacted, this project is not likely to impact this species.

Due to the potential of impacts to federally listed species, as well as to state listed species, we recommend that this project be coordinated with the US Fish & Wildlife Service.

Water Resources: The Division of Water Resources has the following comment.

The <u>local floodplain administrator</u> should be contacted concerning the possible need for any floodplain permits or approvals for this project.

ODNR appreciates the opportunity to provide these comments. Please contact Mike Pettegrew at <u>mike.pettegrew@dnr.ohio.gov</u> if you have questions about these comments or need additional information.

Mike Pettegrew Environmental Services Administrator APPENDIX B

DESKTOP ASSESSMENT FOR WINTER BAT HABITAT





June 14, 2023

Attention: Mr. John Kessler Ohio Department of Natural Resources 2045 Morse Road, Building E-2 Columbus, Ohio 43229-6693

Via email: environmentalreviewrequest@dnr.state.oh.us; NHDRequest@dnr.state.oh.us; <a href="mailto:NHDRequest@

Reference: Request for Technical Assistance, Macy Substation and Macy-Justice Cust DP#1 T Line, Licking County, Ohio

Dear Mr. Kessler:

AEP Ohio Transmission Company, Inc. (AEP), is formally requesting that the Ohio Department of Natural Resources (ODNR) complete a review for the proposed Macy Substation and Macy-Justice Cust DP#1 T Line (Project) in Licking County, Ohio. The project is composed of two components The Macy Substation and the Macy-Justice Cust DP#1 T Line: The purpose of the Macy Substation component is to build a new greenfield substation (per a customer request. The purpose of the Macy-Justice Cust DP#1 T Line component is to install a new 0.15-mile greenfield 138kV transmission line extension from the proposed Macy Substation to the proposed Customer Substation. The Project study area is located on the USGS New Albany, Ohio U.S. Geologic Survey 7.5' topographical quadrangle as displayed on the Project Topographic Overview Map (Figure 1).

AECOM completed a desktop review of publicly available data to identify underground voids which could be potential hibernation sites for overwintering bats (hibernacula) within 0.25-miles of the Project area. The data sources utilized include USGS topographical maps, aerial photography, and ODNR's Division of Mineral Resources and Geological Survey Data for Known Mining Activity and Karst Geology/Sinkholes as shown on Figure 1 and 2. Based on the available desktop resources, there are no underground and historic surface mines or karst features located within 0.25-mile of the Project. Therefore, potential hibernaculum is not anticipated to be within range of the Project area.

Please provide us with the results of the ODNR's environmental review, including results of the ODNR Natural Heritage Database search, at your earliest convenience. If you have questions or need additional information regarding the Project, please contact me at the phone number or email below. Thank you for your assistance with this request.

BOUNDLESS ENERGY

Sincerely,

Frang Mulls

Brian Miller Environmental Project Manager Phone: (412-667-9172) brian.miller1@aecom.com

- Attachments: Figure 1 Topographic Project Overview Figure 2 – Aerial Project Overview Natural Heritage Data Request Form Electronic Shapefiles (.shp)
- Cc: Amy J. Toohey Environmental Specialist-Consultant Phone: (614-565-1480) <u>ajtoohey@aep.com</u>

BOUNDLESS ENERGY





APPENDIX C

U.S. ARMY CORPS OF ENGINEERS WETLAND DETERMINATION DATA FORMS OEPA WETLAND ORAM FORMS DELINEATED FEATURES PHOTOGRAPHS (WETLANDS)

U.S. Army WETLAND DETERMINATION DATA S See ERDC/EL TR-12-9; th	Gion OMB Control #: (Requirement C (Authority: AR	0710-0024, Exp:11/30/2024 ontrol Symbol EXEMPT: 335-15, paragraph 5-2a)				
Project/Site: Macy Substation and Macy-Ju	stice Cust DP#1 Line Proj	ect City/County: Licking	1	Sampling Date: 6/7/2023		
Applicant/Owner: AEP			State: OH	Sampling Point: W-CRW-001 PFO (EMIT Weber		
Investigator(s): CRW Section. Township. Range: S35 2N R15						
Landform (hillside, torrace, etc.): hillside		cal relief (concave, conve		Slong (%): 4		
Cubragian (LDD on MLDA): LDD NLMLDA (L		x, none). <u>concave</u>	Slope (70) 4		
Subregion (LRR of MLRA): LRR N, MLRA I	<u>26</u> Lat: <u>40.05768</u>	LON(J: -82.75077			
Soli Map Unit Name: Bennington silt loam, U	to 2 percent slopes			on: NA		
Are climatic / hydrologic conditions on the site	e typical for this time of ye	ar? Yes <u>X</u>	No (If no, ex	plain in Remarks.)		
Are Vegetation, Soil, or Hydro	logysignificantly d	isturbed? Are "Norma	al Circumstances" present?	Yes X No		
Are Vegetation, Soil, or Hydro	logy naturally prob	lematic? (If needed,	explain any answers in Rem	narks.)		
SUMMARY OF FINDINGS – Attach	site map showing	sampling point loca	itions, transects, imp	ortant features, etc.		
Hydrophytic Vegetation Present?	Yes X No	Is the Sampled Area				
Hydrophytic vegetation Fresent?	Yes X No	within a Wetland?	Yes X	Νο		
Wetland Hydrology Present?	Yes X No					
Macy Substation survey area. Delineated by precipitation.	topography and vegetation	on, Normal circumstances	were present. The primary	source of hydrology is		
HYDROLOGY						
Wetland Hydrology Indicators:			Secondary Indicators (r	ninimum of two required)		
Primary Indicators (minimum of one is requir	red; check all that apply)		Surface Soil Cracks	s (B6)		
Surface Water (A1)	I rue Aquatic Plants	(B14) dor (C1)	Sparsely Vegetated	d Concave Surface (B8)		
Saturation (A3)	Oxidized Rhizosphe	res on Living Roots (C3)	Moss Trim Lines (F	(B10)		
X Water Marks (B1)	Presence of Reduce	ed Iron (C4)	Dry-Season Water	Table (C2)		
Sediment Deposits (B2)	Recent Iron Reducti	on in Tilled Soils (C6)	Crayfish Burrows (C8)		
Drift Deposits (B3)	Thin Muck Surface (C7)	Saturation Visible of	on Aerial Imagery (C9)		
Algal Mat or Crust (B4)	Other (Explain in Re	marks)	Stunted or Stresse	d Plants (D1)		
Iron Deposits (B5)			X Geomorphic Position	on (D2)		
Inundation Visible on Aerial Imagery (B7	7)		Shallow Aquitard ([03)		
X Water-Stained Leaves (B9)			Microtopographic H	(elief (D4)		
Aquatic Faulia (B13)		I		D5)		
Field Observations:	No X Depth (inch	(aec): 0				
Water Table Present? Yes	No X Depth (inch	les): 0				
Saturation Present? Yes	No X Depth (inch	ies): 0 Wetlar	nd Hydrology Present?	Yes X No		
(includes capillary fringe)						
Describe Recorded Data (stream gauge, mo	nitoring well, aerial photos	s, previous inspections), it	f available:			
Remarks: Multiple indicators of wetland hydrology were	e observed. Hydro source	=precip				

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: W-CRW-001 PFO (EMHT Wetland A)

Tree Stratum (Plot size: 30'r)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. Ulmus americana	25	Yes	FACW	
2. Acer negundo	20	Yes	FAC	Number of Dominant Species That Are OBL, FACW, or FAC: 7 (A)
3. 4.				Total Number of Dominant Species Across All Strata: 8 (B)
5				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>87.5%</u> (A/
7.				Prevalence Index worksheet:
	45	=Total Cover		Total % Cover of: Multiply by:
50% of total cover:	23 20%	of total cover:	9	OBL species 0 x 1 = 0
Sapling/Shrub Stratum (Plot size: 15'r	_)			FACW species <u>35</u> x 2 = <u>70</u>
1. Acer negundo	10	Yes	FAC	FAC species 75 x 3 = 225
2. Ulmus americana	10	Yes	FACW	FACU species 15 x 4 = 60
3. Lindera benzoin	10	Yes	FAC	UPL species 0 x 5 = 0
4. Fraxinus americana	5	No	FACU	Column Totals: 125 (A) 355
5.				Prevalence Index = B/A = 2.84
6.				Hydrophytic Vegetation Indicators:
7.				1 - Rapid Test for Hydrophytic Vegetation
8.				X 2 - Dominance Test is >50%
9				X 3 - Prevalence Index is $\leq 3.0^{1}$
	35	=Total Cover		4 - Morphological Adaptations ¹ (Provide support
50% of total cover	<u>35</u>	=Total Cover	7	4 - Morphological Adaptations ¹ (Provide support data in Remarks or on a separate sheet)
50% of total cover:	<u>35</u> 18 20%	=Total Cover of total cover:	7	4 - Morphological Adaptations ¹ (Provide support data in Remarks or on a separate sheet)
50% of total cover:	<u>35</u> 18 20%	=Total Cover of total cover:		4 - Morphological Adaptations ¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation ¹ (Explain)
50% of total cover:	<u>35</u> <u>18</u> 20% <u>30</u>	=Total Cover of total cover: Yes	7 FAC	4 - Morphological Adaptations ¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology mus
50% of total cover:	<u>35</u> <u>18</u> 20% <u>30</u> 10	=Total Cover of total cover: Yes Yes	7 FAC FACU	4 - Morphological Adaptations ¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology mus present, unless disturbed or problematic.
50% of total cover:	<u>35</u> <u>18</u> 20% <u>30</u> <u>10</u>	=Total Cover of total cover: Yes Yes	7 FAC FACU	4 - Morphological Adaptations ¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology mus present, unless disturbed or problematic. Definitions of Four Vegetation Strata:
50% of total cover:	<u>35</u> <u>18</u> 20% <u>30</u> <u>10</u> <u>-</u> <u>-</u> <u></u>	=Total Cover of total cover: Yes Yes	FAC FACU	 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology mus present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) more in diameter at breast height (DBH), regardless height.
50% of total cover:	<u>35</u> <u>18</u> 20% <u>30</u> <u>10</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u>	=Total Cover of total cover: Yes Yes	7 FAC FACU	 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology must present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) more in diameter at breast height (DBH), regardless height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft m) tall.
50% of total cover:	<u>35</u> <u>18</u> 20% <u>30</u> <u>10</u> <u>10</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u>	=Total Cover of total cover: <u>Yes</u> <u>Yes</u>	7 FAC FACU	 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology mus present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) more in diameter at breast height (DBH), regardless height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft m) tall. Herb – All herbaceous (non-woody) plants, regardles of size, and woody plants less than 3.28 ft tall.
50% of total cover:	<u>35</u> <u>18</u> 20% <u>30</u> <u>10</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u>	=Total Cover of total cover: Yes Yes 	7 FAC FACU	 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology mus present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) more in diameter at breast height (DBH), regardless height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft m) tall. Herb – All herbaceous (non-woody) plants, regardles of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in the substant of the sub
50% of total cover:	<u>35</u> <u>18</u> 20% <u>30</u> <u>10</u> <u>10</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u>	=Total Cover of total cover: Yes Yes = Total Cover of total cover:	7 FAC FACU	 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology muspresent, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) more in diameter at breast height (DBH), regardless height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft m) tall. Herb – All herbaceous (non-woody) plants, regardles of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft i height.
50% of total cover: Herb Stratum (Plot size:) 1. Symphyotrichum lanceolatum 2. Geum canadense 3	<u>35</u> <u>18</u> 20% <u>30</u> <u>10</u> <u>10</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u>	=Total Cover of total cover: Yes Yes = = = = Total Cover of total cover:	7 FAC FACU	 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology mus present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) more in diameter at breast height (DBH), regardless height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft m) tall. Herb – All herbaceous (non-woody) plants, regardles of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft i height.
50% of total cover: Herb Stratum (Plot size: 5'r) 1. Symphyotrichum lanceolatum 2. Geum canadense 3. 4. 5. 6. 7. 8. 9. 10. 11. 50% of total cover: 50% of total cover: Voody Vine Stratum (Plot size: 10. 11. 50% of total cover: 11.	$ \begin{array}{r} 35 \\ 18 20\% \\ - 30 \\ - 10 \\ \\ \\ \\ $	=Total Cover of total cover: Yes Yes = = = Total Cover of total cover: Yes	7 FAC FACU 	 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology mus present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) more in diameter at breast height (DBH), regardless height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft m) tall. Herb – All herbaceous (non-woody) plants, regardles of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft i height.
50% of total cover:	$ \begin{array}{c} 35 \\ 18 \\ 20\% \\ - \\ 30 \\ - \\ 10 \\ - \\ - \\ - \\ - \\ - \\ - \\ - \\ - \\ - \\ -$	=Total Cover of total cover: Yes Yes = Total Cover of total cover: Yes	7 FAC FACU	 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology mus present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) more in diameter at breast height (DBH), regardless height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft m) tall. Herb – All herbaceous (non-woody) plants, regardles of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft i height.
50% of total cover:	$ \begin{array}{c} 35 \\ 18 & 20\% \\ - & 30 \\ - & 10 \\ - & - & - \\ - & - & - \\ - & - & - & - \\ - & - & - & - \\ - & - & - & - & - \\ - & - & - & - & - \\ - & - & - & - & - & - \\ - & - & - & - & - & - \\ - & - & - & - & - & - & - \\ - & - & - & - & - & - & - \\ - & - & - & - & - & - & - \\ - & - & - & - & - & - & - & - \\ - & - & - & - & - & - & - & - \\ - & - & - & - & - & - & - & - \\ - & - & - & - & - & - & - & - & - \\ - & - & - & - & - & - & - & - & - & - \\ - & - & - & - & - & - & - & - & - & - \\ - & - & - & - & - & - & - & - & - & - &$	=Total Cover of total cover: Yes Yes = Total Cover of total cover: Yes	7 FAC FACU ————————————————————————————————————	 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology mus present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) more in diameter at breast height (DBH), regardless height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft m) tall. Herb – All herbaceous (non-woody) plants, regardle of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft i height.
50% of total cover: Herb Stratum (Plot size:) 1. Symphyotrichum lanceolatum 2. Geum canadense 3	$ \begin{array}{c} 35 \\ 18 \\ 20\% \\ - \\ 30 \\ - \\ 10 \\ - \\ - \\ - \\ - \\ - \\ - \\ - \\ - \\ - \\ -$	=Total Cover of total cover: Yes Yes = = Total Cover of total cover: Yes	7 FAC FACU 	 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology mus present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) more in diameter at breast height (DBH), regardless height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft m) tall. Herb – All herbaceous (non-woody) plants, regardles of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft i height.
50% of total cover: Herb Stratum (Plot size:) 1. Symphyotrichum lanceolatum 2. Geum canadense 3	<u>35</u> <u>18</u> 20% <u>30</u> <u>10</u> <u>10</u> <u>10</u> <u>10</u> <u>10</u> <u>10</u> <u>10</u> <u>1</u>	=Total Cover of total cover: Yes Yes = Total Cover of total cover: Yes	7 FAC FACU 	 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology mus present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) more in diameter at breast height (DBH), regardless height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft m) tall. Herb – All herbaceous (non-woody) plants, regardles of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft i height.
50% of total cover:	$ \begin{array}{c} 35 \\ 18 \\ 20\% \\ - \\ 30 \\ - \\ 10 \\ - \\ - \\ - \\ - \\ - \\ - \\ - \\ - \\ - \\ -$	=Total Cover of total cover: Yes Yes = Total Cover of total cover: Yes = Total Cover	7 FAC FACU 	 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology mus present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) more in diameter at breast height (DBH), regardless height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than or equal to 3.28 ft m) tall. Herb – All herbaceous (non-woody) plants, regardles of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft i height. Hydrophytic
50% of total cover:	$ \begin{array}{c} 35 \\ 18 & 20\% \\ \hline 30 \\ - & 10 \\ - &$	=Total Cover of total cover: Yes Yes = Total Cover of total cover: Yes = Total Cover	7 FAC FACU 	 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology mus present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) more in diameter at breast height (DBH), regardless height. Sapling/Shrub – Woody plants, excluding vines, lest than 3 in. DBH and greater than or equal to 3.28 ft m) tall. Herb – All herbaceous (non-woody) plants, regardle of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft i height. Hydrophytic Vegetation

Hydrophytic vegetation was observed.

Profile Desc	ription: (Describe t	o the deptl	n needed to docu	iment th	e indicat	or or co	nfirm the abse	nce of indi	cators.)		
Depth	Matrix		Redo	x Featur	es						
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture		F	Remarl	<s< td=""></s<>
0-16	10YR 3/1	95	10YR 6/8	5	C	М	Loamy/Clay	rey F	rominent re	edox co	oncentrations
'Type: C=Co	ncentration, D=Depl	etion, RM=F	Reduced Matrix, N	IS=Mask	ed Sand	Grains.	² Lo	ocation: PL:	Pore Linin	g, M=N	Aatrix.
Hydric Soil I	ndicators:							Indicators	for Probl	ematic	: Hydric Soils ³ :
Histosol	(A1)		Polyvalue B	elow Sur	face (S8)	(MLRA [·]	147, 148)	2 cm l	Muck (A10)	(MLR	A 147)
Histic Ep	ipedon (A2)		Thin Dark S	urface (S	9) (MLR	A 147, 14	18)	Coast	Prairie Re	dox (Aʻ	16)
Black His	stic (A3)		Loamy Muck	ky Minera	al (F1) (M	LRA 136	5)	(ML	RA 147, 14	8)	
Hydrogei	n Sulfide (A4)		Loamy Gley	ed Matrix	(F2)			Piedm	ont Floodp	lain Sc	oils (F19)
Stratified	Layers (A5)		Depleted Ma	atrix (F3)				(ML	RA 136, 14	7)	
2 cm Mu	ck (A10) (LRR N)		X Redox Dark	Surface	(F6)			Red P	arent Mate	rial (F2	21)
Depleted	Below Dark Surface	(A11)	Depleted Da	rk Surfa	ce (F7)			(out	side MLR/	A 127,	147, 148)
Thick Da	rk Surface (A12)	· · ·	Redox Depr	essions ((F8)			Very S	Shallow Da	rk Surf	ace (F22)
Sandv M	uckv Mineral (S1)		Iron-Mangar	iese Mas	ses (F12) (LRR N	I.	Other	(Explain in	Rema	rks)
Sandy G	eved Matrix (S4)			6)	,	/ (,		(I		,
Sandy R	edox (S5)		Umbric Surf	-, ace (F13) (MLRA	122. 136	3)	³ Indicators	of hydroph	nvtic ve	egetation and
Stripped	Matrix (S6)		Piedmont Floodplain Spils (F19) (MI RA 148) wetland hydrology must be r				be present				
Dark Sur	face (S7)		Red Parent	Material	(F21) (M I	_RA 127,	, 147, 148)	unless	disturbed	or prot	plematic.
Restrictive L	ayer (if observed):										
Type:											
Depth (inches): Hydric Soil Present? Yes X No					No						
Romarks:											

Remarks:

Hydric soil indicator F6 was observed at the time of sampling.

U.S. Ar WETLAND DETERMINATION DAT See ERDC/EL TR-12-9	t Region	OMB Control #: Requirement C (Authority: AR	0710-0024, Exp:11/30/2024 Control Symbol EXEMPT: 9335-15, paragraph 5-2a)				
Project/Site: Macy Substation and Macy	/-Justice Cust DP#1 Line Proj	ject City/County: Lic	cking		Sampling Date: 6/7/2023		
Applicant/Owner: <u>AEP</u>		State: OH	Sampling Point:				
Investigator(s): CRW Section, Township, Range: S35 2N R15							
Landform (hillside, terrace, etc.):	Lc	ocal relief (concave, c	onvex, none):	concave	Slope (%): 4		
Subregion (LRR or MLRA): LRR N. MLR	A 126 Lat: 40.057604	·	Lona: -82.756	5778	Datum: NAD83		
Soil Map Unit Name: Bennington silt loar	m, 0 to 2 percent slopes		· · ·	NWI classificati	on: NA		
Are climatic / hydrologic conditions on the	site typical for this time of ye	ar? Yes	X No	– o (Ifno,e»	xplain in Remarks.)		
Are Vegetation X, Soil, or Hy	/drology significantly d	isturbed? Are "No	ormal Circums	stances" present?	Yes X No		
Are Vegetation Soil or Hy	vdrology naturally prob	lematic? (If need	ded explain a	, ny answers in Ren			
SUMMARY OF FINDINGS - Atta	haterally prob	sampling point l	locations f	ransocte imn	ortant features etc		
	ich site map showing a			iansects, imp			
Hydrophytic Vegetation Present?	Yes No X	Is the Sampled A	rea				
Hydric Soil Present?	Yes No X	within a Wetland	?	Yes	No <u>X</u>		
Wetland Hydrology Present?	Yes No X						
HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one is resonance) Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3)	equired; check all that apply) True Aquatic Plants Hydrogen Sulfide O Oxidized Rhizosphe Presence of Reduce Recent Iron Reducti Thin Muck Surface ((B14) dor (C1) res on Living Roots (G ed Iron (C4) on in Tilled Soils (C6) (C7)	<u>Secc</u> S S S S S S S	ndary Indicators (r Surface Soil Cracks Sparsely Vegetated Drainage Patterns Moss Trim Lines (E Dry-Season Water Crayfish Burrows (G Saturation Visible o	minimum of two required) s (B6) d Concave Surface (B8) (B10) 316) Table (C2) C8) on Aerial Imagery (C9)		
Algal Mat or Crust (B4)	Other (Explain in Re	emarks)		Stunted or Stresse	d Plants (D1)		
Iron Deposits (B5) Inundation Visible on Aerial Imagery Water-Stained Leaves (B9) Aquatic Fauna (B13)	(B7)			Geomorphic Position Shallow Aquitard (I Microtopographic F FAC-Neutral Test (on (D2) D3) Relief (D4) (D5)		
Field Observations:							
Surface Water Present? Yes Water Table Present? Yes Saturation Present? Yes (includes capillary fringe) Describe Recorded Data (stream gauge,	No X Depth (inch No X Depth (inch No X Depth (inch No X Depth (inch monitoring well, aerial photos	nes): 0 nes): 0 nes): 0 wo	etland Hydro	logy Present?	Yes <u>No X</u>		
Remarks: No indicators of wetland hydrology were	observed.						

VEGETATION (Four Strata) – Use scientific names of plants.

Sampling Point: W-CRW-001 (EMHT Wetland A)-UPL

Tree Stratum (Plot size: 30'r)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet
1.	-/0 00101		Oluluo	Number of Deminent Species
2.				That Are OBL, FACW, or FAC:(A)
3. 4.				Total Number of Dominant Species Across All Strata: 4 (B)
5				Percent of Dominant Species That Are OBL, FACW, or FAC:50.0% (A/B
7				Prevalence Index worksheet:
		=Total Cover		Total % Cover of: Multiply by:
50% of total cover:	20%	of total cover:		OBL species 0 x 1 = 0
Sapling/Shrub Stratum (Plot size: 15'r)			FACW species <u>5</u> x 2 = <u>10</u>
1				FAC species 35 x 3 = 105
2.				FACU species 10 x 4 = 40
3.				UPL species 20 x 5 = 100
4.				Column Totals: 70 (A) 255 (B
5.				Prevalence Index = $B/A = 3.64$
6.				Hydrophytic Vegetation Indicators:
7				1 - Rapid Test for Hydrophytic Vegetation
8				2 - Dominance Test is >50%
0.				$\frac{2}{2} = 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 =$
9.		-Tatal Cause		$\frac{3}{4}$ Morphological Adaptations ¹ (Dravide supportin
		= I otal Cover		data in Remarks or on a separate sheet)
	20%	of total cover:		
<u>Herb Stratum</u> (Plot size: <u>5'r</u>)				Problematic Hydrophytic Vegetation' (Explain)
1. Allium ursinum	20	Yes	UPL	¹ Indicators of hydric soil and wetland hydrology must b
2. Rumex crispus	10	Yes	FAC	present, unless disturbed or problematic.
3. Trifolium repens	10	Yes	FACU	Definitions of Four Vegetation Strata:
4. Symphyotrichum lanceolatum	5	No	FACW	Tree – Woody plants, excluding vines, 3 in. (7.6 cm) of
5				more in diameter at breast height (DBH), regardless o
6.	_			height.
7.				Sapling/Shrub – Woody plants excluding vines less
8.				than 3 in. DBH and greater than or equal to 3.28 ft
9.				m) tall.
10				Herb – All berbaceous (non-woody) plants, regardless
11				of size, and woody plants less than 3.28 ft tall.
	45	-Total Covar		Weady Vine All weady vince greater than 2.29 ft in
	45		0	height
	23 20%	or total cover:	9	
Woody Vine Stratum (Plot size: 15'r)				
1. Toxicodendron radicans	25	Yes	FAC	
2				
3.				
4.				
5.				Ludroph die
	25	=Total Cover		nyurophytic Vegetation
50% of total cover:	13 20%	of total cover:	5	Present? Yes No
Pomarka: (Includo photo numbero horo or on o con	arato shoot)			

No Hydrophytic vegetation was observed, trees and shrubs had been previously cleared.

SOIL

Profile Desc	ription: (Describe t	o the dept	h needed to docu	ment th	e indicat	or or co	nfirm the abso	ence of indica	ators.)		
Depth	Matrix		Redo	x Featur	es						
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture		Re	marks	
0-16	10YR 3/3	100					Loamy/Clay	/ey			
¹ Type: C=Co	ncentration, D=Deple	etion, RM=I	Reduced Matrix, M	S=Mask	ed Sand	Grains.	² L	ocation: PL=F	Pore Lining,	M=Matrix.	
Hydric Soil I	ndicators:							Indicators f	or Problen	natic Hydric S	ioils ³ :
Histosol ((A1)		Polyvalue Be	elow Sur	face (S8)	(MLRA [·]	147, 148)	2 cm M	uck (A10) (I	VILRA 147)	
Histic Ep	ipedon (A2)		Thin Dark Su	urface (S	9) (MLR	A 147, 14	8)	Coast F	rairie Redo	x (A16)	
Black His	stic (A3)		Loamy Muck	y Minera	al (F1) (M	LRA 136)	(MLR	A 147, 148)	1	
Hydroger	n Sulfide (A4)		Loamy Gleye	ed Matrix	x (F2)			Piedmo	nt Floodpla	in Soils (F19)	
Stratified	Layers (A5)		Depleted Ma	trix (F3)				(MLR	A 136, 147)	1	
2 cm Mu	ck (A10) (LRR N)		Redox Dark	Surface	(F6)			Red Pa	rent Materia	al (F21)	
Depleted	Below Dark Surface	(A11)	Depleted Da	rk Surfa	ce (F7)			(outs	ide MLRA [,]	127, 147, 148)	
Thick Da	rk Surface (A12)		Redox Depre	essions	(F8)			Very Sh	allow Dark	Surface (F22)	
Sandy M	ucky Mineral (S1)		Iron-Mangan	ese Mas	sses (F12) (LRR N	I.	Other (E	Explain in R	emarks)	
Sandy G	leved Matrix (S4)		MLRA 130	5)	`	, ,		、		,	
Sandy Re	edox (S5)		Umbric Surfa	, ace (F13) (MLRA	122. 136)	³ Indicators of	of hydrophy	ic vegetation a	and
Stripped	Matrix (S6)		Piedmont Fl	odolain	Soils (F1	9) (MLR	, A 148)	wetland	hvdrology	must be prese	nt
Dark Sur	face (S7)		Red Parent I	Material	(F21) (MI	.RA 127,	147, 148)	unless	disturbed or	problematic.	,
Restrictive L	aver (if observed):				. , .						
Type:											
Depth (in	ches):						Hvdric Soil	Present?	Yes	No X	
Remarks:	,										

No indicators of hydric soil were observed.

U.S. Arm WETLAND DETERMINATION DATA See ERDC/EL TR-12-9;	OMB Control #: 07 Requirement Con (Authority: AR 33	10-0024, Exp:11/30/2024 trol Symbol EXEMPT: 5-15, paragraph 5-2a)					
Project/Site: Macy Substation and Macy-J	ustice Cust DP#1 Line Proj	ject City/County	Licking	Sa	ampling Date: <u>6/7/2023</u>		
Applicant/Owner: AEP State: OH Sampling P							
Investigator(s): CRW		Section, Townsl	nip, Range: S35	5 2N R15			
Landform (hillside, terrace, etc.): Plains	Lo	ocal relief (concav	e, convex, none): concave	Slope (%): 4		
Subregion (LRR or MLRA): LRR N. MLRA	126 Lat: 40.057428	,	Lona: -82.75	555	Datum: NAD83		
Soil Map Unit Name: Bennington silt loam,	0 to 2 percent slopes			NWI classification	 : NA		
Are climatic / hydrologic conditions on the si	te typical for this time of ye	ar?	(es X N		ain in Remarks.)		
Are Vegetation , Soil X , or Hydr	ology significantly di	isturbed? Are	• "Normal Circun	nstances" present?	Ýes X No		
Are Vegetation Soil or Hydr	cology naturally prob	lematic? (If)	needed evolain	any answers in Remai			
	h sito man showing a		nt locations	transacts impo	tant foaturos oto		
	in site map showing s	samping poi					
Hydrophytic Vegetation Present?	Yes No X	Is the Sample	d Area				
Hydric Soil Present?	Yes No X	within a Wetla	and?	Yes N	o_X_		
Wetland Hydrology Present?	Yes No X						
HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one is requested in the second seco	uired; check all that apply) True Aquatic Plants Hydrogen Sulfide Oo Oxidized Rhizosphe Presence of Reduce Recent Iron Reducti Thin Muck Surface (Other (Explain in Re	(B14) dor (C1) res on Living Roc ed Iron (C4) on in Tilled Soils (C7) emarks)		condary Indicators (min Surface Soil Cracks (Sparsely Vegetated C Drainage Patterns (B Moss Trim Lines (B16 Dry-Season Water Ta Crayfish Burrows (C8 Saturation Visible on Stunted or Stressed F Geomorphic Position Shallow Aquitard (D3 Microtopographic Rel FAC-Neutral Test (D5	himum of two required) B6) Concave Surface (B8) 10) 3) able (C2)) Aerial Imagery (C9) Plants (D1) (D2)) ief (D4) 5)		
Surface Water Present? Yes Water Table Present? Yes Saturation Present? Yes (includes capillary fringe) Describe Recorded Data (stream gauge, mage)	No X Depth (inch No X Depth (inch No X Depth (inch no x Depth (inch	nes): <u>0</u> nes): <u>0</u> nes): <u>0</u> s, previous inspec	Wetland Hydr ctions), if availab	ology Present? le:	Yes <u>No X</u>		
Remarks: No indicators of wetland hydrology were ob	oserved.						

ENG FORM 6116-4, JUL 2018

VEGETATION (Four Strata) – Use scientific names of plants.

1				
				Number of Dominant Species That Are OBL_FACW, or FAC: 0 (A)
3				Total Number of Dominant Species Across All Strata: 3 (B)
5.				Percent of Dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B
7.				Prevalence Index worksheet:
		=Total Cover		Total % Cover of: Multiply by:
50% of total cover:	20%	of total cover:		OBL species 10 x 1 = 10
Sapling/Shrub Stratum (Plot size: 15'r)			FACW species 0 x 2 = 0
1.				FAC species 5 x 3 = 15
2.				FACU species 85 x 4 = 340
3.				UPL species $0 \times 5 = 0$
4				Column Totals: 100 (A) 365 (B
5				$\frac{1}{2} = \frac{1}{2} = \frac{1}$
6				Hydrophytic Vogetation Indicators:
7				1 Papid Test for Hydrophytic Vegetation
/				
8				2 - Dominance Test is >50%
9				3 - Prevalence Index is $\leq 3.0^{\circ}$
		Total Cover		4 - Morphological Adaptations' (Provide supportin
50% of total cover:	20%	of total cover:		data in Remarks of on a separate sheet)
<u>Herb Stratum</u> (Plot size: <u>5'r</u>)				Problematic Hydrophytic Vegetation (Explain)
1. Solidago canadensis	25	Yes	FACU	¹ Indicators of hydric soil and wetland hydrology must t
2. Lolium perenne	20	Yes	FACU	present, unless disturbed or problematic.
3. Trifolium pratense	20	Yes	FACU	Definitions of Four Vegetation Strata:
4. Trifolium repens	10	No	FACU	Tree – Woody plants, excluding vines, 3 in. (7.6 cm) c
5. Poa pratensis	10	No	FACU	more in diameter at breast height (DBH), regardless o
6. Rumex crispus	5	No	FAC	neight.
7. Typha angustifolia	5	No	OBL	Sapling/Shrub – Woody plants, excluding vines, less
8. Packera glabella	5	No	OBL	than 3 in. DBH and greater than or equal to 3.28 ft m) tall.
10.				Herb – All herbaceous (non-woody) plants, regardless
^{11.}	100 =	=Total Cover		Woody Vine – All woody vines greater than 3.28 ft in
50% of total cover: 5	50 20%	of total cover:	20	height.
Woody Vine Stratum (Plot size: 15'r)				
, 1.				
2				
3				
· · · · · · · · · · · · · · · · · · ·				
4. 				
[.]		Tatal Or		Hydrophytic
	:	= i otal Cover		Vegetation
50% of total cover:	20%	of total cover:		Present? Yes No _X

Remarks: (Include photo numbers here or on No Hydrophytic vegetation was observed

Profile Desc	ription: (Describe to	o the dept	h needed to docu	ment th	e indicat	or or co	nfirm the abs	ence of indica	ators.)	
Depth	Matrix		Redo	x Featur	es					
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	<u> </u>	Ren	narks
0-12		100						R	ecently Distu	urbed (no color)
¹ Type: C=Co	ncentration, D=Deple	tion, RM=	Reduced Matrix, M	S=Mask	ked Sand	Grains.	² l	ocation: PL=F	Pore Lining, I	M=Matrix.
Hydric Soil I	ndicators:							Indicators f	or Problem	atic Hydric Soils ³ :
Histosol	(A1)		Polyvalue Be	low Sur	face (S8)	(MLRA 1	147, 148)	2 cm M	uck (A10) (M	LRA 147)
Histic Ep	ipedon (A2)		Thin Dark Su	ırface (S	69) (MLR	A 147, 14	8)	Coast F	rairie Redox	(A16)
Black His	stic (A3)		Loamy Muck	y Minera	al (F1) (M	LRA 136)	(MLR	A 147, 148)	
Hydrogei	n Sulfide (A4)		Loamy Gleye	d Matri	x (F2)			Piedmo	nt Floodplair	n Soils (F19)
Stratified	Layers (A5)		Depleted Ma	trix (F3)				(MLR	A 136, 147)	
2 cm Mu	ck (A10) (LRR N)		Redox Dark	Surface	(F6)			Red Pa	rent Material	(F21)
Depleted	Below Dark Surface	(A11)	Depleted Da	rk Surfa	ce (F7)			(outs	ide MLRA 1	27, 147, 148)
Thick Da	rk Surface (A12)		Redox Depre	essions ((F8)			Very Sh	allow Dark S	Surface (F22)
Sandy M	ucky Mineral (S1)		Iron-Mangan	ese Mas	sses (F12) (LRR N	,	Other (E	Explain in Re	marks)
Sandy G	leyed Matrix (S4)		MLRA 136	i)						
Sandy R	edox (S5)		Umbric Surfa	ice (F13	3) (MLRA	122, 136)	³ Indicators of	of hydrophyti	c vegetation and
Stripped	Matrix (S6)		Piedmont Flo	odplain	Soils (F1	9) (MLR	A 148)	wetland	hydrology m	iust be present,
Dark Sur	face (S7)		Red Parent N	Aaterial	(F21) (M	LRA 127,	147, 148)	unless o	disturbed or	problematic.
Restrictive L	ayer (if observed):									
Type:										
Depth (in	ches):						Hydric So	il Present?	Yes	NoX
Remarks:										
Recently dist	urbed, no color due to	o fill, no inc	dicators of hydric so	oil were	observed					

	Background Information					
Name:	Cameron Wyse					
Date:	6/7/2023					
Affiliation:	AECOM					
Address:	525 Vine St., Ste. 1800, Cincinnati, OH 45202					
Phone Number:	(859) 227-5211					
e-mail address:	Cameron.Wyse@AECOM.com					
Name of Wetland:	W-CRW-001 (EMHT Wetland A)					
Vegetation Communit(ies):	PFO					
HGM Class(es):	Deppresional					

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.



Lat/Long or UTM Coordinate:	40.05768/-82.75677
USGS Quad Name:	New Albany
County:	Licking
Township:	2N
Section and Subsection:	S35 R15
Hydrologic Unit Code:	50600011503
Site Visit:	6/7/2023
National Wetland Inventory Map:	See Figure 2
Ohio Wetland Inventory Map:	N/A
Soil Survey:	See Figure 2
Delineation report/map:	See Figure 3

Name of Wetland:	W-CRW-001 (EMHT Wetland	A)	
Wetland Size (delineated acres):	0.10	Wetland Size (Estimated total acres):	7.11
Sketch: Include north arrow, relationshi	p with other surface waters, vegetation	on zones, etc.	
N Comments, Narrative Discussion, Justiff Previously delineated wetland, survey area. Hydrology source=	tation of Category Changes: Only a small portion of the weets for in. Delineated by topograph	Category:	<image/>

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a		
	proposed impact, a reference site, conservation site, etc.		
Step 2	Identify the locations where there is physical evidence that		
	hydrology changes rapidly. Such evidence includes both		
	natural and human- induced changes including, constrictions		
	caused by berms or dikes, points where the water velocity		
	changes rapidly at rapids or falls, points where significant		
	inflows occur at the confluence of rivers, or other factors that		
	may restrict hydrologic interaction between the wetlands or		
	parts of a single wetland.		
Step 3	Delineate the boundary of the wetland to be rated such that all		
-	areas of interest that are contiguous to and within the areas		
	where the hydrology does not change significantly, i.e. areas		
	that have a high degree of hydrologic interaction are included		
	within the scoring boundary.		
	· · · · · · · · · · · · · · · · · · ·		
Step 4	Determine if artificial boundaries, such as property lines, state		
	lines, roads, railroad embankments, etc., are present. These		
	should not be used to establish scoring boundaries unless they		
	coincide with areas where the hydrologic regime changes.		
	, , , , , , , , , , , , , , , , , , , ,		
Step 5	In all instances, the Rater may enlarge the minimum scoring	1	
	boundaries discussed here to score together wetlands that		
	could be scored separately.		V
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring	1	
	boundaries for wetlands that form a patchwork on the		
	landscape, divided by artificial boundaries, contiguous to		
	streams, lakes or rivers, or for dual classifications.		
	,	X	
1			

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap. The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	Critical Habitat. Is the wetland in a township, section, or subsection of a	YES	*NO
	United States Geological Survey 7.5 minute Quadrangle that has been	Wetland should be evaluated for	Go to Ouestion 2
	designated by the U.S. Fish and Wildlife Service as "critical habitat" for any	possible Category 3 status	
	threatened or endangered plant or animal species?	Go to Question 2	
	Note: as of January 1, 2001, of the federally listed endangered or threatened		
	species which can be found in Ohio, the Indiana Bat has had critical habitat		
	designated (50 CFR 17.95(a)) and the piping plover has had critical habitat		
	proposed (65 FR 41812 July 6, 2000).		
2	Threatened or Endangered Species Is the wetland known to contain an individual of	VEC.	*NO
2	or documented occurrences of federal or state-listed threatened or endangered plant or	Netland is a Catagory 2 watland	*NO
	animal species?	Go to Question 3	Go to Question 3
	Desumented Back Quelty Westend is the control of the second in Mature 11. 1		
3	Detabase as a high quality wetland?	YES	*NO
		Wetland is a Category 3 wetland	Go to Question 4
		Go to Question 4	
4	Significant Breeding or Concentration Area. Does the wetland contain documented	YES	*NO
	regionally significant breeding or nonbreeding waterrowi, neotropical songbird, or shorehird concentration areas?	Wetland is a Category 3 wetland	Go to Question 5
		Go to Question 5	
5	Category 1 Wetlands. Is the wetland less than 0.5 hectares (1 acre) in size and	YES	*NO
	hydrologically isolated and either 1) comprised of vegetation that is dominated (greater	Wetland is a Category 1 wetland	Go to Question 6
	Phragmites australis or	Go to Question 6	
	2) an acidic pond created or excavated on mined lands that has little or no vegetation?		
6	Bogs. Is the wetland a peat-accumulating wetland that 1) has no significant inflows or	YES	*NO
0	outflows, 2) supports acidophilic mosses, particularly Sphagnum spp., 3) the acidophilic	Wetland is a Category 3 wetland	Go to Question 7
	mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the	Go to Question 7	
	cover of invasive species (see Table 1) is <25%?		
7	Fens. Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during	YES	*NO
	most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a	Wetland is a Category 3 wetland	Go to Question 8a
	circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the	Go to Question 8a	
	cover of invasive species listed in Table 1 is <25%?		
8a	"Old Growth Forest." Is the wetland a forested wetland and is the forest characterized	YES	*NO
	by, but not limited to, the following characteristics: overstory canopy trees of great age	Wetland is a Category 3 wetland.	Go to Question 8b
	evidence of human-caused understory disturbance during the past 80 to 100 years: an all-	Go to Question 8b	
	aged structure and multilayered canopies; aggregations of canopy trees interspersed with		
	canopy gaps; and significant numbers of standing dead snags and downed logs?		

8b	Mature forested wetlands. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	Lake Frie coastal and tributary wetlands Is the wetland located at an elevation less	VES	*NO
	than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	Go to Question 9b	Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the	VES	*NO
	loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	Wetland should be evaluated for possible Category 3 status Go to Question 10	Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence,	YES	*NO
	i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	Go to Question 9d	Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation	YES	*NO
	communities, although non-native or disturbance tolerant native species can also be present?	Wetland is a Category 3 wetland Go to Question 10	Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant	YES	*NO
	species within its vegetation communities?	Wetland should be evaluated for possible Category 3 status Go to Question 10	Go to Question 10
10	Lake Plain Sand Prairies (Oak Openings) Is the wetland located in Lucas, Fulton,	YES	*NO
	Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	Wetland is a Category 3 wetland. Go to Question 11	Go to Question 11
11	Relict Wet Prairies. Is the wetland a relict wet prairie community dominated by some or	YES	*NO
	all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	Complete Quantitative Rating

Table 1. Characteristic plant species.					
invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species	
Lythrum salicaria	Zygadenus elegans var. glaucus	Calla palustris	Carex cryptolepis	Calamagrostis canadensis	
Myriophyllum spicatum	Cacalia plantaginea	Carex atlantica var. capillacea	Carex lasiocarpa	Calamogrostis stricta	
Najas minor	Carex flava	Carex echinata	Carex stricta	Carex atherodes	
Phalaris arundinacea	Carex sterilis	Carex oligosperma	Cladium mariscoides	Carex buxbaumii	
Phragmites australis	Carex stricta	Carex trisperma	Calamagrostis stricta	Carex pellita	
Potamogeton crispus	Deschampsia caespitosa	Chamaedaphne calyculata	Calamagrostis canadensis	Carex sartwellii	
Ranunculus ficaria	Eleocharis rostellata	Decodon verticillatus	Quercus palustris	Gentiana andrewsii	
Rhamnus frangula	Eriophorum viridicarinatum	Eriophorum virginicum		Helianthus grosseserratus	
Typha angustifolia	Gentianopsis spp.	Larix laricina		Liatris spicata	
Typha xglauca	Lobelia kalmii	Nemopanthus mucronatus		Lysimachia quadriflora	
	Parnassia glauca	Schechzeria palustris		Lythrum alatum	
	Potentilla fruticosa	Sphagnum spp.		Pycnanthemum virginianum	
	Rhamnus alnifolia	Vaccinium macrocarpon		Silphium terebinthinaceum	
	Rhynchospora capillacea	Vaccinium corymbosum		Sorghastrum nutans	
	Salix candida	Vaccinium oxycoccos		Spartina pectinata	
	Salix myricoides	Woodwardia virginica		Solidago riddellii	
	Salix serissima	Xyris difformis			
	Solidago ohioensis				
	Tofieldia glutinosa				
	Triglochin maritimum				
	Triglochin palustre				
			1		

End of Narrative Rating. Begin Quantitative Rating on next page.

				ia rij			
e: Macy	Substation		Rater(s):	CRW, RBL		Date:	6/7/2023
5.0	5.0	Metric 1. Wetland	d Area (siz	e).	Field ID: W-CRW-001		
6 pts subtotal		>50 acres (>20.2ha) (6 pts	l assign score.				
	х	25 to <50 acres (10.1 to <2	20.2ha) (5 pts)		Delineated acres:	0.10	7
		3 to <10 acres (1.2 to <10.1 0.3 to <3 acres (0.12 to <1	1) (3 pts) 2ha) (2pts)		Total acres:	7.11	
		0.1 to <0.3 acres (0.04 to < <0.1 acres (0.04ha) (0 pts)	:0.12ha) (1 pt)				-
5.0	10.0	Metric 2. Upland	buffers a	nd surrounding	land use.		
c 14 pts. subtotal	x x x	2a. Calculate average but WIDE. Buffers average 500 MEDIUM. Buffers average NARROW. Buffers average VERY NARROW. Buffers a 2b. Intensity of surround VERY LOW. 2nd growth or LOW. Old field (>10 years) MODERATELY HIGH. Res HIGH. Urban, industrial, op	ifer width. Sele m (164ft) or moio 25m to <50m (8 e 10m to <25m average <10m (ing land use. § older forest, pr , shrubland, you idential, fenced pasture, row	ct only one and assign e around wetland perime 32 to <164ft around wetland (32ft to <82ft) around wetl «32ft) around wetland per ielect one or double che airie, savannah, wildlife a ung second growth forest. pasture, park, conservat e cropping, mining, constr	score. Do not double check ler (7) and perimeter (4) land perimeter (1) imeter (0) eck and average. rea, etc. (7) (5) on tillage, new fallow field. (3) uction. (1)		
16.0	26.0	Metric 3. Hydrolo	ogy.				
		High pH groundwater (5) Other groundwater (3) Precipitation (1) Seasonal/Intermittent surfa Perennial surface water (la 3c. Maximum water depti >0.7 (27.6in) (3) 0.4 to 0.7m (15.7 to 27.6in) <0.4 to 1.7m (15.7 to 27.6in) <0.4m (<15.7in) (1) 3e. Modifications to natu None or none apparent (12 Recovered (7)	ce water (3) ke or stream) (5 n. Select one. (2) ral hydrologic	^(j)	100 year floodplain (1) Between stream/lake and of Part of wetland/upland (e.g. Part of riparian or upland cc. 3d. Duration inundation/s Semi- to permanently inund Regularly inundated/saturat Seasonally inundated (2) Seasonally saturated in upp uble check and average. Check all disturbances of ditch	ther human use (1) forest), complex (1) rrridor (1) aturation. Score one or d ated/saturated (4) ed (3) wer 30cm (12in) (1) pserved point source (nonst	bl check. ormwater)
		Recovering (3) Recent or no recovery (1)			dike weir stormwater input	road bed/RR track dredging Other:	
18.0	44.0	Metric 4. Habitat	Alteration	and Developme	ent.		
20 pts. subtotal		4a. Substrate disturbanc: None or none apparent (4) Recovered (3) Recovering (2) Recent or no recovery (1) 4b. Habitat development. Excellent (7) Very good (6) Good (5) Moderately good (4) Fair (3) Poor to fair (2) Poor (1) 4c. Habitat alteration. Scr None or none apparent (9) Recovering (3) Recovering (3)	e. Score one o Select only or	r double check and aver le and assign score. ble check and average.	Check all disturbances obse mowing grazing clearcutting selective cutting woody debris removal toxic pollutants	srved herbaceous/aquatic sedimentation dredging farming nutrient enrichment	val bed removal

Wetla	nd ID: W-CRW-001 (E	MHT Wetland A)			
Site:	Macy Substation	Rater(s):	CRW, RBL	Date:	6/7/2023
			Field ID:		
	44.0		W-CRW-001		
	subtotal this page				
0	0 44.0 Motric 5 Speci	al Wotlands			
0	Check all that apr	al vielianus.			
max 10 pts.	subtotal CHECK dil triat app	biy and score as indicated.			
	Fen (10)				
	Old growth forest (10)				
	Mature forested wetland	l (5) un wetland-unrestricted bydrology (1)	2)		
	Lake Erie coastal/tributa	rv wetland-restricted hydrology (10	(
	Lake Plain Sand Prairies	o (Oak Openings) (10)			
	Relict Wet Praires (10)	federal threatened or andengered a	nanina (10)		
	Significant migratory sor	adbird/water fowl habitat or usage (10))		
	Category 1 Wetland. Se	e Question 5 Qualitative Rating (-10)	- 2		
8	.0 52.0 Metric 6. Plant	communities, intersper	sion, microtopograp	hy.	
nax 20pts.	subtotal 6a. Wetland Veget	ation Communities.	Vegetation Comm	nunity Cover Scale	
	Score all present using	0 to 3 scale.	0 Absent or comprises <0	.1ha (0.2471 acres) contiguous area	
	Aquatic bed		1 Present and either comp	prises small part of wetland's 1	
	1 Shrub		significant part but is of	low quality	
	2 Forest		2 Present and either comp	prises significant part of wetland's 2	
	Mudflats		vegetation and is of mod	derate quality or comprises a small	
	Open water Other		part and is of high qualit 3 Present and comprises	y significant part or more of wetland's 3	
	6b. horizontal (plan vie	ew) Interspersion.	vegetation and is of high	n quality	
	Select only one.				
	High (5)		Narrative Description of	of Vegetation Quality	
	Moderate (3)		disturbance tolerant nati	ive species	
	x Moderately low (2)		Native spp are dominan	t component of the vegetation, mod	
	Low (1)		although nonnative and/	or disturbance tolerant native spp	
	None (0)	ve plants Refer	can also be present, and	d species diversity moderate to	
	Table 1 ORAM long form	n for list. Add	threatened or endanger	ed spp to	
	or deduct points for cove	erage	A predominance of nativ	ve species, with nonnative spp high	
	Extensive >75% cover (-5)	and/or disturbance toler	ant native spp absent or virtually	
	Moderate 25-75% cover Sparse 5-25% cover (-1	(-3)	absent, and high spp div	versity and often, but not always,	
	Nearly absent <5% cover) er (0)		induction, or chadingered spp	
	x Absent (1)		Mudflat and Open Wat	er Class Quality	
	6d. Microtopography.		0 Absent <0.1ha (0.247 ac	cres)	
	Vegetated hummucks/tu	U TO 3 SCAIE. Issucks	2 Moderate 1 to <4ba (2.4	10 2.47 acres)	
	1 Coarse woody debris >1	Scm (6in)	3 High 4ha (9.88 acres) or	r more	
	1 Standing dead >25cm (1	I0in) dbh		0	
	Amphibian breeding poo	bis	Microtopography Cove	er Scale	
			1 Present very small amou	unts or if more common	
			of marginal quality	-	
			2 Present in moderate am	ounts, but not of highest	
	52.0 TOTAL (Max 100 pts)		quality or in small amour	nts of highest quality	
	2 Category		3 Present in moderate or g	greater amounts	

and of highest quality

Wetland ID: W-CRW-001 (EMHT Wetland A)

		Circle answer or		
		insert	score	Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	*NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	5		
	Metric 2. Buffers and surrounding land use	4	5	
	Metric 3. Hydrology	1	6	
	Metric 4. Habitat	1	8	
	Metric 5. Special Wetland Communities	()	
	Metric 6. Plant communities, interspersion, microtopography	8 52		
	TOTAL SCORE			Category based on score breakpoints

ORAM Summary Worksheet

Complete Wetland Categorization Worksheet.

Wetland ID: W-CRW-001 (EMHT Wetland A)

Wetland Categorization Worksheet

Choices	ircle one		Evaluation of Categorization Result of ORAM		
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	*NO	Is quantitative rating score <i>less</i> than the Category 2 scoring threshold (<i>excluding</i> gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM		
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	*NO	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745- 1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.		
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	*NO	Is quantitative rating score greater than the Category 2 scoring threshold (<i>including</i> any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM		
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	*YES Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.		
Does the quantitative score fall with the "gray zone" for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	*NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).		
Does the wetland otherwise exhibit moderate OR superior hydrologic OR habitat, OR recreational functions AND the wetland was not categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	*NO Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.		

		Final Category	,	
Choose one	Category 1	*Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.



PHOTOGRAPHIC RECORD Wetland Photograph Record

Client Name:

AEP

Site Location:

Macy 138 kV Station Project

Project No. 60704092 & 6078618

W-CRW-001	
(EMHT Wetland A)	
Date:	
June 7, 2023	
Description:	
PFO wetland	
Category 2	
Facing North	







PHOTOGRAPHIC RECORD **Wetland Photograph Record**

Client Name:

AEP

Site Location:

Macy 138 kV Station Project

Project No. 60704092 & 6078618

W-CRW-001 (EMHT Wetland A) Date: June 7, 2023 **Description:**

PFO wetland

Category 2

Facing South





June 7, 2023 **Description:**

PFO wetland

Category 2

Facing West



AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD

Wetland Photograph Record

Client Name:

AEP

Site Location: Macy 138 kV Station Project Project No. 60704092 & 6078618



APPENDIX D

HABITAT PHOTOGRAPHIC RECORD

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD Habitat Photograph Record

Client Name:

AEP

Site Location:

Macy 138 kV Station Project

Project No. 60704092 & 6078618

PH-01 Date:

June 7, 2023 **Description:**

Pasture/Hay Fields

Facing North



PH-02 Date:

June 7, 2023

Description:

Pasture/Hay Fields

Facing North





PHOTOGRAPHIC RECORD Habitat Photograph Record

Client Name:

AEP

Site Location:

Macy 138 kV Station Project

Project No. 60704092 & 6078618

PH-03	
Date:	
June 7, 2022	
Description:	
Description	
Pasture/Hay Fields	
Facing North	
6	



AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD Habitat Photograph Record

Client Name:

AEP

Site Location:

Macy 138 kV Station Project

Project No. 60704092 & 6078618

PH-05 Date: June 7, 2023 **Description:** Barren Disturbed Facing North



PH-06 Date: June 7, 2023 **Description:**

Stream/Wetland

Facing East



APPENDIX E

2023 JOINT GUIDANCE



OHIO DIVISION OF WILDLIFE AND U.S. FISH AND WILDLIFE SERVICE (OH-FIELD OFFICE) JOINT GUIDANCE FOR BAT SURVEYS AND TREE CLEARING MAY 2023

This document has been updated with new state guidance for the 2023 field season.

This guidance applies to state recommendations only. Contact the USFWS to determine if federal consultation is also necessary to comply with federal law.

Agency Contacts:

ODNR-DOW Permit Coordinator: Wildlife.Permits@dnr.ohio.gov, (614) 265-6315 **ODNR-DOW Bat Survey Coordinator:** Eileen Wyza, Eileen.Wyza@dnr.ohio.gov, (614) 265-6764 **USFWS OHFO Endangered Species:** Angela Boyer, angela_boyer@fws.gov, (614) 416-8993, ext.122

Covid-19 Guidance:

Surveyors should follow all covid protocols put in place by their agency. All surveyors should wear masks when handling bats and anyone exhibiting symptoms of covid-19 should not participate in bat surveys.

Ohio Mist-net Surveys:

This document serves as guidance for bat mist netting activities in Ohio and does not supersede any requirements listed on your permits or facility certificate. All permit conditions must be strictly adhered to for permits to be valid and for renewal of permits beyond the existing year.

Due to the presence of White-nose Syndrome (WNS), mist-netting in Ohio must be conducted between June 1 and August 15 unless stated otherwise in your state permit. The ODNR Division of Wildlife (ODNR-DOW) and U.S. Fish and Wildlife Service (USFWS) Ohio Field Office (OHFO) have determined that delaying netting activities until June 1 will provide additional recovery time for bats affected by WNS. For presence/probable absence surveys, netting will not be accepted outside of the June 1 - August 15 timeframe.

To assess project areas for presence or probable absence of the state and federally listed Indiana bat (*Myotis sodalis*) and northern long-eared bat (*Myotis septentrionalis*) during summer residency, the USFWS developed the USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (March 2023). This protocol, <u>with minor modifications referenced below</u>, can also be used in Ohio for the 2023 field season and includes surveying for the state-listed little brown bat (*Myotis lucifugus*) and tricolored bat (*Perimyotis subflavus*).

According to the updated federal range-wide guidelines, presence/probable absence net surveys for northern longeared bats shall incorporate either 10 net nights per square 0.5 kilometer (123 acres) of project area, or four net nights per kilometer for linear projects. Presence/probable absence net surveys for Indiana bats shall incorporate six net nights per square 0.5 kilometer (123 acres) of project area, or two net nights per kilometer for linear
projects. If a project area is eligible for a presence/probable absence survey for both Indiana bats and northern long-eared bats, following the northern long-eared bat level of effort will qualify as a presence/ probable absence survey for both species. However, if a project area is eligible for a presence/absence survey for both species, following the Indiana bat level of effort will not qualify the survey for a northern long-eared bat presence/ probable absence survey. Please note that the USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (March 2023) requires that a minimum of two (2) biologists (e.g., one permitted and one technician) must be on-site for every four (4) net-sets being operated. Exceptions to on-site minimum staffing levels may be allowed under extenuating circumstances, provided written justification is included in the proposed survey study plan and subsequently approved by the OHFO and ODOW.

Due to the reclassification of the northern long-eared bat on March 31, 2023, the previous northern long-eared bat 4(d) rule has been nullified. There is a new online tool in the USFWS's Information for Planning and Consultation (IPaC) website that allows project proponents to utilize a determination key (Dkey) for the northern long-eared bat. **The Dkey cannot be used to replace consultation with ODNR-DOW.** Project proponents should coordinate directly with the ODNR-DOW and the OHFO for project technical assistance for all federally listed species, including the Indiana bat and northern long-eared bat.

The tricolored bat is listed as endangered by ODNR-DOW. Additionally, the USFWS published a proposed rule to list the tri-colored bat as endangered on September 14, 2022. The USFWS is scheduled to publish a final rule on the tricolored bat's status by the end of September 2023 which could affect future project development. Therefore, in anticipation of this listing we recommend that project proponents coordinate with the OHFO in addition to ODNR-DOW to determine if the project could benefit from formal coordination with USFWS for tricolored bat. The USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (March 2023) allows presence/absence surveys for the tricolored bat that use the northern long-eared bat level of effort.

Exception for Ohio mist-net surveys: All presence/absence surveys conducted for state listed bat species (Indiana, northern long-eared, little brown, tricolored) should follow the maximum net nights set forth in the federal guidance to be considered valid by ODNR-DOW. Any modifications to this position will be communicated at the time of the site authorization approval.

Ohio Acoustic Surveys:

Acoustic bat surveys for presence/absence will be accepted by ODNR-DOW for the 2023 season. Surveys should follow guidelines laid out in the USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (March 2023) with the following exceptions:

- Ohio survey dates are June 1 August 15, 2022
- After conducting automated analyses using one or more of the currently available 'approved' acoustic bat ID programs¹, qualitative analysis (i.e., manual vetting) of any calls recorded from state-endangered species (*M. sodalis, M. septentrionalis², M. lucifugus², and P. subflavus²*) must be completed.
- All presence/absence acoustic surveys conducted for state listed bat species (Indiana, northern longeared, little brown, tricolored) should follow the maximum acoustic nights set forth in the federal guidance to be considered valid by ODNR-DOW. Any modifications to this position will be communicated at the time of the site authorization approval.

At a minimum, for each detector site/night a program considered presence of state-listed bats likely, review all files (including no IDs) from that site/night. If more than one acoustic bat ID program is used, qualitative analysis must also include a comparison of the results of each program by site and night.

¹ <u>https://www.fws.gov/media/indiana-bat-summer-survey-guidance</u>

² State listing as endangered effective July 1, 2020

Combined Mist-netting and Acoustic Surveys:

ODNR-DOW will accept the USFWS pilot survey option of combining mist-netting and acoustic surveys for traditional survey sites (e.g., 123-acre area) detailed in Appendix I of the USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (2023). All presence/absence combined mist-net and acoustic surveys conducted for state listed bat species should follow the maximum level of effort set forth by the federal guidance to be considered valid by ODNR-DOW. Any modifications to this position will be communicated at the time of the site authorization approval.

Before Field Season:

• Anyone surveying bats using mist-nets in the state of Ohio must obtain a federal permit as well as a state scientific collection permit. The federal permit should include both the Indiana bat and the northern long-eared bat.

• Your ODNR-DOW permit consists of two documents: a Scientific Collector (Wild Animal) Permit and an endangered species letter signed by the Chief of the Division of Wildlife (in addition to your federal permit). Both ODNR-DOW documents must be obtained prior to field work and kept with you and any sub-permittees during field work.

During Field Season:

• Prior to initiation of field work (a minimum of two weeks in advance), permittees must provide proposed mist netting plans to USFWS and ODNR-DOW in the form of an e-mail letter to the USFWS OHFO and copy to the ODNR-DOW Bat Survey Coordinator. Plans must be reviewed and approved by USFWS OHFO and ODNR-DOW before ANY surveys take place. Study plans must specify objectives, location details, dates of proposed work, and all other relevant details. **Study plans must also include a USFWS Project Code. Project Codes can only be obtained by requesting an official species list through the USFWS's Information for Planning and Consultation (IPaC) website**

(<u>https://ipac.ecosphere.fws.gov/</u>). When handling bats, you must strictly adhere to the current WNS Decontamination Protocol (current version can be found at

<u>https://www.whitenosesyndrome.org/topics/decontamination</u>). Clothing, boots, gear, and equipment should all be thoroughly decontaminated between nights, as well as between netting sites.

• Request bat bands at least two weeks in advance of needing them. Bat bands can be obtained by emailing the ODNR-DOW Bat Survey Coordinator with how many bands are needed, current permit number, sizes, and a mailing address. Bands will not be issued until your permits are valid. We have two sizes of bands—2.4 mm and 4.2 mm. The 2.4 mm split metal bat ring made of aluminum alloy is suitable for banding small bats. This band must be placed on all captured Indiana, northern long-eared, little brown, and tricolored bats. The larger 4.2 mm band is suitable for silver-haired (*Lasionycteris noctivagans*), big brown (*Eptesicus fuscus*), and hoary (*Lasiurus cinereus*) bats. You must band all Indiana, northern longeared, little brown, and tricolored bats with ODNR-DOW bands; therefore, you should not be in the field without the 2.4 mm sized band.

• Only individuals who are named on the ODNR-DOW endangered species letter portion of the permit and on the corresponding federal bat permit may conduct and oversee mist-net surveys. Trained assistants may work on permitted bat activities under the direct and on-site supervision of a named permittee. All bat IDs must be verified by a named permittee. If an Indiana bat and/or northern long-eared bat is captured, the permittee shall notify the USFWS and the ODNR-DOW Bat Survey Coordinator referenced above within 48 hours via email. If a little brown bat or tricolored bat is captured, notify the ODNR-DOW Bat Survey Coordinator only within 48 hours via email. Reports of listed bat captures should include specific information such as spatial location of capture, band information, radio-transmitter frequency information, sex, reproductive status, and age of individual.

• For presence/absence surveys, ODNR-DOW requires all female and juvenile state endangered and threatened bat species (Indiana, northern long-eared, little brown, and tricolored bat) be radio-tracked if

caught, in accordance with methods outlined in Appendix D of USFWS 2022 Range-wide Indiana Bat Summer Survey Guidelines.

• If you are taking any biological samples (tissue, fur, blood, etc.), this must be specifically authorized in your state and federal permits and noted in your survey proposal.

After Field Season:

By March 15, you must submit your final ODNR-DOW report(s) from the previous summer. You are not required to fill out the ODNR-DOW Wildlife Diversity Bat Excel Spreadsheet; instead, please forward your USFWS Midwestern US Spreadsheet (found here: https://www.fws.gov/media/bat-reporting-spreadsheets-2020-2021) to the ODNR-DOW Bat Survey Coordinator and ODNR-DOW Permit Coordinator and include your state permit number along with an electronic copy of the project report. Electronic summaries emailed during the field season are NOT considered as full compliance of this reporting requirement.

Ohio Environmental Review Recommendations for projects involving disturbance near potential/known bat hibernacula (cliffs, caves, mines) or tree cutting:

Step 1: Coordinate with Ohio Division of Wildlife (DOW) regarding existing records for state-listed endangered bat summer and/or winter occurrence information. Potential hibernacula found during a habitat assessment must address possible suitability for Indiana bats, northern long-eared bats, tricolored bats, and little brown bats.

If project site contains a known bat hibernaculum(a) -

- For state-listed endangered species other than the Indiana bat and northern long-eared bat, a recommendation of 0.25-mile tree cutting buffer around all known entrances to protect existing conditions at the hibernaculum(a). The U.S. Fish and Wildlife Service (USFWS) should be contacted for guidance on projects occurring within 5 miles of known or potential Indiana bat and/or northern long-eared bat hibernacula. If the project involves subsurface disturbance, consultation with DOW is required.

- Limited tree cutting may be permitted within the buffer. Coordinate with DOW.

If a project site does not contain known bat hibernaculum(a)

- Conduct a desktop habitat assessment of the project area. Tools such as the <u>ODNR Mines of Ohio</u> <u>Viewer</u>, <u>Karst Interactive Map</u>, topographic maps, aerial photos, historical records, etc. should be used to determine if there are any potential caves, mines, karst features, rock ledges, or other features that may serve as potential hibernacula.

- If no such features are found, proceed to Step 2.
- If potential hibernacula are found during the desktop assessment:
 - Assume bats are using these hibernacula and refrain from clearing trees from March 15-November 15

-Or-

- Conduct a field habitat assessment to determine if a potential hibernaculum(a) is present within the action area. We encourage impacts to ledges and rock outcroppings be avoided. If impacts cannot be avoided, features should be evaluated for potential roosting characteristics such as recesses, overhangs, and crevices.

- **NOTE**: The USFWS Range-wide Indiana Bat Guidelines, Appendix H, contains instructions for completing a habitat assessment, but only includes criteria for Indiana bat hibernacula.

Step 2: When conducted, a presence/absence survey must follow current DOW guidelines.

Step 3: If a state-listed endangered bat is captured or recorded during the survey:

Recommendation of no summer tree cutting, or limited cutting following guidelines detailed below, within 5 miles (or 2.5 miles for tricolored bats) of the capture site if a roost is not located.
Recommendation of no summer tree cutting, or limited cutting following guidelines detailed below, within 2.5 miles of a roost tree if located.

If no state-listed endangered bat is captured or recorded during the survey:

- Summer tree cutting may proceed for 5 years before a new survey is needed under state guidance.

<u>Limited summer tree cutting guidance for bats that are only state-listed endangered</u>: Limited tree cutting in summer may be permitted after consultation with DOW, but clearing trees with the following characteristics should be avoided unless they pose a hazard: dead or live trees of any size with loose, shaggy bark; crevices, holes, or cavities; clusters of dead leaves; live trees of any species with DBH $\ge 20^{\circ}$.

FREQUENTLY ASKED QUESTIONS

When does the ODNR-DOW Bat Survey protocol have to be used?

This protocol should be used anytime Indiana bat, northern long-eared bat, little brown bat, or tricolored bat summer presence/probable absence surveys are conducted in the state of Ohio.

How many detector nights are required for presence/probable absence acoustic surveys?

As described in the current USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines:

<u>Level of effort for all state-listed endangered bat species</u> including Indiana bat and northern long-eared bats: Follow maximum detector nights as outlined in the federal guidance (for northern long-eared bat).

Northern Long-eared Bat Level of Effort:

<u>Linear projects</u>: a minimum of 4 detector nights per km (0.6 miles) of suitable summer habitat <u>Non-linear projects</u>: a minimum of 14 detector nights per 123 acres (0.5 km²) of suitable summer habitat. At least 2 detector locations per 123 acre "site" shall be sampled until at least 8 detector nights has been completed over the course of at least 2 calendar nights (may be consecutive). For example:

- 4 detectors for 3 nights and 1 detector for 2 nights each (can sample the same location or move within the site)
- 2 detectors for 7 nights each (can sample the same location or move within the site)

• 1 detector for 14 nights (must sample at least 2 locations and move within the site – we recommend evenly distributing LOE among locations)

Indiana Bat Level of Effort:

<u>Linear projects</u>: a minimum of 4 detector nights per km (0.6 miles) of suitable summer habitat <u>Non-linear projects</u>: a minimum of 10 detector nights per 123 acres (0.5 km²) of suitable summer habitat. At least 2 detector locations per 123 acre "site" shall be sampled until at least 8 detector nights has been completed over the course of at least 2 calendar nights (may be consecutive). For example:

- 5 detectors for 2 nights each (can sample the same location or move within the site)
- 2 detectors for 5 nights each (can sample the same location or move within the site)

• 1 detector for 10 nights (must sample at least 2 locations and move within the site – we recommend evenly distributing LOE among locations)

How many net surveys are required for presence/probable absence?

<u>Level of effort for all state-listed endangered bat species</u> including Indiana bat and northern long-eared bats: Follow maximum net nights as outlined in the federal guidance (for northern long-eared bat).

Net surveys for northern long-eared bat presence/probable absence shall incorporate, at a minimum, either 10 net nights per square 0.5 kilometer (123 acres) of project area, or four net nights per kilometer for linear projects. For linear projects, there must be at least one net night of survey on two different nights (minimum of two nights). This does not allow for two net nights on a single night for surveys.

Net surveys for Indiana bat presence/probable absence shall incorporate, at a minimum, either six net nights net nights per square 0.5 kilometer (123 acres) of project area, or two net nights per kilometer for linear projects. For linear projects, there must be at least one net night of survey on two different nights (minimum of two nights). This

does not allow for two net nights on a single night for surveys.

How long are the results of the surveys valid for an assessment of an area?

Mist-net or acoustic surveys documenting probable absence of state-listed endangered bats are valid for five years.

When can acoustic or net surveys occur in Ohio?

In Ohio, acoustic or net surveys may only be conducted from June 1 through August 15 unless indicated otherwise in your state permit. Any surveys outside of the June 1 - August 15 timeframe cannot be used in Ohio to assess the presence/probable absence of state-listed bats.

Can a presence/probable absence survey be conducted within a known Indiana bat and/or northern long-eared bat capture/detection buffer?

Surveys generally cannot be used to document presence/probable absence of state-listed endangered bats where presence of the species has already been confirmed by prior surveys.

What if a project is proposing to clear trees between April 1 and September 30 when bats may be present but no bat records exist in the project area?

Any Ohio project that is not within a known bat record buffer, and tree clearing between April 1 and September 31 is being proposed, may have a presence/probable absence survey conducted between June 1 and August 15 following the range-wide guidance. If a presence/probable absence survey is not performed, presence of listed bats is assumed.

How does take of northern long-eared bats differ from Indiana bats?

Under Ohio law, there is no exemption for take of any listed bat species.

Where do I get bands?

If you need bands, email the ODNR-DOW Bat Survey Coordinator at least two weeks in advance with your current ODNR permit number, how many bands in each size (2.4 and 4.2 mm) you will need this season, and a current address to ship the bands.

Do I have to band every bat?

No, currently this is optional. However, you are required as per your state permit to band all Indiana, northern long-eared, little brown, and tricolored bats.

Appendix E FEMA Flood Insurance Rate Maps

National Flood Hazard Layer FIRMette



Legend



Basemap Imagery Source: USGS National Map 2023