# Letter of Notification Vine-City of Columbus West 138 kV Transmission Line Relocation Project



PUCO Case No. 22-0918-EL-BLN

Submitted to: The Ohio Power Siting Board Pursuant to Ohio Administrative Code Section 4906-6-05

Submitted by:
Ohio Power Company

### Letter of Notification

### Ohio Power Company Vine-City of Columbus West 138 kV Transmission Line Relocation Project

### 4906-6-05

Ohio Power Company (the "Company") provides the following information to the Ohio Power Siting Board ("OPSB") pursuant to Ohio Administrative Code Section 4906-6-05.

### 4906-6-5(B) General Information

### **B(1) Project Description**

The name of the project and applicant's reference number, names and reference number(s) of resulting circuits, a brief description of the project, and why the project meets the requirements for a Letter of Notification.

The Company proposes the Vine-City of Columbus West 138 kilovolt (kV) Transmission Line Relocation Project (the "Project") in the City of Columbus, Franklin County, Ohio. The purpose of this project is to relocate 0.3 miles of overhead 138 kV transmission line to underground 138 kV transmission line, which was requested by a customer, in order to accommodate new development in the area. The underground relocation will be rebuilt within road right-of-way ("ROW") or the existing transmission line ROW. The Project will also require the installation of two riser poles on either end of the relocated 138 kV line to accommodate the transition from overhead to underground. In addition, one span of overhead transmission line will be required to be adjusted to accommodate the new riser pole on the western end of the Project. The location of the Project is shown on Figure 1 and Figure 2 in Appendix A.

The Project meets the requirements for a Letter of Notification because it is within the types of projects defined by item (1)(b) of Ohio Administrative Code Section 4906-1-01 Appendix A of the Application Requirement Matrix For Electric Power Transmission Lines:

- (1) New construction, extension, or relocation of single or multiple circuit electric power transmission line(s), or upgrading existing transmission or distribution line(s) for operation at a higher transmission voltage, as follows:
  - (b) Line(s) greater than 0.2 miles in length but not greater than two miles in length.

1

The Project has been assigned PUCO Case No. 22-0918-EL-BLN.

### B(2) Statement of Need

If the proposed project is an electric power transmission line or gas or natural gas transmission line, a statement explaining the need for the proposed facility.

The Project's primary purpose is to relocate 0.3 miles of the overhead Vine - City of Columbus West 138 kV transmission line to an underground 138 kV transmission line. A customer notified the Company of its plans to develop property in the area where the existing 138 kV line is currently. As such, the customer requested that the Company relocate the existing 138 kV underground at the customer's expense. Removing the Vine - City of Columbus West 138 kV line is not feasible, as this line is one of two feeds that directly serves the City of Columbus network and is necessary for the reliability of the City of Columbus' network.

The Project need was submitted to PJM in the September 2022. The Project was not reported in the Company's 2022 Long-Term Forecast Report because the Project was unknown at the time of filing.

### **B(3) Project Location**

The applicant shall provide the location of the project in relation to existing or proposed lines and substations shown on an area system map of sufficient scale and size to show existing and proposed transmission facilities in the Project Area.

The location of the Project in relation to existing transmission line and proposed relocation is shown in Figure 1 of Appendix A.

### **B(4)** Alternatives Considered

The applicant shall describe the alternatives considered and reasons why the proposed location or route is best suited for the proposed facility. The discussion shall include, but not be limited to, impacts associated with socioeconomic, ecological, construction, or engineering aspects of the project.

The Project relocates 0.3 miles of the overhead Vine-City of Columbus West 138 kV transmission line to an underground 138 kV transmission line at the request of a customer. The customer plans to develop property in the area where the existing 138 kV line is currently. The Project will be completed at the customer's expense. No impacts to ecological or cultural resources resulting from the Project have been identified. Further, the line cannot be removed due to the reliability the line provides to the area. Therefore, completing the Project as requested by the customer is the preferred alternative and no other alternatives were considered.

### **B(5)** Public Information Program

The applicant shall describe its public information program to inform affected property owners and tenants of the nature of the project and the proposed timeframe for project construction and restoration activities. The Company will inform affected property owners and tenants about this Project through several different mediums. Within seven days of filing this LON, the Company will issue a public notice in a newspaper of general circulation in the Project area. The notice will comply with all requirements of Ohio Revised Code ("OAC") Section 4906-6-08(A)(1-6). Further, the Company will mail a letter, via first class mail, to affected landowners, tenants, contiguous owners and any other landowner the Company may approach for an easement necessary for the construction, operation, or maintenance of the Project. The letter will comply with all requirements of OAC Section 4906-6-08(B). The Company maintains a website (http://aeptransmission.com/ohio/) which provides the public access to an electronic copy of this LON and the public notice for this LON. An electronic copy of the LON will be served to the public library in each political subdivision for this Project. The Company retains ROW land agents that discuss Project timelines, construction and restoration activities and convey information to affected owners and tenants throughout the Project.

### **B(6) Construction Schedule**

The applicant shall provide an anticipated construction schedule and proposed in-service date of the project.

Construction of the Project is planned to begin in November 2022, and the anticipated in-service date will be October 2023.

### B(7) Area Map

The applicant shall provide a map of at least 1:24,000 scale clearly depicting the facility with clearly marked streets, roads, and highways, and an aerial image.

Figure 1 in Appendix A provides the proposed Project area on a map of 1:24,000-scale (1 inch equals 2,000 feet), showing the Project on the United States Geological Survey (USGS) 7.5-minute topographic map of the Southwest Columbus, Ohio quadrangle. Figure 2 in Appendix A shows the Project Area on recent aerial photography, dated 2020, as provided by ESRI World Imagery at a scale of 1:2,400 scale (1 inch equals 200 feet).

To visit the Project site from the OPSB Office, head west on East Broad Street for approximately 0.4 mile. Turn right onto North Front Street and continue for 0.3 mile. Turn left onto West Spring Street. Continue for 0.3 mile before turning right onto Neil Avenue. The Project area is approximately 0.4 mile north at the intersection of Neil Avenue and Vine Street (latitude 39.971545, longitude -83.009507). The Project extends east and west along Vine Street from this location.

### **B(8) Property Agreements**

The applicant shall provide a list of properties for which the applicant has obtained easements, options, and/or land use agreements necessary to construct and operate the facility and a list of the additional properties for which such agreements have not been obtained.

The Project relocates an overhead transmission line to underground operation. The underground relocation will be constructed within road ROW through an agreement with the City of Columbus obtained by the customer. Three parcels at the eastern and western ends of the Project will be crossed by the overhead spans. No new ROW will be required on any of these parcels. No other property easements, options, or land use agreements are necessary to construct the Project or operate the transmission line.

A list of properties required for the Project is provided in the table below.

Property Parcel Number	Agreement Type	Easement/ Option Obtained (Yes/No)
010-253404	Existing ROW	Yes
010-053470	Existing ROW	Yes
010-066303	Existing ROW	Yes

### **B(9)** Technical Features

The applicant shall describe the following information regarding the technical features of the project:

B(9)(a) Operating characteristics, estimated number and types of structures required, and right-of-way and/or land requirements.

Line Asset Name - Vine-City of Columbus West 138 kV, anticipated technical specifications:

### **Underground**

Voltage: 138 kV

Conductors: (3) 5000 kcmil copper solid dielectric transmission cables

Static Wire: 350 kcmil ground continuity conductor

Insulators: Not applicable

ROW Width: Installed in public road right of way

Structure Types: Underground duct bank

### **Overhead**

Voltage: 138 kV

Conductors: (3) 795 kcm ACSR 45/7 Strand

Static Wire: (1) 7#8 Alumoweld,

Insulators: Polymer ROW Width: 80'

Structure Type: (2) Custom Steel monopole riser poles with a drill pier concrete foundation

### B(9)(b) Electric and Magnetic Fields

For electric power transmission lines that are within one hundred feet of an occupied residence or institution, the production of electric and magnetic fields during the operation of the proposed electric power transmission line.

Three loading conditions were examined: (1) Normal Maximum Loading, (2) Emergency Loading, and (3) Winter Normal Conductor Rating, consistent with the OPSB requirements. Normal Maximum Loading represents the peak flow expected with all system facilities in service; daily/hourly flows fluctuate below this level. Emergency loading is the maximum current flow during unusual (contingency) conditions, which exist only for short periods of time. Winter normal (WN) conductor rating represents the maximum current flow that a line, including its terminal equipment, can carry during winter conditions. It is not anticipated that this circuit of this line would operate at its WN rating in the foreseeable future.

EMF levels were computed one meter above ground under the line and at the ROW edges (50/50 feet, left/right, of centerline).

Our results, calculated using EPRI's CYMCAP 8.0 software are summarized below.

\*EMF levels (left ROW edge/maximum/right ROW edge) computed one meter above ground at the point of minimum ground clearance, assuming balanced phase currents and 1.0 P.U. Voltages. ROW width is 50 feet (left) and 50 feet (right) of centerline, respectively.

Vine-City of Columbus West 138 kV Line								
Condition	Load (A)	Phasing Arrangements	Magnetic Field (mG)*					
(1) Normal Max. Loading^	1183	A-B-C	4.55/192.42/4.95					
(2) Emergency Line Loading^^	1183	A-B-C	4.55/192.42/4.95					
(3) Winter Conductor Rating^^^	1200	A-B-C	4.62/195.19/5.02					

<sup>^</sup>Peak line flow expected with all system facilities in service.

For power-frequency EMF, IEEE Standard C95.6TM-2002 recommends the following limits:

	General Public	Controlled Environment
Electric Field Limit (kV/m)	5.0	20.0
Magnetic Field Limit (mG)	9040	27,100

<sup>^^</sup>Maximum flow during a critical system contingency

<sup>^^^</sup>Maximum continuous flow that the line, including its terminal equipment, can withstand during winter conditions.

### Letter of Notification for Vine-City of Columbus West 138 kV Transmission Line Relocation Project

The above EMF levels are well within the limits specified in IEEE Standard C95.6TM-2002. Those limits have been established to "prevent harmful effects in human beings exposed to electromagnetic fields in the frequency range of 0-3 kHz."

### B(9)(b)(ii) Design Alternatives

A discussion of the applicant's consideration of design alternatives with respect to electric and magnetic fields and their strength levels, including alternate conductor configuration and phasing, tower height, corridor location, and right-of-way width.

Design alternatives were not considered due to EMF strength levels. Transmission lines, when energized, generate EMF. Laboratory studies have failed to establish a strong correlation between exposure to EMF and effects on human health. However, some people are concerned that EMF have impacts on human health. Due to these concerns, EMF associated with the new circuits was calculated and set forth in the table above. The EMF was computed in a manner to maximize the estimate, assuming the highest reasonable input values based on conditions along the proposed transmission line rebuild. Normal daily EMF levels would be less than these, which were calculated at maximum load conditions. Based on studies from the National Institutes of Health, the magnetic field (measured in milliGauss, or mG) associated with emergency loading at the highest EMF value for this transmission line is lower than those associated with normal household appliances like microwave ovens, electric shavers and hair dryers. For additional information regarding EMF, the National Institutes of Health has posted information on their website:

### http://www.niehs.nih.gov/health/topics/agents/emf/.

Additionally, information on electric and magnetic fields is available on the Company's website: https://www.aepohio.com/info/projects/emf/OurPosition.aspx. The information found on the Company's website describes the basics of electromagnetic field theory, scientific research activities, and EMF exposures encountered in everyday life. Similar material will be made available for those affected by the construction activities for this Project.

### B(9)(c) Project Cost

### The estimated capital cost of the project.

The capital cost estimate for the proposed Project, which is comprised of applicable tangible and capital costs, is approximately \$4,100,000 based on a Class 5 estimate. The costs of this Project will be fully recovered through reimbursement by the customer.

Letter of Notification for Vine-City of Columbus West 138 kV Transmission Line Relocation Project

**B(10) Social and Economic Impacts** 

The applicant shall describe the social and ecological impacts of the project:

B(10)(a) Land Use Characteristics

Provide a brief, general description of land use within the vicinity of the proposed project, including a list of municipalities, townships, and counties affected.

Aerial photography of the Project vicinity is provided as Figure 2 in Appendix A. The Project is located in the City of Columbus, Franklin County, Ohio. Land use in the Project area consists of urban development including commercial buildings and multi-family residences on the adjacent properties.

### B(10)(b) Agricultural Land Information

Provide the acreage and a general description of all agricultural land, and separately all agricultural district land, existing at least sixty days prior to submission of the application within the potential disturbance area of the project.

No agricultural land is located within the Project footprint or adjacent properties. The Franklin County Auditor provided a list of parcels registered as Agricultural District Land on October 6, 2022. None of the Project Area properties were identified as an Agricultural District Land parcel.

### B(10)(c) Archaeological and Cultural Resources

Provide a description of the applicant's investigation concerning the presence or absence of significant archaeological or cultural resources that may be located within the potential disturbance area of the project, a statement of the findings of the investigation, and a copy of any document produced as a result of the investigation.

The Company's consultant completed a Phase I Cultural Resource Management Investigation of the Project Area. No archaeology sites or historic structures were identified, and no further investigation was considered to be necessary for the Project. The Ohio Historic Preservation Office ("SHPO") agreed that the Project will have no effect on historic properties and no additional coordination is necessary prior to construction. A copy of the October 5, 2022 concurrence letter from SHPO is provided in Appendix C.

### B(10)(d) Local, State, and Federal Agency Correspondence

Provide a list of the local, state, and federal governmental agencies known to have requirements that must be met in connection with the construction of the project, and a list of documents that have been or are being filed with those agencies in connection with siting and constructing the project.

The Project disturbance is below the reporting levels for an Ohio Environmental Protection Agency Stormwater Pollution Prevention Plan.

The Project required an Economic Development permit from the City of Columbus and concurrence from the City of Columbus was received in September 2022.

No streams or wetlands were delineated in the Project area (see Appendix D). Therefore, the Project will not require a Clean Water Act Section 404 Permit from the U.S. Army Corps of Engineers or a Section 401 Water Quality Certification from the OEPA.

The FEMA Flood Insurance Rate Map was reviewed to identify any floodplains/flood hazard areas that have been mapped within the Project Area (specifically, map number **39049Co307K**). Based on this mapping, no mapped FEMA floodplains are located in the Project Area. Therefore, no floodplain permit will be required for this Project.

There are no other known local, state, or federal requirements that must be met prior to commencement of the proposed Project.

### B(10)(e) Threatened, Endangered, and Rare Species

Provide a description of the applicant's investigation concerning the presence or absence of federal and state designated species (including endangered species, threatened species, rare species, species proposed for listing, species under review for listing, and species of special interest) that may be located within the potential disturbance area of the project, a statement of the findings of the investigation, and a copy of any document produced as a result of the investigation.

The Company's consultant requested comments from the United States Fish and Wildlife Service (USFWS) and Ohio Department of Natural Resources (ODNR) regarding threatened and endangered species with the potential to inhabit the Project area. On October 6, 2022, USFWS stated that they do not anticipate adverse effects to federally endangered, threatened, or proposed species or proposed or designated critical habitat, see Appendix C.

ODNR provided a response on October 6, 2022, see Appendix C. Records of four mussel species and the little brown bat were reported in the vicinity of the Project. Further, ODNR indicated that the Project area is likely situated within the range of 26 threatened and endangered species. These species include Indiana, northern long-eared, little brown, and tricolored bat species listed as endangered or threatened at the federal or state level. The Company's consultant conducted a desk top survey based on the current Ohio Division of Wildlife and U.S. fish and Wildlife Services (OH-Field Office) Joint Guidance for Bat Surveys and Tree Clearing and did not identify any hibernaculums in the area. Tree clearing for the Project is anticipated to occur between October 1 and March 31. Bat species are not expected to be impacted by the Project.

No streams were identified in the Project area. Threatened and endangered aquatic species such as listed fishes and mussels will not be impacted.

### B(10)(f) Areas of Ecological Concern

Provide a description of the applicant's investigation concerning the presence or absence of areas of ecological concern (including national and state forests and parks, floodplains, wetlands, designated or proposed wilderness areas, national and state wild and scenic rivers, wildlife areas, wildlife refuges, wildlife management areas, and wildlife sanctuaries) that may be located within the potential disturbance area of the project, a statement of the findings of the investigation, and a copy of any document produced as a result of the investigation.

Based on a review of GIS data including Public Areas Database of the U.S. (PADUS) and parcels from the county auditor, unique ecological sites, geologic features, animal assemblages, scenic rivers, state wildlife areas, state nature preserves, state or national parks, state or national forests, or other protected natural areas were not identified within the Project Area.

FEMA Flood Insurance Rate Maps were consulted to identify any floodplains/flood hazard areas that have been mapped in the Project Area (specifically, map number **39049C0307K**). Based on these maps, no mapped FEMA floodplains are located in the Project area.

Wetland and stream delineation field surveys were completed within the Project area by the Company's consultant in September 2022. No streams or wetlands were delineated in the Project area. (see Figure 3 in Appendix D).


### **B(10)(g) Unusual Conditions**

Provide any known additional information that will describe any unusual conditions resulting in significant environmental, social, health, or safety impacts.

To the best of the Company's knowledge, no unusual conditions exist that would result in significant environmental, social, health, or safety impacts.

Letter of Notification for Vine-City of Columbus West 138 kV Transmission Line Relocation Project

# **APPENDIX A – FIGURES**





Existing Transmission Line (138 kV)

Parcel Boundary


Ohio State Plane South NAD 1983



October 11, 2022




AEP OHIO		8 kV Transmi	
			400
	ENERGY	13	ENERGY



Letter of Notification for Vine-City of Columbus West 138 kV Transmission Line Relocation Project

# **APPENDIX B – PJM SUBMITTAL**





Need Number: AEP-2022-OH070

**Process Stage:** Need Meeting 9/16/2022

**Supplemental Project Driver:** 


**Customer Service** 

# **Specific Assumption Reference:**

AEP Guidelines for Transmission Owner Identified Needs (AEP Assumptions slide 7)

### **Problem Statement:**

 A customer has requested that AEP relocate the section from structures 2 to 7 of the Vine - City of Columbus West 138kV line from overhead to underground to accommodate development in the area. The customer has requested this work to be in service by June 2023.



# **APPENDIX C – AGENCY CORRESPONDENCE**



In reply, refer to 2022-FRA-56008

October 5, 2022

Mr. Ryan J. Weller Weller & Associates, Inc. 1395 West Fifth Avenue Columbus, Ohio 43212

RE: Vine Street-City of Columbus 138kV Rebuild Project, City of Columbus, Franklin County, Ohio

Dear Mr. Weller:

This letter is in response to the correspondence received September 29, 2022 regarding the proposed Vine Street-City of Columbus 138kV Rebuild Project, City of Columbus, Franklin County, Ohio. We appreciate the opportunity to comment on this project. The comments of the Ohio State Historic Preservation Office (SHPO) are made pursuant to Section 149.53 of the Ohio Revised Code and the Ohio Power Siting Board rules for siting this project (OAC 4906-5). The comments of the Ohio SHPO are also submitted in accordance with the provisions of Section 106 of the National Historic Preservation Act of 1966, as amended (54 U.S.C. 306108 [36 CFR 800]).

The following comments pertain to the *Cultural Resource Management Literature Review for the Vine Street-City of Columbus 138kV Rebuild Project in The City of Columbus, Franklin County, Ohio* by Ryan J. Weller (Weller & Associates, Inc. 2022).

A literature review was completed for the proposed Vine Street-City of Columbus 138kV Rebuild Project, which consists of an aboveground line to an underground easement from Structure 2 to Structure 7. No previously identified archaeological sites are located within the project area. The project as proposed will not affect history/architecture resources. Our office agrees no additional cultural resource investigation is needed.

Based on the information provided, we agree that the project as proposed will have no effect on historic properties. No further coordination with this office is necessary, unless the project changes or unless new or additional historic properties are discovered during implementation of this project. In such a situation, this office should be contacted. If you have any questions, please contact me at (614) 298-2022, or by e-mail at <a href="mailto:khorrocks@ohiohistory.org">khorrocks@ohiohistory.org</a>. Thank you for your cooperation.

Sincerely,

Krista Horrocks, Project Reviews Manager

Resource Protection and Review

RPR Serial No: 1095168



MARY MERTZ, DIRECTOR

Office of Real Estate John Kessler, Chief 2045 Morse Road – Bldg. E-2 Columbus, OH 43229 Phone: (614) 265-6621 Fax: (614) 267-4764

October 6, 2022

Aaron Geckle V3 Companies 312 Walnut Street, Suite 1600 Cincinnati, OH 45202

Re: 22-0910; AEP Vine-City of Columbus West 138 kV Transmission Line Relocation

**Project:** The proposed project involves relocating approximately 0.3 miles of the existing Vine-City of Columbus 138 kV transmission line from overhead to underground.

**Location:** The proposed project is located in the City of Columbus, Franklin County, Ohio.

The Ohio Department of Natural Resources (ODNR) has completed a review of the above referenced project. These comments were generated by an inter-disciplinary review within the Department. These comments have been prepared under the authority of the Fish and Wildlife Coordination Act (48 Stat. 401, as amended; 16 U.S.C. 661 et seq.), the National Environmental Policy Act, the Coastal Zone Management Act, Ohio Revised Code and other applicable laws and regulations. These comments are also based on ODNR's experience as the state natural resource management agency and do not supersede or replace the regulatory authority of any local, state or federal agency nor relieve the applicant of the obligation to comply with any local, state or federal laws or regulations.

**Natural Heritage Database:** The Natural Heritage Database has the following data within one mile of the project area:

Elktoe (*Alasmidonta marginata*), SC Wavy-rayed Lampmussel (*Lampsilis fasciola*), SC Round Pigtoe (*Pleurobema sintoxia*), SC Pondhorn (*Uniomerus tetralasmus*), T

Conservation status abbreviations are as follows: E = state endangered; T = state threatened; P = state potentially threatened; SC = state species of concern; SI = state special interest; U = state status under review; X = presumed extirpated in Ohio; FE = federally endangered, and FT = federally threatened.

The review was performed on the specified project area as well as an additional one-mile radius. Records searched date from 1980.

Please note that Ohio has not been completely surveyed and we rely on receiving information from many sources. Therefore, a lack of records for an area is not a statement that rare species or unique features are absent from that area.

**Fish and Wildlife:** The Division of Wildlife (DOW) has the following comments.

The DOW recommends that impacts to streams, wetlands and other water resources be avoided and minimized to the fullest extent possible, and that Best Management Practices be utilized to minimize erosion and sedimentation.

The project is within the vicinity of records for the little brown bat (*Myotis lucifugus*), a state endangered species. Because presence of state endangered bat species has been established in the area, summer tree cutting is not recommended, and additional summer surveys would not constitute presence/absence in the area. However, limited summer tree cutting inside this buffer may be acceptable after further consultation with DOW (contact Eileen Wyza at Eileen.Wyza@dnr.ohio.gov).

In addition, the entire state of Ohio is within the range of the Indiana bat (*Myotis sodalis*), a state endangered and federally endangered species, the northern long-eared bat (*Myotis septentrionalis*), a state endangered and federally threatened species, the little brown bat (*Myotis lucifugus*), a state endangered species, and the tricolored bat (*Perimyotis subflavus*), a state endangered species. During the spring and summer (April 1 through September 30), these bat species predominately roost in trees behind loose, exfoliating bark, in crevices and cavities, or in the leaves. However, these species are also dependent on the forest structure surrounding roost trees. The DOW recommends tree cutting only occur from October 1 through March 31, conserving trees with loose, shaggy bark and/or crevices, holes, or cavities, as well as trees with DBH  $\geq 20$  if possible.

The DOW also recommends that a desktop habitat assessment is conducted, followed by a field assessment if needed, to determine if a potential hibernaculum is present within the project area. Direction on how to conduct habitat assessments can be found in the current USFWS "RANGE-WIDE INDIANA BAT & NORTHERN LONG-EARED BAT SURVEY GUIDELINES." If a habitat assessment finds that a potential hibernaculum is present within 0.25 miles of the project area, please send this information to Eileen Wyza for project recommendations. If a potential or known hibernaculum is found, the DOW recommends a 0.25-mile tree cutting and subsurface disturbance buffer around the hibernaculum entrance, however, limited summer or winter tree cutting may be acceptable after consultation with the DOW. If no tree cutting or subsurface impacts to a hibernaculum are proposed, this project is not likely to impact these species.

The project is within the range of the following listed mussel species.

### Federally Endangered

clubshell (*Pleurobema clava*)
rayed bean (*Villosa fabalis*)
northern riffleshell (*Epioblasma torulosa rangiana*)
snuffbox (*Epioblasma triquetra*)
purple cat's paw (*Epioblasma o. obliquata*)

### Federally Threatened

rabbitsfoot (Quadrula cylindrica cylindrica)

### State Endangered

elephant-ear (*Elliptio crassidens crassidens*) long solid (*Fusconaia maculata maculate*) Ohio pigtoe (*Pleurobema cordatum*)

pocketbook (*Lampsilis ovata*) washboard (*Megalonaias nervosa*)

### State Threatened

pondhorn (*Uniomerus tetralasmus*)

Salamander Mussel (Simpsonaias ambigua)

Due to the location, and that there is no in-water work proposed in a perennial stream, this project is not likely to impact these species.

The project is within the range of the following listed fish species.

### State Endangered

goldeye (*Hiodon alosoides*) shortnose gar (*Lepisosteus platostomus*) Iowa darter (*Etheostoma exile*) spotted darter (*Etheostoma maculatum*) northern brook lamprey (*Ichthyomyzon fossor*) tonguetied minnow (*Exoglossum laurae*) popeye shiner (*Notropis ariommus*)

### State Threatened

lake chubsucker (*Erimyzon sucetta*) paddlefish (*Polyodon spathula*)

Due to the location, and that there is no in-water work proposed in a perennial stream, this project is not likely to impact these species.

Due to the potential of impacts to federally listed species, as well as to state listed species, we recommend that this project be coordinated with the US Fish & Wildlife Service.

Water Resources: The Division of Water Resources has the following comment.

The <u>local floodplain administrator</u> should be contacted concerning the possible need for any floodplain permits or approvals for this project.

ODNR appreciates the opportunity to provide these comments. Please contact Mike Pettegrew at <a href="mike.pettegrew@dnr.ohio.gov">mike.pettegrew@dnr.ohio.gov</a> if you have questions about these comments or need additional information.

Mike Pettegrew Environmental Services Administrator

# **United States Department of the Interior**



### FISH AND WILDLIFE SERVICE

Ecological Services 4625 Morse Road, Suite 104 Columbus, Ohio 43230 (614) 416-8993 / FAX (614) 416-8994



October 6, 2022

Project Code: 2022-0082743

Re: AEP Vine Street 138 kV transmission line relocation

Dear Mr./Ms.,

The U.S. Fish and Wildlife Service (Service) received your recent correspondence requesting information about the subject proposal. We offer the following comments and recommendations to assist you in minimizing and avoiding adverse effects to threatened and endangered species pursuant to the Endangered Species Act of 1973 (16 U.S.C. 1531 et seq), as amended (ESA).

<u>Federally Threatened and Endangered Species</u>: Due to the project, type, size, and location, we do not anticipate adverse effects to federally endangered, threatened, or proposed species or proposed or designated critical habitat. If there are any project modifications during the term of this action, or additional information for listed or proposed species or their critical habitat becomes available, or if new information reveals effects of the action that were not previously considered, then please contact us for additional project review.

If you have questions, or if we can be of further assistance in this matter, please contact our office at (614) 416-8993 or ohio@fws.gov.

Sincerely,

Patrice Ashfield Field Office Supervisor

# **APPENDIX D – ECOLOGICAL RESOURCES DELINEATION REPORT**

# VINE-CITY OF COLUMBUS WEST 138 KV TRANSMISSION LINE RELOCATION PROJECT ECOLOGICAL RESOURCES INVENTORY REPORT



### PROJECT SITE:

Vine and Kilbourne Streets
City of Columbus, Franklin County, Ohio

### PREPARED FOR:

AEP Ohio Transmission Company, Inc. 8500 Smiths Mill Road New Albany, Ohio 43054



BOUNDLESS ENERGY"

### PREPARED BY:

V3 Companies, Ltd. 312 Walnut Street Suite 1600 Cincinnati, Ohio 45202

October 2022

### TABLE OF CONTENTS

Chap	ter 1 Introduction	1
Chap	ter 2 Methods	2
2.1	Land Cover Survey	2
2.2	Wetland Delineation	2
2.3	Stream Delineation	2
2.4	Open Water Survey	3
2.5	Endangered, Threatened, and Rare Species	3
Chap	ter 3 Results	4
3.1	Land Cover	4
3.2	Wetlands	4
3.3	Streams	4
3.4	Open Waters	4
3.5	Endangered, Threatened, and Rare Species	4
Chap	ter 4 Conclusion	8
FIGU	RES	
Figur Figur	E 1: PROJECT LOCATION MAP E 2: HABITAT ASSESSMENT MAP E 3: WETLAND AND STREAM DELINEATION MAP E 4: THREATENED & ENDANGERED SPECIES HABITAT MAP	
	ES 1: Land Cover Survey Results	
APPE	NDICES	

Appendix A	Representative Habitat Photograph
Appendix B	Wetland Delineation Materials
APPENDIX C	USFWS AND ODNR COORDINATION



# CHAPTER 1 INTRODUCTION

AEP Ohio Transmission Company, Inc., (AEP) plans to convert approximately 0.3 mile of the Vine-City of Columbus 138 kV Transmission Line from overhead operation to underground at the request of a customer in the City of Columbus, Franklin County, Ohio (the Project). The section of transmission line is located predominantly along Kilbourne Street and Vine Street with the underground relocation shifting slightly primarily within the existing road right-of-way (ROW). The Project area (SITE) is generally centered on and within 25 feet of the existing and proposed alignments resulting in an approximately 3.2-acre corridor (Figure 1).

V3 Companies, Ltd (V3) evaluated the SITE for wetlands, streams, open water, and threatened and endangered species and habitat.

This report has been prepared solely in accordance with an agreement between AEP and V3. The services performed by V3 have been conducted in a manner consistent with the level of quality and skill generally exercised by members of its profession and consulting practices relating to this type of engagement.

This report is solely for the use of AEP. It was prepared based upon an understanding of AEP's specific objective(s) and based upon information obtained by V3 in furtherance of AEP's specific objective(s). Any reliance on this report by third parties shall be at such third party's sole risk as this report may not contain, or be based upon, sufficient information for purposes of other parties, for their objectives, or for other uses. This report shall only be presented in full and may not be used to support any objectives other than those for AEP as set out in the report, except where written approval and consent are expressly provided by AEP and V3.



# CHAPTER 2 METHODS

### 2.1 LAND COVER SURVEY

V3 coordinated with the U.S. Fish and Wildlife Service (USFWS) and Ohio Department of Natural Resources (ODNR) to determine the potential presence of protected areas within the site area. Potential protected areas include unique ecological sites, geologic features, animal assemblages, scenic rivers, state wildlife areas, nature preserves, parks, state/national forests, wildlife refuges, and others.

V3 also completed a desktop terrestrial habitat analysis using geographic information system (GIS) software and aerial imagery. V3 identified land cover and vegetative community types within the Project area and determined the percent share of total area accounted for by each. V3 verified this analysis by completing a pedestrian survey of the Project area, noting vegetative species composition and documenting conditions with representative photographs.

### 2.2 WETLAND DELINEATION

V3 completed a wetland desktop review of Project area using the following: U.S. Geological Survey (USGS) topographic maps; aerial photography; National Wetland Inventory (NWI) maps; U.S. Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS) soil survey maps; and Federal Emergency Management Agency (FEMA) National Flood Hazard Layer (NFHL) data.

V3 completed an on-site wetland delineation using the Routine Determination Method (RDM) as per the U.S. Army Corps of Engineers (USACE) *Wetlands Delineation Manual* and *Midwest Supplement*. This approach recognizes the three parameters of wetland hydrology, hydrophytic vegetation, and hydric soils to identify and delineate wetland boundaries. Wetland surveys were conducted using the most current regulations as regulated by Ohio Administrative Code (OAC) rules 3745-1-50 through 3745-1-54. V3 used a portable global positioning system (GPS) of sub-meter accuracy to delineate all wetlands identified within the Project area. Once delineated, V3 classified these wetlands using the Ohio Rapid Assessment Method (ORAM) for wetlands.

### 2.3 STREAM DELINEATION

V3 completed a stream desktop review using the available USGS topographic mapping, aerial photography, and FEMA National Flood Hazard Layer (NFHL) data. A review of the Ohio Environmental Protection Agency (OEPA) Stream Water Quality Certification Eligibility Web Map and Aquatic Life Use Designations (OAC 3745-1) was also completed to determine if any potential jurisdictional streams have special permitting requirements.

V3 identified drainage features located at the Project area. If the feature exhibited an ordinary high water mark<sup>1</sup> (OHWM), V3 determined its jurisdictional status using the pre-2015 regulatory definition<sup>2</sup> of "Waters of the U.S." If the feature qualified as a "Water of the U.S.," V3 classified it as an ephemeral, intermittent, or perennial stream.<sup>3</sup> As regulated by OAC Chapter 3745-1-24, V3 performed a functional habitat assessment using the Headwater Habitat Evaluation Index (HHEI) or the Qualitative Habitat Evaluation Index (QHEI). V3 recorded stream centerlines using a hand-held GPS of sub-meter accuracy.

<sup>&</sup>lt;sup>3</sup> 3 CFR §32.3(c)(3,5,8)



-

<sup>&</sup>lt;sup>1</sup> 33 Code of Federal Regulations (CFR) §328.3(c)(7)

<sup>&</sup>lt;sup>2</sup> 40 CFR §230.3(s)a

V3 also used a hand-held GPS to record the placement of upland drainage features lacking an OHWM but did not complete an HHEI or QHEI for these features.

### 2.4 OPEN WATER SURVEY

V3 completed an on-SITE survey for open water features (such as ponds) within the site area. V3 recorded the placement of these features using a hand-held GPS unit of sub-meter accuracy.

### 2.5 ENDANGERED, THREATENED, AND RARE SPECIES

V3 coordinated with the USFWS and the ODNR regarding the potential presence of any rare, threatened, or endangered species within the Project area in September 2022. This included a submittal to the USFWS Information and Planning Consultation (IPaC) website and correspondence letters to the USFWS and ODNR.

V3 also completed an on-site pedestrian habitat survey, noting and recording instances of rare, threatened, or endangered species habitat observed. If applicable, V3 documented rare, threatened, or endangered habitat using a hand-held GPS. If present, areas of karst topography and underground mine openings were also reviewed for potential as winter hibernacula for bat species.



# CHAPTER 3 RESULTS

V3 completed on-SITE Project area fieldwork on 20 September 2022. This included a land cover survey, wetland delineation, stream delineation, open water survey, and habitat survey.

### 3.1 LAND COVER

Review of GIS databases and county parcel data indicated no protected areas within the Project area limits. V3's land cover survey identified three land cover and vegetative community types within the Project area (Table 1 and Figure 2).

Туре	Anthropogenic Disturbance	Unique, Rare, or High Quality?	Project Area Acreage (approximate)
Landscaped Lawns	Maintained grassland consistent vegetation mowing. Planting of non-native species is prevalent.	No	0.97
Scrub/Shrub/ROW	Existing electric transmission line with maintained vegetation including small coniferous trees and honeysuckle	No	0.10
Existing Asphalt/Gravel Roadway or Parking	Extremely disturbed areas completely or almost completely free of vegetation	No	2.12

Table 1: Land Cover Survey Results

**Figure 2** shows the approximate placement of these land cover types. Representative photographs of the habitat in the Project area are included in **Appendix A**.

### 3.2 WETLANDS

V3 identified no wetlands within the Project area. Figure 3 shows limits of the wetland delineation. No NWI features are mapped within the Project area. Data sheets for upland areas evaluated on SITE can be referenced in **Appendix B**.

### 3.3 STREAMS

No streams, ditches, or drainage features were identified within the Project area.

### 3.4 OPEN WATERS

V3 identified no open water features situated within the Project area.

### 3.5 ENDANGERED, THREATENED, AND RARE SPECIES

USFWS provided a written response regarding their review of the Project on 6 October 2022. Due to the Project type, size, and location, USFWS stated that they do not anticipate adverse effects to federally endangered, threatened, or proposed species or proposed or designated critical habitat. ODNR provided a response on 6 October 2022. Records of four mussel species and the little brown bat were reported in the vicinity of the Project. Further, ODNR indicated that the Project area is likely situated within the range of 26 threatened and endangered species, for which V3 identified no instance of potential habitat (Table 2, Figure 4). The response letters are provided in Appendix C.



Table 2: Habitat Survey Results

Scientific Name	Common Name	Federal Status	State Status	Habitat	Typical ODNR Comments	USFWS Comments	Habitat Observed	Potential Impacts & Avoidance	
					Bats				
Myotis sodalis	Indiana bat	E	E	During the spring and summer (April 1 through	Project is within the vicinity little brown bats. Additional summer surveys would not constitute presence/absence in the	Due to the Project type, size, and location, USFWS		Any trees over 3	
Myotis septentrionalis	Northern long- eared bat	Т	E	September 30), these species of bats predominately roost in trees behind loose, exfoliating bark, in crevices and cavities, or in the leaves. Primarily use caves for hibernacula, although they are also known to hibernate in	area. ODNR DOW recommends that habitat be conserved wherever possible. If suitable habitat occurs within the Project area	does not anticipate adverse effects to these species.	inch W cle Octol Mar	inches dbh will be cleared October 1 to March 31. Based on	
Myotis lucifugus	Little brown bat	N/A	leaves. Prir use caves hibernac although th also know hibernat		cavities, or in the leaves. Primarily use caves for hibernacula, although they are also known to	cavities, or in the leaves. Primarily use caves for hibernacula, although they are also known to	and trees need to be cut, the ODNR DOW recommends cutting occur between October 1 and March 31. ODNR also recommends a desktop habitat	None	None
Perimyotis subflavus	Tricolored bat	N/A	E	abandoned underground mines.	assessment, followed by a field assessment if needed, to determine if a potential hibernaculum is present within 0.25 mile of the Project area.	None		within 0.25 mile.	



Scientific Name	Common Name	Federal Status	State Status	Habitat	Typical ODNR Comments	USFWS Comments	Habitat Observed	Potential Impacts & Avoidance
					Fishes			
Lepisosteus platostomus	Shortnose gar	N/A	Е		00000000			
Notropis ariommus	Popeye shiner	N/A	Е		ODNR DOW recommends no in-water work in perennial			
Hiadon alosoides	Goldeye	N/A	Е		streams from March 15			No
Ichthyomyzon fossor	Northern brook lamprey	N/A	Е		through June 30 to reduce impacts to	None	None	perennial streams were observed within the Project area.
Etheostoma exile	Iowa darter	N/A	Е	Perennial streams	indigenous aquatic species and their habitat. If no in-water work is proposed in a perennial stream, this Project is not likely to impact these or other aquatic species.			
Etheostoma maculatum	Spotted darter	N/A	Е	of sufficient size.				
Exoglssum laurae	Tonguetied minnow	N/A	E					
Erimyzon sucetta	Lake chubsucker	N/A	Т					
Polyodon spathula	Paddlefish	N/A	Т					
				N	Mussels			
Epioblasma torulosa rangiana	Northern Riffleshell	Е	Е					No
Epioblasma obliqata obliquata	Purple cat's paw	Е	Е			Due to the Project		perennial streams
Quadrula cylindrica	Rabbitsfoot	Т	Е	Perennial streams of sufficient size.	The Project area is within	type, size, and location, USFWS		were observed within the Project area.
Eliptio crassidens crassidens	Elephant-ear	N/A	Е		the range of this species.	does not anticipate adverse effects to		
Pleurobema cordatum	Ohio pigtoe	N/A	Е			these species.		No in-water work is
Lampsilis avata	Pocketbook	N/A	Е					proposed.



Scientific Name	Common Name	Federal Status	State Status	Habitat	Typical ODNR Comments	USFWS Comments	Habitat Observed	Potential Impacts & Avoidance
Uniomoerus tetralasmus	Pondhorn	N/A	Т					
Epioblasma triquetra	Snuffbox	E	Е					
Fosconaia subrotunda	Long solid	N/A	Е					
Megalonaias nervosa	Washboard	N/A	Е					
Pleurobema clava	Clubshell	E	Е					
Villosa fabalis	Rayed bean	E	Е					
Simpsonaias ambigua	Salamandar mussel	N/A	Т					
				lı	nsects			
Danaus plexippus	Monarch butterfly	С	N/A	Migratory species that lay their eggs on their obligate milkweed host plant.	None	Due to the Project type, size, and location, USFWS does not anticipate adverse effects to this species.	None	Transient nature of species and limited footprint of Project work areas relative to surrounding area.





## CHAPTER 4 CONCLUSION


On 20 September 2022, V3 completed a wetland delineation, stream delineation, open water survey, and habitat survey for the Project area of the proposed Vine-City of Columbus West 138 kV transmission line relocation. V3 identified no wetlands, streams, drainage features, open water features, or endangered, threatened, or rare species habitat were identified within the Project area.


USFWS provided a written response regarding their review of the Project on 6 October 2022. Due to the Project type, size, and location, USFWS stated that they do not anticipate adverse effects to federally endangered, threatened, or proposed species or proposed or designated critical habitat. ODNR provided a response on 6 October 2022. Records of four mussel species and the little brown bat were reported in the vicinity of the Project. Further, ODNR indicated that the Project area is likely situated within the range of 26 threatened and endangered species. These species include Indiana, northern long-eared, little brown, and tricolored bat species listed as endangered or threatened at the federal or state level. No underground mine points or karst features are mapped by ODNR within 0.25 mile of the SITE. Based on the current USFWS guidelines, no potential hibernacula were identified within 0.25 mile. The closest mapped potential hibernaculum based on these data sources is approximately five miles to the northwest. Any trees over three inches dbh will be cleared October 1 to March 31.











# Appendix A

Representative Habitat Photographs



#### Photo: 1

Overhead span from Vine Station

### **Direction of View:**

West

#### Date:

20 September 2022



#### Photo: 2

Existing and proposed alignments along Kilbourne Street

#### **Direction of View:**

North

#### Date:

20 September 2022



#### Photo: 3

Existing and proposed alignments along Vine Street from Kilbourne Street

### **Direction of View:**

West

### Date:

20 September 2022



# Photo: 4

Data Point 1

#### **Direction of View:**

West

#### Date:

20 September 2022



#### Photo: 5

Existing and proposed alignments along Vine Street from Neil Avenue

### **Direction of View:**

West

#### Date:

20 September 2022



#### Photo: 6

Data Point 2

# **Direction of View:**

West

#### Date:

20 September 2022



# Photo: 7

Overhead span across Vine Street

### **Direction of View:**

Southwest

#### Date:

20 September 2022



#### Photo: 8

Western endpoint of project and overhead span

# **Direction of View:**

South

### Date:

20 September 2022



# Appendix B

# Wetland Delineation Materials



#### WETLAND DETERMINATION FORM-MIDWEST REGION

Site: Vine Street Relocation Client: American Electric Power				City/County: France State: OH Section, Town			nklin County	Date:			Data Po		21
Investi	gator(s):	N. Houk, A		State: OH	_Section	n, Iowr	iship, Range: Landform	Te			N, R 22W Relief	Convex	
Slope	(%): `´	3-5	Lat. 3 - Ockley comp	9.971743	Long.	200			NAD 83				
Cl	imatic/hydrolog	ic condition	s typical for tim	e of vear?	Y/N	Υ							
	Vegetation Vegetation		, Soil	or Hy	drology drology	S	significantly disturbed naturally problematic						
	ormal Circumsta	ances Prese	ent? Y	es X	No	'	laturally problematic						
SUMM	IARY OF FIND Hydro		tation Present?	Yes	No	Х							
		Hydri	c Soil Present?	Yes	No	X			DP within		and?		
Remar			ology Present?		No	X		Yes	No	Х			
	TATION				D:								
Tree S	tratum	Plot size:	30'	Absolute % Cover	Domi Sped		Indicator Status	3					
1.							-		Doi	minanc	e Test We	orksheet	
2. 3.									Number of that are O				1
4.									that are O Total num			-	3
5.				0	Total Co	over			species ac Percent of	cross all f domina	i strata: ant specie	s	22
	Stratum_	Plot size:	15'	-					that are O	BL, FAC	CW, or FA	.C: 33.	.33
1. 2.						<del></del>			Prevalence Total	ce index % cove	of:		
3. 4.				-	-				OBL spec FACW spec		10		0 20
4. 5.					-				FAC spec	ies	30		90
Harh S	Stratum	Plot size:	<u> </u>	0	Total Co	over			FACU spec		60		240
1.	Poa pratensis			30	Y	<u>,                                     </u>	FAC	3	Tot	:al	100		350
2. 3.	Schedonorus a		<i>IS</i>	20	$-\frac{Y}{Y}$	,	FACU FACU	4	Hydrophy		evalence I etation In		3.50
4.	Echinochloa c	rus-galli		10			FACW	2	Rap	id Test	for Hydro	ohytic Veg.	
5. 6.	Trifolium repei Setaria faberi	าร		10 10	N		FACU FACU	4			Test is >: Index is <		
7.					-						cal Adapta	ations* Vegetation*	
8.				100	Total Co	over						and wetlan	d
Woody 1.	Vine Stratum	Plot size:	5'								•	ent, unless	
2.										. محاسب به مثال	d or proble	motio	
۷.											•		_
	Remarks:			0	Total Co	over			Hydro	phytic '	Vegetatio	n Present?	?
	Remarks:	ila Dagarin	tion: /Describ					a a n film	Hydro Yes	phytic '	Vegetatio No	n Present?	?
F	Pro		Matrix `		eded to		nent the indicator or Redox Featu		Hydro Yes	phytic '	Vegetatio No	n Present?	?
F	Prof Depth (inches)	Color	Matrix %			docun		res Text	Hydro Yes n absence	phytic '	Vegetatio No cators.)	n Present?	?
F	Pro	1	Matrix `	e to depth ne	eded to	docun	Redox Featu	res	Hydro Yes n absence	phytic '	Vegetatio No cators.)	n Present?	?
F	Prof Depth (inches)	Color	Matrix %	e to depth ne	eded to	docun	Redox Featu	res Text	Hydro Yes n absence	phytic '	Vegetatio No cators.)	n Present?	?
F	Prof Depth (inches) 0-18	Color 10YR 4/2	Matrix	e to depth ne	eded to	docun	Redox Featu Loc**	res Text Sil	Hydro Yes n absence ure	ophytic '	Vegetatio No cators.) emarks Fill	n Present?	?
F	Prof Depth (inches) 0-18	Color 10YR 4/2	Matrix	e to depth ne	% ced Mat	Type*	Redox Featu Loc**  -Coated Sand grains	res Text Sil	Hydro Yes n absence	ophytic '	Vegetatio No cators.) emarks Fill	n Present?	?
F	Prof Depth (inches) 0-18 *Type: C	Color 10YR 4/2	Matrix	e to depth ne	eded to % ced Mat Hydric Sandy N	Type*  rix, CS= Soil In	Redox Featu Loc**  -Coated Sand grains dicators: //ineral (S1)	res Text Sil	Hydro Yes n absence ure L ion: PL=Po	phytic 's of indi	Vegetation No cators.) emarks Fill ng, M=Marks Surface	n Present?	?
F	Depth (inches) 0-18	Color 10YR 4/2 =Concentra	Matrix	e to depth ne	eded to % ced Mat Hydric Sandy N 5cm Mu	Type*  rix, CS= Soil In Mucky N	Redox Featu  Loc**  -Coated Sand grains  dicators: //ineral (S1) at or Peat	res Text Sil	Hydro Yes n absence	e of india Re ore Linir	Vegetation No cators.) emarks Fill ng, M=Mar	n Present? x	?
F	Prof Depth (inches) 0-18 *Type: C Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf	Color 10YR 4/2 =Concentra in (A2) 3) ide (A4)	Matrix	e to depth ne	eeded to %  ced Mat Hydric Sandy N Sandy ( Sandy F	Type*  rix, CS= Soil In Nucky Nucky Pe Gleyed Redox (	Redox Featu Loc**  -Coated Sand grains dicators: Mineral (S1) at or Peat Matrix (S4) S5)	res Text Sil	Hydro Yes n absence ure L ion: PL=Po Rec Dep Rec Indicate	rephytic variations of indianal representations of the control of	vegetation No cators.) emarks Fill ng, M=Mark a Surface ark Surface ressions (roblematic	n Present? x  trix (F6) se (F7) F8) Hydric Soil:	
F	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A	Color 10YR 4/2 =Concentra n (A2) 3) ide (A4) rs (A5)	Matrix % 100 ation, D=Depleti	e to depth ne	ced Mate Hydric Sandy N Sandy Sandy Sandy Sandy Sandy Sandy For Strippen Strippen Loamy	Type*  Tix, CS= Soil In Mucky N Icky Pe Gleyed Redox ( d Matrix Mucky I	Redox Featu Loc**	res Text Sil	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron	ore Linir dox Dark leted D: dox Deploors for P st Prairi-Manga	vegetation No Cators.) marks Fill mg, M=Mark Surface ark Surface ark Surface aressions (roblematic lie Redox in ese Mas	rix  (F6) se (F7) F8) (A16) ses (F12)	s
F	Prof Depth (inches) 0-18 *Type: C Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo	Color 10YR 4/2 =Concentra in (A2) (3) ide (A4) rrs (A5) 10) w Dark Surf	Matrix % 100 ation, D=Depleti	e to depth ne	ced Mate Hydric Sandy F Sandy F Sandy F Sandy F Sandy F Loamy Loamy	Type*  Tix, CS=  Soil In  Mucky Mucky Pe Gleyed Redox (dd Matrix Mucky Gleyed	Redox Featu Loc**  -Coated Sand grains dicators: //ineral (S1) at or Peat Matrix (S4) S5) (S6) (Mineral (F1) Matrix (F2)	res Text Sil	Hydro Yes  n absence  ure  L  ion: PL=Pe  Rec  Dep  Rec  Indicate Iron Very	ore Linir  dox Dark bleted Dox Deployers for Pass Prair -Manga y Shallo	vegetation No Cators.) marks Fill mg, M=Mark Surface ark Surface ark Surface aressions (roblematic lie Redox in ese Mas	n Present? x  irix  (F6) ie (F7) is Hydric Soil: (A16)	s
SOIL	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A	Color 10YR 4/2  =Concentra  n (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrace (A12)	Matrix % 100 ation, D=Depleti face (A11) Type:	color Color Color RM=Redu	ced Mate Hydric Sandy N Sandy Sandy Sandy Sandy Sandy Sandy For Strippen Strippen Loamy	Type*  Tix, CS=  Soil In  Mucky Mucky Pe Gleyed Redox (dd Matrix Mucky Gleyed	Redox Featu Loc**  Coated Sand grains dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)	res Text Sil	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth	ore Linir dox Dark bleted Dark bleted Dark plors for Praist Prair -Manga y Shallo er	vegetation No cators.) emarks Fill eng, M=Mark c Surface eark Surface ressions ( roblematic in Redox in the R	rn Present? x  trix  (F6) se (F7) F8) Hydric Soil: (A16) ses (F12) urface (F12)	s
SOIL Restri	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su ctive Layer (if	Color 10YR 4/2  =Concentra  n (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrace (A12)	Matrix % 100 ation, D=Depleti	con, RM=Redu	ced Mate Hydric Sandy F Sandy F Sandy F Sandy F Sandy F Loamy Loamy	Type*  Tix, CS=  Soil In  Mucky Mucky Pe Gleyed Redox (dd Matrix Mucky Gleyed	Redox Featu Loc**  -Coated Sand grains dicators: //ineral (S1) at or Peat Matrix (S4) S5) (S6) (Mineral (F1) Matrix (F2)	res Text Sil	Hydro Yes  n absence  ure  L  ion: PL=Pe  Rec  Dep  Rec  Indicate Iron Very	ore Linir dox Dark bleted Dark bleted Dark plors for Praist Prair -Manga y Shallo er	vegetation No Cators.) marks Fill mg, M=Mark Surface ark Surface ark Surface aressions (roblematic lie Redox in ese Mas	rix  (F6) se (F7) F8) (A16) ses (F12)	s
Restrice HYDR	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulfe Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su ctive Layer (if Remarks: OLOGY	Color 10YR 4/2  =Concentra  in (A2) (A3) ide (A4) res (A5) 10) w Dark Surfrace (A12) observed):	Matrix % 100 ation, D=Depleti face (A11) Type:	con, RM=Redu	ced Mate Hydric Sandy F Sandy F Sandy F Sandy F Sandy F Loamy Loamy	Type*  Tix, CS=  Soil In  Mucky Mucky Pe Gleyed Redox (dd Matrix Mucky Gleyed	Redox Featu Loc**  Coated Sand grains dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)	res Text Sil	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth	ore Linir dox Dark bleted Dark bleted Dark plors for Praist Prair -Manga y Shallo er	vegetation No cators.) emarks Fill eng, M=Mark c Surface eark Surface ressions ( roblematic in Redox in the R	rn Present? x  trix  (F6) se (F7) F8) Hydric Soil: (A16) ses (F12) urface (F12)	s
Restrice HYDR	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su  ctive Layer (if	Color 10YR 4/2  =Concentra  n (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrace (A12) observed):	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches)	color Color on, RM=Redu	ced Mate Hydric Sandy I Sandy I Sandy I Stripped Loamy Loamy Deplete	Type*  rix, CS= Soil In Mucky N Gleyed Redox ( d Matrix Mucky I Gleyed d Matrix	Redox Featu Loc**  Coated Sand grains dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)	res Text Sil	Hydro Yes  n absence  ure  ion: PL=Po  Rec Dep Rec Indicate Ver Oth  Yes	ore Linir lox Dark loted Di lox Depl lox Depl lox Paga y Shallo er	vegetation No cators.) emarks Fill eng, M=Mark c Surface ark Surface Redox in Execution No	rix  (F6) Se (F7) F8) Hydric Soil: (A16) Ses (F12) Urface (F12)	s
Restrice HYDR	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su ctive Layer (if Remarks: OLOGY Ind Hydrology Surface Water	Color 10YR 4/2 =Concentra  In (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrface (A12) observed):  Indicators: Prin (A1)	Matrix % 100 ation, D=Depleti face (A11) Type:	on, RM=Redu	ced Mat Hydric Sandy N Sandy N Stripped Loamy Loamy Deplete  at apply Stained	rix, CS= Soil In Mucky Pe Gleyed Redox ( d Matrix Mucky I Gleyed d Matrix	Redox Featu Loc**  -Coated Sand grains dicators: //ineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre	**Locat	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth Yes  Sec Surface S	ore Linir dox Dark oletted Do dox Perior Anga y Shallo er condary oil Crac	vegetation No cators.)  marks Fill  mg, M=Mark  a Surface ark Surface ressions ( roblematic in Redox in Rese Mass w Dark Sill  No No Indicato ks (B6)	rix  (F6) Se (F7) F8) Hydric Soil: (A16) Ses (F12) Urface (F12)	s
Restrice HYDR	Prof Depth (inches) 0-18 *Type: C Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su ctive Layer (if	Color 10YR 4/2 =Concentra in (A2) (A3) (A5) (A5) (A5) (A7) (A1) (A1) (A1) (A1) (A2) (A3) (A4) (A4) (A5) (A5) (A5) (A6) (A6) (A6) (A6) (A6) (A6) (A7) (A6) (A6)	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches)	con, RM=Redu	ced Mat Hydric Sandy M Sandy F Stripped Loamy L Loamy Deplete	Type*  rix, CS= Soil In Mucky Pe Sleyed Redox (d Matrix Mucky I Gleyed d Matrix Leaves (B13)	Redox Featu Loc**  Coated Sand grains dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Wineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre	**Locat	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth  Yes  Surface S Drainage Dry-Seaso	ore Linir dox Dark leted D: lors for P set Prair -Manga y Shallo er condary oil Crac Patterns on Wate	vegetation No cators.) emarks Fill eng, M=Mar a Surface ark Surfac	ririx (F6) E (F7) Hydric Soil: (A16) Ses (F12) urface (F12)	s
Restrice HYDR	Prof Depth (inches) 0-18  *Type: C  #Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulfied Laye 2 cm Muck (A Depleted Belo Thick Dark Su  ctive Layer (if  Remarks:  OLOGY nd Hydrology  Surface Water High Water Ta Saturation (A3 Water Marks (	Color 10YR 4/2  =Concentra  In (A2) 3) ide (A4) res (A5) 10) w Dark Surfrace (A12) observed):  Indicators: Prim (A1) able (A2) b) B1)	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches)	check all the Water Aquati	ced Mate Hydric Sandy F Stripper Loamy Deplete at apply Stained c Fauna Aquatic F Ggen Sulf	Type*  Ty	Redox Featu Loc**	**Locat	Hydro Yes  n absence  ure L  ion: PL=Po Rec Dep Rec Indicate Iron Very Oth Yes  Sec Surface S Drainage Drainage Dry-Seasc Crayfish B	ore Linir dox Dark eleted De ors for P set Prair -Manga y Shallo er condary oil Crac Patterns on Wate Burrows	vegetation No cators.) marks Fill mg, M=Mar c Surface ark Surface	rix  (F6) te (F7) F8) se (F12) urface (F12) X  rs	s s
Restrice HYDR	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A1) Hydrogen Sulf Stratified Laye 2 cm Muck (A1) Depleted Belo Thick Dark Suctive Layer (if Remarks: OLOGY Ind Hydrology Surface Water High Water Ta Saturation (A3) Water Marks Usediment Dep Drift Deposits	Color 10YR 4/2  =Concentra  In (A2) 3) ide (A4) rs (A5) 10) w Dark Surfface (A12) observed):  Indicators: Prin (A1) ible (A2) ) B1) osits (B2) (B3)	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches)	check all th Water Aquati True A Hydroo Oxidiz Prese	eeded to %  ced Mat Hydric Sandy N Sandy N Stripped Loamy Loamy Deplete  at apply Stained c Fauna quatic F gen Sulf ed Rhizz nce of R	rix, CS= Soil In Mucky N Gleyed d Matrix Mucky I (B13) Leaves (B13) Plants (I ide Odo sophere educed	Redox Featu Loc**  Coated Sand grains dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre  (B9)  S (B9)  S (B9)  S on Living Roots Iron (C4)	**Locat	Hydro Yes  n absence  ure  L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth  Yes  Sec Surface S Drainage I Dry-Seasc Crayfish B Saturation Stunted of	ore Lining dox Darkologo or Lining dox Darkologo or Lining dox Deployers for Plast Prairing and Shalloger of Condary oil Crac Patterns on Water Shallogo or Street or Stress on Visible or Stress	vegetation No cators.) marks Fill mg, M=Mark a Surface ark Surface ressions ( roblematic in Redox in R	rrix (F6) (F8) Hydric Soil: (A16) Ses (F12) Urface (F12) X  Imagery (C	s s
Restrice HYDR	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic G Black Histic Epipedo Black Histic Epipedo C Surface Water High Water Ta Saturation (A3 Water Marks ( Sediment Dep Drift Deposits Algal Mat or C	Color 10YR 4/2  =Concentra  In (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrface (A12) observed):  Indicators: Print (A1) ible (A2) ) B1) oosits (B2) (B3) rust (B4)	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches)	check all th Water Aquati True A Hydro Oxidiz Prese Recer	ced Mat Hydric Sandy Mat Sandy Mat Stripped Loamy Loamy Deplete  at apply Stained c Fauna quatic F gen Sulf gen Sulf gen Sulf tiron Re	rix, CS= Soil In Mucky Pe Gleyed Redox ( d Matrix Mucky I Gleyed d Matrix Gleyed d Matrix i Leaves (B13) Plants (I ide Odd osphere educed eduction	Redox Featu Loc**  Coated Sand grains dicators: dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre  (S (B9)  S (B9)  S (B9)  S (B9)  T (C1) S on Living Roots Iron (C4) In in Tilled Soil (C6)	**Locat	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Reco Indicate Coa Iron Ver Oth  Yes  Sec Surface S Drainage Dry-Seasc Crayfish E Saturation Stunted of Geomorph	phytic ' of indi  Re ore Linir lox Dark bleted Di dox Depr ors for P ast Prair -Manga y Shallo er condary oil Crac Patterns on Wate Burrows n Visible r Stress nic Positi	vegetation No cators.) marks Fill mg, M=Mar surface ark Surface ar	rrix (F6) (F8) Hydric Soil: (A16) Ses (F12) Urface (F12) X  Imagery (C	s s
Restrice HYDR	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su  ctive Layer (if Remarks: OLOGY nd Hydrology  Surface Water High Water Ta Saturation (A3 Water Marks ( Sediment Dep Drift Deposits Algal Mat or C Iron Deposits i Inundation Vis	Color 10YR 4/2  =Concentra  In (A2) 3) ide (A4) res (A5) 10) w Dark Surfrace (A12) observed):  Indicators: Prim (A1) able (A2) b) B1) osits (B2) (B3) ible on Aeri	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches) mary Indicators	color Color On, RM=Redu On, RM=Redu Water Aquati True A Hydro Oxidiz Prese Recer Thin M Guage	eeded to %  ced Mat Hydric Sandy N Sandy N Stripped Loamy Loamy Deplete  at apply Stained c Fauna quatic F gen Sulf ed Rhizz nce of R	Type*  rix, CS= Soil In Mucky Pe Gleyed Redox (Id Matrix Mucky I Gleyed d Matrix Mucky I Gleyed conduction face (Conduction face (Conduction	Redox Featu Loc**	**Locat	Hydro Yes  n absence  ure  L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth  Yes  Sec Surface S Drainage I Dry-Seasc Crayfish B Saturation Stunted of	phytic ' of indi  Re ore Linir lox Dark bleted Di dox Depr ors for P ast Prair -Manga y Shallo er condary oil Crac Patterns on Wate Burrows n Visible r Stress nic Positi	vegetation No cators.) marks Fill mg, M=Mar surface ark Surface ar	rrix (F6) (F8) Hydric Soil: (A16) Ses (F12) Urface (F12) X  Imagery (C	s s
Restrice FHYDR: Wetlan	Prof Depth (inches) 0-18  *Type: C  #Type: C  #Istosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su ctive Layer (if  Remarks: OLOGY nd Hydrology  Surface Water High Water Ta Saturation (A3 Water Marks ( Sediment Dep Drift Deposits Inundation Vis Sparsely Vege	Color 10YR 4/2  =Concentra  n (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrace (A12) observed):  Indicators: Prin (A1) able (A2) b) B1) osits (B2) (B3) rust (B4) (B5) ible on Aerietated Concentra	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches) mary Indicators al Imagery (B7) ave Surface	check all th  Water Aquati True A Hydro Oxidiz Prese Recer Thin N Guage Other	ced Mate Hydric Sandy Form Museum Sandy Form Museum Sandy Form Museum Sandy Form Museum Sandy Form	Type*  Type*  Type*  Fix, CS=  Soil In  Mucky N  Gleyed  Redox ( d Matrix  Mucky I  Gleyed  Gleyed  Mutrix  Mucky I  Gleyed  Gleyed  Gleyed  Gleyed  Gleyed  Color	Redox Featu Loc**	**Locat	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Reco Indicate Coa Iron Ver Oth  Yes  Sec Surface S Drainage Dry-Seasc Crayfish E Saturation Stunted of Geomorph	phytic ' of indi  Re ore Linir lox Dark bleted Di dox Depr ors for P ast Prair -Manga y Shallo er condary oil Crac Patterns on Wate Burrows n Visible r Stress nic Positi	vegetation No cators.) marks Fill mg, M=Mar surface ark Surface ar	rrix (F6) (F8) Hydric Soil: (A16) Ses (F12) Urface (F12) X  Imagery (C	s s
Restrice FHYDR: Wetlan	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su  ctive Layer (if Remarks: OLOGY nd Hydrology  Surface Water High Water Ta Saturation (A3 Water Marks ( Sediment Dep Drift Deposits Algal Mat or C Iron Deposits i Inundation Vis	Color 10YR 4/2  =Concentra  In (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrace (A12) observed):  Indicators: Prin (A1) ible (A2) ) B1) osits (B2) (B3) rust (B4) (B5) ible on Aeri estated Conce Surface W Water Tab	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches) mary Indicators al Imagery (B7) ave Surface ater Present? le Present?	check all th Water Aquati True A Hydro Oxidiz Prese Recer Thin N Guage Other Yes Yes	eeded to %  ced Mat Hydric Sandy N Sandy N Sandy N Stripped Loamy Loamy Deplete  at apply Stained c Fauna quatic F gen Sulf ed Rhizz nce of R t Iron Re fluck Sur e or Well No	rix, CS= Soil In Mucky Pe Gleyed Redox (d Matrix Mucky I Gleyed d Matrix Mucky I I Leaves (B13) Plants (I ide Odd osphere educed eduction face (C Data (I	Redox Featu Loc**  -Coated Sand grains dicators: //ineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre	**Locat	Hydro Yes  n absence  ure  L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth  Yes  Sec Surface S Drainage Dry-Seasc Crayfish E Saturation Stunted on Geomorph FAC-Neut	ore Lining dox Dark of the line of the lining dox Dark of the lining dox Deploys for Peast Prairing oil Crac Patterns on Wate Surrows on Visible or Stress on Crack of the lining down o	vegetation No cators.) marks Fill mg, M=Mark cark Surface ark Surface ressions (roblematic in Redox in Rese Mass w Dark Strong (Research Stron	ririx (F6) (F6) (F7) (F8) (Hydric Soils) (A16) (Ses (F12) Urface (F12)  X  TS (C2)  Imagery (C) (D1)	s s
Restrice FHYDR: Wetlan	Prod Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic G Black Histic Epipedo Black Histic Epipedo C Black Histic G Bl	Color 10YR 4/2  =Concentra  in (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrface (A12) observed):  Indicators: Prin (A1) ble (A2) B1) osits (B2) (B3) rust (B4) (B5) ible on Aerietated Conc Surface W Water Tab Saturation	al Imagery (B7) ave Surface ater Present? Present?	check all the Water Aquati True A Hydro Oxidiz Prese Recer Thin M Guage Other Yes Yes Yes	ced Mate Hydric Sandy Material Sandy	Type*  rix, CS= Soil In Mucky Ne Gleyed Redox (d Matrix Mucky I Gleyed d Matrix Mucky I Leaves (B13) Plants (I ide Odd eduction face (C Data (I X X X X	Redox Featu Loc**  -Coated Sand grains dicators: //ineral (S1) at or Peat Matrix (S4) S5) (S6) (Mineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre	**Locat  Sil  **Locat  Hydrol	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Very Oth Yes  Sec Surface S Drainage Dry-Seasc Crayfish E Saturation Stunted of Geomorph FAC-Neut	ore Lining dox Dark of the line of the lining dox Dark of the lining dox Deploys for Peast Prairing on Water on	vegetation No cators.) marks Fill mg, M=Mar cark Surface ark Surface ressions (roblematic in Redox in Rese Mass w Dark Surface in Redox	rrix (F6) (F8) Hydric Soil: (A16) Ses (F12) Urface (F12) X  Imagery (C	s s

#### WETLAND DETERMINATION FORM-MIDWEST REGION

Site:		Street Relo		City/County:		Fran	nklin County	Date:			Data Po		DP 2
Client: Investi	gator(s):	can Electric N. Houk, A		State: OH	_Section	n, Iowr	iship, Range: Landform	Te			5N, R 22V I Relief	v Conve	ex
Slope	(%): `´	3-5	Lat. 3 - Ockley comp	39.971716	Long.	200			NAD 83				
Cl	imatic/hydrolog	ic condition	s typical for tim	e of vear?	Y/N	Υ							
	Vegetation Vegetation		, Soil	or Hy	drology drology		significantly disturbed naturally problematic						
	ormal Circumsta	ances Prese	ent? Y	es X	No	'	laturally problematic						
SUMM	IARY OF FIND Hvdro		tation Present?	Yes	No	Х							1
	•	Hydri	c Soil Present?	Yes	No	X			DP within		and?		
Remar		Does not i	ology Present?	res nd criteria	No	X		Yes	No	Х			
VEGE	TATION			Absolute %	Domi	nant		1					
Tree S	tratum	Plot size:	30'	Cover	Spe		Indicator Status	3					
1.									<b>Do</b> i Number o	minanc	e Test W	orksheet	
2. 3.						<del></del>			that are O				1
4. 5.													3
				0	Total Co	over			species ac Percent of	f domina	i strata: ant specie	es	3.33
Shrub 1.	Stratum_	Plot size:	15'						that are O			AC:	55.55
2.									Total	% cove	r of:		
3. 4.					-				OBL spec FACW spec			x 1 x 2	0
5.									FAC spec	ies	30	x 3	90
Herb S	Stratum	Plot size:	5'	0	Total Co	over			FACU spec		<u>70</u>	x 4 x 5	280 0
1.	Taraxacum of	ficinale		30	Y	<u>,                                      </u>	FACU	4	Tot	:al	100		370
2. 3.	Plantago lance Poa pratensis	eolata		25 20		,	FACU FAC	3	Hydrophy		evalence letation l		3.70
4.	Digitaria sangi	uinalis		10	N		FACU	4	Rap	oid Test	for Hydro	phytic Ve	g.
5. 6.	Setaria pumila Cichorium inty	bus		10 5	N		FAC FACU	3 4			Test is > Index is		
7. 8.											cal Adapt	ations* : Vegetation	*
				100	Total Co	over						and wetla	
Woody 1.	Vine Stratum	Plot size:	5'								•	sent, unle	
2.									,	dieturha	d or probl	ematic	
۷.													
	Remarks:			0	Total Co	over				phytic		n Preser	nt?
		filo Doscrin	tion: (Describ				nont the indicator or	confirm	Hydro Yes	phytic	Vegetation No	n Preser	nt?
F			Matrix `	e to depth ne	eded to	docun	nent the indicator or Redox Featu	res	Hydro Yes n absence	phytic	Vegetation No	n Preser	nt?
F	Prof Depth (inches)	Color	Matrix %			docun		res Text	Hydro Yes n absence	phytic of indi	Vegetation No cators.)	n Preser	nt?
F	Pro	-	Matrix `	e to depth ne	eded to	docun	Redox Featu	res	Hydro Yes n absence	phytic of indi	Vegetation No cators.)	n Preser	nt?
F	Prof Depth (inches)	Color	Matrix %	e to depth ne	eded to	docun	Redox Featu	res Text	Hydro Yes n absence	phytic of indi	Vegetation No cators.)	n Preser	nt?
F	Prof Depth (inches) 0-18	Color 10YR 5/2	Matrix % 100	e to depth ne	eded to	docun	Redox Featu Loc**	res Text Sil	Hydro Yes n absence ure	ophytic of indi	Vegetation No cators.) emarks Fill	on Preser	nt?
F	Prof Depth (inches) 0-18	Color 10YR 5/2	Matrix % 100	e to depth ne	% ced Mat	Type*	Redox Featu Loc**  -Coated Sand grains	res Text Sil	Hydro Yes n absence	ophytic of indi	Vegetation No cators.) emarks Fill	on Preser	nt?
F	Prof Depth (inches) 0-18 *Type: C	Color 10YR 5/2 =Concentra	Matrix % 100	e to depth ne	eded to % ced Mat Hydric Sandy N	Type*  rix, CS= Soil In	Redox Featu Loc**  Coated Sand grains dicators: //ineral (S1)	res Text Sil	Hydro Yes n absence ure L ion: PL=Po	phytic of indi	vegetation No cators.) emarks Fill ng, M=Ma	on Preser x trix (F6)	nt?
F	Depth (inches) 0-18	Color 10YR 5/2 =Concentra	Matrix % 100	e to depth ne	eded to % ced Mat Hydric Sandy N 5cm Mu	Type*  rix, CS= Soil In Mucky N	Redox Featu Loc**  Coated Sand grains dicators:	res Text Sil	Hydro Yes n absence	phytic of indi	Vegetation No cators.) emarks Fill ng, M=Ma	on Preser x ttrix (F6) ce (F7)	nt?
F	Prof Depth (inches) 0-18 *Type: C Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf	Color 10YR 5/2 =Concentra in (A2) 3) ide (A4)	Matrix % 100	e to depth ne	eeded to %  ced Mat Hydric Sandy N Sandy ( Sandy F	rix, CS= Soil In Nucky Nucky Pe	Redox Featu Loc**  -Coated Sand grains dicators: //ineral (S1) at or Peat Matrix (S4) S5)	res Text Sil	Hydro Yes n absence ure L ion: PL=Po Rec Dep Rec Indicate	ore Liniudox Darloleted Doros for F	vegetation No Cators.) emarks Fill emg, M=Ma c Surface ark Surface ressions or Problemation No Cators.	trix (F6) (F8) (F8) (F8) (F8)	
F	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A	Color 10YR 5/2 =Concentra n (A2) 3) ide (A4) rs (A5)	Matrix % 100 ation, D=Depleti	e to depth ne	ced Mate Hydric Sandy N Sandy Sandy Sandy Sandy Sandy Sandy For Strippen Strippen Loamy	Type*  Tix, CS= Soil In Mucky N acky Pe Gleyed Redox ( d Matrix Mucky I	Redox Featu Loc**	res Text Sil	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron	ore Liniudox Darloleted Dors for Fast Prairi-Manga	vegetation No cators.) emarks Fill emg, M=Mark Surface ark Surface	trix  (F6) ce (F7) (F8) ce Hydric Sc (A16) sses (F12)	pils
F	Prof Depth (inches) 0-18 *Type: C Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo	Color 10YR 5/2  =Concentra  in (A2) 3) ide (A4) res (A5) 10) w Dark Surf	Matrix % 100 ation, D=Depleti	e to depth ne	ced Mate Hydric Sandy F Sandy F Sandy F Sandy F Sandy F Loamy Loamy	rix, CS=Soil In Mucky Pe Gleyed (ad Matrix Mucky Gleyed Gleyed	Redox Featu Loc**  -Coated Sand grains dicators: //ineral (S1) at or Peat Matrix (S4) S5) (S6) Wineral (F1) Matrix (F2)	res Text Sil	Hydro Yes  n absence  ure  L  ion: PL=Pe  Rec  Dep  Rec  Indicate Iron Very	ore Liniu lox Darloleted D dox Depoors for Fast Prair-Manga y Shallo	vegetation No cators.) emarks Fill emg, M=Mark Surface ark Surface	trix (F6) ce (F7) ch Hydric Sc (A16)	pils
SOIL	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A	Color 10YR 5/2  =Concentra  n (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrace (A12)	Matrix % 100 ation, D=Depleti face (A11) Type:	con, RM=Redu	ced Mate Hydric Sandy N Sandy Sandy Sandy Sandy Sandy Sandy For Strippen Strippen Loamy	rix, CS=Soil In Mucky Pe Gleyed (ad Matrix Mucky Gleyed Gleyed	Redox Featu Loc**  Coated Sand grains dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)	res Text Sil	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth	ore Liniudox Darkoleted Dox Depors for Fast Prair-Mangay Shallder	vegetation No cators.) emarks Fill  ng, M=Ma c Surface ark Surface	trix (F6) ce (F7) F8) c Hydric Se (A16) sses (F12 urface (F7)	pils
F SOIL	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su ctive Layer (if	Color 10YR 5/2  =Concentra  n (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrace (A12)	Matrix % 100 ation, D=Depleti	con, RM=Redu	ced Mate Hydric Sandy F Sandy F Sandy F Sandy F Sandy F Loamy Loamy	rix, CS=Soil In Mucky Pe Gleyed (ad Matrix Mucky Gleyed Gleyed	Redox Featu Loc**  -Coated Sand grains dicators: //ineral (S1) at or Peat Matrix (S4) S5) (S6) Wineral (F1) Matrix (F2)	res Text Sil	Hydro Yes  n absence  ure  L  ion: PL=Pe  Rec  Dep  Rec  Indicate Iron Very	ore Liniudox Darkoleted Dox Depors for Fast Prair-Mangay Shallder	vegetation No cators.) emarks Fill emg, M=Mark Surface ark Surface	trix  (F6) ce (F7) (F8) ce Hydric Sc (A16) sses (F12)	pils
Restrice HYDR	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulfe Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su ctive Layer (if Remarks: OLOGY	Color 10YR 5/2  =Concentra  In (A2) 3) ide (A4) res (A5) 10) w Dark Surfrace (A12) observed):	Matrix % 100 ation, D=Depleti face (A11) Type:	con, RM=Redu	ced Mate Hydric Sandy F Sandy F Sandy F Sandy F Sandy F Loamy Loamy	rix, CS=Soil In Mucky Pe Gleyed (ad Matrix Mucky Gleyed Gleyed	Redox Featu Loc**  Coated Sand grains dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)	res Text Sil	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth	ore Liniudox Darkoleted Dox Depors for Fast Prair-Mangay Shallder	vegetation No cators.) emarks Fill  ng, M=Ma c Surface ark Surface	trix (F6) ce (F7) F8) c Hydric Se (A16) sses (F12 urface (F7)	pils
Restrice F	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su  ctive Layer (if	Color 10YR 5/2  =Concentra  n (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrace (A12) observed):	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches)	color Color on, RM=Redu	ced Mate Hydric Sandy I Sandy I Sandy I Stripped Loamy Loamy Deplete	rix, CS= Soil In Mucky N Gleyed Redox ( d Matrix Mucky I Gleyed d Matrix	Redox Featu Loc**  Coated Sand grains dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)	res Text Sil	Hydro Yes  n absence  ure  ion: PL=Po  Rec Dep Rec Indicate Ver Oth  Yes	ore Liniudox Darloleted Dox Depors for Fast Prairing-Manga y Shallo	vegetation No cators.) emarks Fill ng, M=Ma c Surface ark Surface Adox are see Massey Dark S	trix  (F6) ce (F7) F8) c Hydric So (A16) urface (F <sup>2</sup> X	pils
Restrice HYDR	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su ctive Layer (if Remarks: OLOGY Ind Hydrology Surface Water	Color 10YR 5/2 =Concentra  In (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrface (A12) observed):  Indicators: Prin (A1)	Matrix % 100 ation, D=Depleti face (A11) Type:	on, RM=Redu	ced Mat Hydric Sandy N Sandy N Stripped Loamy Loamy Deplete  at apply Stained	rix, CS= Soil In Mucky Pe Gleyed Redox ( d Matrix Mucky I Gleyed d Matrix	Redox Featu Loc**  Coated Sand grains dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre	**Locat	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth Yes  Sec Surface S	ore Linindox Darkoleted Dolox Depors for Fast Prairi-Mangay Shalloer	vegetation No cators.) emarks Fill emg, M=Ma or Surface ark Surface Action No No No vegetation No ve	trix  (F6) ce (F7) F8) c Hydric So (A16) urface (F <sup>2</sup> X	pils
Restrice HYDR	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su ctive Layer (if Remarks: OLOGY and Hydrology  Surface Water High Water Ta Saturation (A3	Color 10YR 5/2  =Concentra  in (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrface (A12) observed):  Indicators: Prin (A1) ible (A2)	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches)	color  Color  on, RM=Redu  (check all the Water Aquati True A	ced Mat Hydric Sandy I Sandy I Stripper Loamy Loamy Deplete  at apply Stained c Fauna	rix, CS= Soil In Mucky Pe Sleyed Redox (d Matrix Mucky I Gleyed d Matrix Mucky I Gleyed (d Matrix Mucky I Bleyed (d Matri	Redox Featu Loc**  -Coated Sand grains dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Wineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre	**Locat	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth  Yes  Surface S Drainage Dry-Seaso	ore Linia dox Darloleted D dox Depoors for F est Prairi-Manga y Shallo er	vegetation No cators.) emarks Fill eng, M=Ma c Surface ark Surface Redox and Surface No No vindicators (B10) er Table (C	trix (F6) ce (F7) (F8) c Hydric Sc (A16) sses (F12 urface (F7)	pils
Restrice HYDR	Prof Depth (inches) 0-18  *Type: C  #Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulfied Laye 2 cm Muck (A Depleted Belo Thick Dark Su  ctive Layer (if  Remarks:  OLOGY nd Hydrology  Surface Water High Water Ta Saturation (A3 Water Marks (	Color 10YR 5/2  =Concentra  n (A2) 3) ide (A4) res (A5) 10) w Dark Surfrace (A12) observed):  Indicators: Prim (A1) able (A2) b) B1)	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches)	check all the Water Aquati	ced Mate Hydric Sandy F Stripper Loamy Deplete at apply Stained c Fauna Aquatic F Ggen Sulf	rix, CS= Soil In Mucky N Gleyed Redox ( d Matrix Mucky I Gleyed d Matrix ( D) Leaves (B13) Plants (I ide Odd	Redox Featu Loc**  Loc**  Coated Sand grains dicators: Alineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre  S (B9)  B14) or (C1)	**Locat	Hydro Yes  n absence  ure L  ion: PL=Po Rec Dep Rec Indicate Iron Very Oth Yes  Sec Surface S Drainage Drainage Dry-Seasc Crayfish B	ore Linia  dox Darloleted D dox Dep ors for F ast Prair -Manga y Shallo er condary oil Crac Patterns on Wate Burrows	vegetation No cators.) emarks Fill eng, M=Mark c Surface ark Surface Redox in ese Masow Dark Surface (B6) No v Indicator (ks (B6) are Table ((C8)	trix  (F6) ce (F7) F8) c Hydric Se (A16) sses (F12 urface (F2) X	pils ) 12)
Restrice HYDR	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A1) Hydrogen Sulf Stratified Laye 2 cm Muck (A1) Depleted Belo Thick Dark Suctive Layer (if Remarks: OLOGY Ind Hydrology Surface Water High Water Ta Saturation (A3) Water Marks Usediment Dep Drift Deposits	Color 10YR 5/2  =Concentra  In (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrace (A12) observed):  Indicators: Prin (A1) ible (A2) ) B1) osits (B2) (B3)	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches)	check all th Water Aquati True A Hydroo Oxidiz Prese	eeded to %  ced Mat Hydric Sandy N Sandy N Stripped Loamy Loamy Deplete  at apply Stained c Fauna quatic F gen Sulf ed Rhizz nce of R	rix, CS= Soil In Mucky Pe Gleyed Redox ( d Matrix Mucky I Gleyed d Matrix Plants (I ide Odo posphere educed	Redox Featu Loc**  Coated Sand grains dicators: dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre  (B9)  314) or (C1) or on Living Roots Iron (C4)	**Locat	Hydro Yes  n absence  ure  L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth  Yes  Sec Surface S Drainage I Dry-Seasc Crayfish B Saturation Stunted of	ore Linindox Darkoleted Dolox Depors for Fast Prairi-Mangay Shalloer Soundary oil Crac Patternson Wates Nisible r Stress	vegetation No  cators.)  emarks Fill  eng, M=Ma  c Surface ark Surfa ressions roblemation ie Redox inese Mas inese M	trix (F6) ce (F7) F8) c Hydric Sc (A16) sses (F12 urface (F2) X	pils ) 12)
Restrice HYDR	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic G Black Histic Epipedo Black Histic Epipedo C Surface Water High Water Ta Saturation (A3 Water Marks ( Sediment Dep Drift Deposits Algal Mat or C	Color 10YR 5/2  =Concentra  In (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrface (A12) observed):  Indicators: Print (A1) ible (A2) ) B1) oosits (B2) (B3) rust (B4)	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches)	check all th Water Aquati True A Hydro Oxidiz Prese Recer	ced Mat Hydric Sandy Mat Sandy Mat Stripped Loamy Loamy Deplete  at apply Stained c Fauna quatic F gen Sulf gen Sulf gen Sulf tiron Re	rix, CS= Soil In Mucky Pe Gleyed Redox ( d Matrix Mucky I Gleyed d Matrix Gleyed (B13) Plants (I ide Odd osphere educed eduction	Redox Featu Loc**  Loc**  Coated Sand grains dicators: dicators: Mineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre  (S (B9)  S (B9)  S (B9)  T (C1) T (C1) T (C1) T (C4) T in Tilled Soil (C6)	**Locat	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Reco Indicate Coa Iron Ver Oth  Yes  Sec Surface S Drainage Dry-Seasc Crayfish E Saturation Stunted of Geomorph	ore Linium	vegetation No  cators.)  emarks Fill  eng, M=Ma  c Surface ark Surfa ressions in roblemation Redox and Dark Some Dar	trix (F6) ce (F7) F8) c Hydric Sc (A16) sses (F12 urface (F2) X	pils ) 12)
Restrice HYDR	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su  ctive Layer (if Remarks: OLOGY nd Hydrology  Surface Water High Water Ta Saturation (A3 Water Marks ( Sediment Dep Drift Deposits Algal Mat or C Iron Deposits i Inundation Vis	Color 10YR 5/2  =Concentra  n (A2) 3) ide (A4) res (A5) 10) w Dark Surfrace (A12) observed):  Indicators: Prim (A1) able (A2) b) B1) osits (B2) (B3) ible on Aeri	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches) mary Indicators	color Color On, RM=Redu On, RM=Redu Water Aquati True A Hydro Oxidiz Prese Recer Thin M Guage	eeded to %  ced Mat Hydric Sandy N Sandy N Stripped Loamy Loamy Deplete  at apply Stained c Fauna quatic F gen Sulf ed Rhizz nce of R	Type*  Tix, CS= Soil In Mucky Pe Gleyed Redox (Id Matrix Mucky Id Matrix Mucky	Redox Featu Loc**	**Locat	Hydro Yes  n absence  ure  L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth  Yes  Sec Surface S Drainage I Dry-Seasc Crayfish B Saturation Stunted of	ore Linium	vegetation No  cators.)  emarks Fill  eng, M=Ma  c Surface ark Surfa ressions in roblemation Redox and Dark Some Dar	trix (F6) ce (F7) F8) c Hydric Sc (A16) sses (F12 urface (F2) X	pils ) 12)
Restrice FHYDR: Wetlan	Prof Depth (inches) 0-18  *Type: C  #Type: C  #Istosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su ctive Layer (if  Remarks: OLOGY nd Hydrology  Surface Water High Water Ta Saturation (A3 Water Marks ( Sediment Dep Drift Deposits Inundation Vis Sparsely Vege	Color 10YR 5/2  =Concentra  In (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrace (A12) observed):  Indicators: Prin (A1) able (A2) b) B1) osits (B2) (B3) rust (B4) (B5) ible on Aerietated Concentra	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches) mary Indicators al Imagery (B7) ave Surface	check all th  Water Aquati True A Hydro Oxidiz Prese Recer Thin N Guage Other	ced Mate Hydric Sandy Form Museum Sandy Form Museum Sandy Form Museum Sandy Form Museum Sandy Form	rix, CS= Soil In Mucky M Cky Pe Gleyed Redox ( d Matrix Mucky I Gleyed d Matrix (B13) Plants (I ide Odd cosphere educed eduction face (C Data (I	Redox Featu Loc**  Loc**  Coated Sand grains dicators: Jineral (S1) at or Peat Matrix (S4) S5) (S6) Wineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre  S (B9)  314) or (C1) or on Living Roots Iron (C4) n in Tilled Soil (C6) 7) D9)	**Locat	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Reco Indicate Coa Iron Ver Oth  Yes  Sec Surface S Drainage Dry-Seasc Crayfish E Saturation Stunted of Geomorph	ore Linium	vegetation No  cators.)  emarks Fill  eng, M=Ma  c Surface ark Surfa ressions in roblemation Redox and Dark Some Dar	trix (F6) ce (F7) F8) c Hydric Sc (A16) sses (F12 urface (F2) X	pils ) 12)
Restrice FHYDR: Wetlan	Proi Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic (A Hydrogen Sulf Stratified Laye 2 cm Muck (A Depleted Belo Thick Dark Su  ctive Layer (if Remarks: OLOGY nd Hydrology  Surface Water High Water Ta Saturation (A3 Water Marks ( Sediment Dep Drift Deposits Algal Mat or C Iron Deposits i Inundation Vis	Color 10YR 5/2  =Concentra  In (A2) 3) ide (A4) rs (A5) 10) w Dark Surfface (A12) observed):  Indicators: Prin (A1) ible (A2) ) B1) osits (B2) (B3) rust (B4) (B5) ible on Aeri estated Conce Surface W Water Tab	Matrix % 100 ation, D=Depleti face (A11) Type: Depth (Inches) mary Indicators al Imagery (B7) ave Surface ater Present? le Present?	check all th Water Aquati True A Hydro Oxidiz Prese Recer Thin N Guage Other Yes Yes	eeded to %  ced Mat Hydric Sandy N Sandy N Sandy N Stripped Loamy Loamy Deplete  at apply Stained c Fauna quatic F gen Sulf ed Rhizz nce of R t Iron Re fluck Sur e or Well No	rix, CS= Soil In Mucky Pe Gleyed Redox (d Matrix Mucky I Gleyed d Matrix Mucky I I Leaves (B13) Plants (I ide Odd osphere educed eduction face (C Data (I	Redox Featu Loc**  Coated Sand grains dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre  (GB)  (GB)	**Locat	Hydro Yes  n absence  ure  L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Ver Oth  Yes  Sec Surface S Drainage Dry-Seasc Crayfish E Saturation Stunted on Geomorph FAC-Neut	ore Linindox Darkoleted Dolox Depors for Fast Prair-Mangay Shalloer Surrows Notice Patterns on Water Surrows Notice Patterns on Wate	vegetation No  cators.)  emarks Fill  eng, M=Ma  c Surface ark Surfa ressions roblemation ie Redox inese Mas inese M	trix (F6) ce (F7) F8) c Hydric Se (A16) sses (F12 urface (F'	pils ) 12)
Restrice FHYDR: Wetlan	Prod Depth (inches) 0-18  *Type: C  Histosol (A1) Histic Epipedo Black Histic G Black Histic Epipedo Black Histic Epipedo C Black Histic G Bl	Color 10YR 5/2  =Concentra  In (A2) 3) ide (A4) rs (A5) 10) w Dark Surfrface (A12) observed):  Indicators: Prin (A1) ible (A2) ) B1) osits (B2) (B3) rust (B4) (B5) ible on Aerietated Conc Surface W Water Tab Saturation	al Imagery (B7) ave Surface ater Present? Present?	check all the Water Aquati True A Hydro Oxidiz Prese Recer Thin M Guage Other Yes Yes Yes	ced Mate Hydric Sandy Material Sandy	Type*  Tix, CS= Soil In Mucky Ne Gleyed Redox (d Matrix Mucky I Gleyed d Matrix Mucky I Gleyed d Matrix Mucky I Colored Colore	Redox Featu Loc**  Coated Sand grains dicators: dineral (S1) at or Peat Matrix (S4) S5) (S6) Mineral (F1) Matrix (F2) x (F3)  Hydric Soil Pre  (B9)  314) or (C1) or (C1) or on Living Roots Iron (C4) or in Tilled Soil (C6) 7) Depth (inches)	**Locat  Sil  **Locat  Hydrol	Hydro Yes  n absence  ure L  ion: PL=Po  Rec Dep Rec Indicate Coa Iron Very Oth Yes  Sec Surface S Drainage Dry-Seasc Crayfish E Saturation Stunted of Geomorph FAC-Neut	ore Linindox Darkoleted Dolox Depors for Fast Prair-Mangay Shalloer Surrows Notice Patterns on Water Surrows Notice Patterns on Wate	vegetation No  cators.)  emarks Fill  emg, M=Ma  c Surface ark Sur	trix (F6) ce (F7) F8) c Hydric Sc (A16) sses (F12 urface (F2) X	pils ) 12)

# Appendix C

**USFWS** and **ODNR** Coordination



## **United States Department of the Interior**



#### FISH AND WILDLIFE SERVICE

Ecological Services 4625 Morse Road, Suite 104 Columbus, Ohio 43230 (614) 416-8993 / FAX (614) 416-8994



October 6, 2022

Project Code: 2022-0082743

Re: AEP Vine Street 138 kV transmission line relocation

Dear Mr./Ms.,

The U.S. Fish and Wildlife Service (Service) received your recent correspondence requesting information about the subject proposal. We offer the following comments and recommendations to assist you in minimizing and avoiding adverse effects to threatened and endangered species pursuant to the Endangered Species Act of 1973 (16 U.S.C. 1531 et seq), as amended (ESA).

<u>Federally Threatened and Endangered Species</u>: Due to the project, type, size, and location, we do not anticipate adverse effects to federally endangered, threatened, or proposed species or proposed or designated critical habitat. If there are any project modifications during the term of this action, or additional information for listed or proposed species or their critical habitat becomes available, or if new information reveals effects of the action that were not previously considered, then please contact us for additional project review.

If you have questions, or if we can be of further assistance in this matter, please contact our office at (614) 416-8993 or ohio@fws.gov.

Sincerely,

Patrice Ashfield Field Office Supervisor



MARY MERTZ, DIRECTOR

Office of Real Estate John Kessler, Chief 2045 Morse Road – Bldg. E-2 Columbus, OH 43229 Phone: (614) 265-6621 Fax: (614) 267-4764

October 6, 2022

Aaron Geckle V3 Companies 312 Walnut Street, Suite 1600 Cincinnati, OH 45202

Re: 22-0910; AEP Vine-City of Columbus West 138 kV Transmission Line Relocation

**Project:** The proposed project involves relocating approximately 0.3 miles of the existing Vine-City of Columbus 138 kV transmission line from overhead to underground.

**Location:** The proposed project is located in the City of Columbus, Franklin County, Ohio.

The Ohio Department of Natural Resources (ODNR) has completed a review of the above referenced project. These comments were generated by an inter-disciplinary review within the Department. These comments have been prepared under the authority of the Fish and Wildlife Coordination Act (48 Stat. 401, as amended; 16 U.S.C. 661 et seq.), the National Environmental Policy Act, the Coastal Zone Management Act, Ohio Revised Code and other applicable laws and regulations. These comments are also based on ODNR's experience as the state natural resource management agency and do not supersede or replace the regulatory authority of any local, state or federal agency nor relieve the applicant of the obligation to comply with any local, state or federal laws or regulations.

**Natural Heritage Database:** The Natural Heritage Database has the following data within one mile of the project area:

Elktoe (*Alasmidonta marginata*), SC Wavy-rayed Lampmussel (*Lampsilis fasciola*), SC Round Pigtoe (*Pleurobema sintoxia*), SC Pondhorn (*Uniomerus tetralasmus*), T

Conservation status abbreviations are as follows: E = state endangered; T = state threatened; P = state potentially threatened; SC = state species of concern; SI = state special interest; U = state status under review; X = presumed extirpated in Ohio; FE = federally endangered, and FT = federally threatened.

The review was performed on the specified project area as well as an additional one-mile radius. Records searched date from 1980.

Please note that Ohio has not been completely surveyed and we rely on receiving information from many sources. Therefore, a lack of records for an area is not a statement that rare species or unique features are absent from that area.

**Fish and Wildlife:** The Division of Wildlife (DOW) has the following comments.

The DOW recommends that impacts to streams, wetlands and other water resources be avoided and minimized to the fullest extent possible, and that Best Management Practices be utilized to minimize erosion and sedimentation.

The project is within the vicinity of records for the little brown bat (*Myotis lucifugus*), a state endangered species. Because presence of state endangered bat species has been established in the area, summer tree cutting is not recommended, and additional summer surveys would not constitute presence/absence in the area. However, limited summer tree cutting inside this buffer may be acceptable after further consultation with DOW (contact Eileen Wyza at Eileen.Wyza@dnr.ohio.gov).

In addition, the entire state of Ohio is within the range of the Indiana bat (*Myotis sodalis*), a state endangered and federally endangered species, the northern long-eared bat (*Myotis septentrionalis*), a state endangered and federally threatened species, the little brown bat (*Myotis lucifugus*), a state endangered species, and the tricolored bat (*Perimyotis subflavus*), a state endangered species. During the spring and summer (April 1 through September 30), these bat species predominately roost in trees behind loose, exfoliating bark, in crevices and cavities, or in the leaves. However, these species are also dependent on the forest structure surrounding roost trees. The DOW recommends tree cutting only occur from October 1 through March 31, conserving trees with loose, shaggy bark and/or crevices, holes, or cavities, as well as trees with DBH  $\geq 20$  if possible.

The DOW also recommends that a desktop habitat assessment is conducted, followed by a field assessment if needed, to determine if a potential hibernaculum is present within the project area. Direction on how to conduct habitat assessments can be found in the current USFWS "RANGE-WIDE INDIANA BAT & NORTHERN LONG-EARED BAT SURVEY GUIDELINES." If a habitat assessment finds that a potential hibernaculum is present within 0.25 miles of the project area, please send this information to Eileen Wyza for project recommendations. If a potential or known hibernaculum is found, the DOW recommends a 0.25-mile tree cutting and subsurface disturbance buffer around the hibernaculum entrance, however, limited summer or winter tree cutting may be acceptable after consultation with the DOW. If no tree cutting or subsurface impacts to a hibernaculum are proposed, this project is not likely to impact these species.

The project is within the range of the following listed mussel species.

#### Federally Endangered

clubshell (*Pleurobema clava*)
rayed bean (*Villosa fabalis*)
northern riffleshell (*Epioblasma torulosa rangiana*)
snuffbox (*Epioblasma triquetra*)
purple cat's paw (*Epioblasma o. obliquata*)

#### Federally Threatened

rabbitsfoot (Quadrula cylindrica cylindrica)

#### State Endangered

elephant-ear (*Elliptio crassidens crassidens*) long solid (*Fusconaia maculata maculate*) Ohio pigtoe (*Pleurobema cordatum*)

pocketbook (*Lampsilis ovata*) washboard (*Megalonaias nervosa*)

#### State Threatened

 $pondhorn\ (\textit{Uniomerus tetralasmus})$ 

Salamander Mussel (Simpsonaias ambigua)

Due to the location, and that there is no in-water work proposed in a perennial stream, this project is not likely to impact these species.

The project is within the range of the following listed fish species.

#### State Endangered

goldeye (*Hiodon alosoides*) shortnose gar (*Lepisosteus platostomus*) Iowa darter (*Etheostoma exile*) spotted darter (*Etheostoma maculatum*) northern brook lamprey (*Ichthyomyzon fossor*) tonguetied minnow (*Exoglossum laurae*) popeye shiner (*Notropis ariommus*)

#### State Threatened

lake chubsucker (*Erimyzon sucetta*) paddlefish (*Polyodon spathula*)

Due to the location, and that there is no in-water work proposed in a perennial stream, this project is not likely to impact these species.

Due to the potential of impacts to federally listed species, as well as to state listed species, we recommend that this project be coordinated with the US Fish & Wildlife Service.

Water Resources: The Division of Water Resources has the following comment.

The <u>local floodplain administrator</u> should be contacted concerning the possible need for any floodplain permits or approvals for this project.

ODNR appreciates the opportunity to provide these comments. Please contact Mike Pettegrew at <a href="mike.pettegrew@dnr.ohio.gov">mike.pettegrew@dnr.ohio.gov</a> if you have questions about these comments or need additional information.

Mike Pettegrew Environmental Services Administrator

# This foregoing document was electronically filed with the Public Utilities Commission of Ohio Docketing Information System on

10/14/2022 4:43:08 PM

in

Case No(s). 22-0918-EL-BLN

Summary: Correspondence Letter of Notification Vine-City of Columbus West 138 kV Transmission Line Relocation Project electronically filed by Hector Garcia-Santana on behalf of Ohio Power Company